



ACOI

Coimbra Collection of Algae

ACOI-Coimbra Collection of Algae

List of Cultures

Compiled by ACOI

All rights reserved

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1 | GENUS: [Scenedesmus] Meyen <i>S. naegelii</i> Brébisson |
| 2 | GENUS: [Chrysocapsa] Pascher <i>C. epiphytica</i> Lund |
| 4 | GENUS: [Chamaetrichon] Tupa <i>C. capsulatum</i> Tupa |
| 5 | GENUS: [Chlorella] Beijerinck <i>C. fusca</i> Shihira et Krauss |
| 6 | GENUS: [Pseudanabaena] Lauterborn <i>P. galeata</i> Böcher |
| 7 | GENUS: [Schizomeris] Kützing <i>S. leibleinii</i> Kützing |
| 8 | GENUS: [Chlamydomonas] Ehrenberg <i>C. pseudocostata</i> Pascher et Jahoda |
| 9 | GENUS: [Coelastrum] Nägeli <i>C. printzii</i> Rayss |
| 10 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 11 | GENUS: [Carteria] Diesing <i>C. crucifera</i> Korchikoff |
| 12 | GENUS: [Cosmarium] Corda <i>C. margaritatum</i> (Lund.) Roy et Bisset |
| 13 | GENUS: [Protoderma] Kützing <i>P. sarcinoidea</i> (Groover et Bold) Tupa |
| 14 | GENUS: [Tribonema] Derbès et Solier <i>T. regulare</i> Pascher |
| 15 | GENUS: [Tribonema] Derbès et Solier <i>T. viride</i> Pascher |
| 16 | GENUS: [Bumilleria] Borzi <i>B. sicula</i> Borzi |
| 17 | GENUS: [Heterothrix] Pascher <i>H. debilis</i> Vischer |
| 18 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. convolutum</i> var. <i>pseudosabulosum</i> Hindák |
| 19 | GENUS: [Chlorella] Beijerinck <i>C. ellipsoidea</i> Gerneck |
| 20 | GENUS: [Anabaena] Bory <i>A. variabilis</i> Kützing |
| 21 | GENUS: [Chlorhormidium] Fott <i>C. pseudostichococcum</i> (Heering) Fott |
| 22 | GENUS: [Botrydiopsis] Borzi <i>B. arhiza</i> Borzi |
| 23 | GENUS: [Mischococcus] Nägeli <i>M. confervicola</i> Nägeli |
| 24 | GENUS: [Tetraedron] Kützing <i>T. minimum</i> (A. Braun) Hansgirg |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 26 | GENUS: [Cosmarium] Corda <i>C. obtusatum</i> Schmidle |
| 27 | GENUS: [Nitzschia] Hassall <i>N. fonticola</i> Grunow |
| 28 | GENUS: [Sphaerocystis] Chodat <i>S. schroeteri</i> Chodat |
| 29 | GENUS: [Phormidium] Kützing <i>P. ambiguum</i> Gomont |
| 31 | GENUS: [Cylindrospermum] Kützing <i>C. michailovskoense</i> Elenkin |
| 32 | GENUS: [Pseudococcomyxa] Korchikoff <i>P. adhaerens</i> Korchikoff |
| 33 | GENUS: [Cosmarium] Corda <i>C. vexatum</i> G.S. West |
| 35 | GENUS: [Oocystis] Nägeli <i>O. solitaria</i> var. <i>solitaria</i> fa. <i>major</i> Wille |
| 36 | GENUS: [Nitzschia] Hassall <i>N. amphibia</i> Grunow |
| 37 | GENUS: [Pleurotaenium] Nägeli <i>P. trabecula</i> (Ehrenb.) Nägeli |
| 38 | GENUS: [Oocystis] Nägeli <i>O. solitaria</i> Wittrock |
| 39 | GENUS: [Chroococcus] Nägeli <i>C. turgidus</i> (Kütz.) Nägeli |
| 40 | GENUS: [Oscillatoria] Vaucher <i>O. acutissima</i> Kufferath |
| 42 | GENUS: [Chlorella] Beijerinck <i>C. minutissima</i> Fott et Nováková |
| 43 | GENUS: [Oedogonium] Link <i>O. crispum</i> var. <i>gracilescens</i> Wittrock |
| 44 | GENUS: [Oscillatoria] Vaucher <i>O. splendida</i> Greville |
| 45 | GENUS: [Coleochaete] Brébisson <i>C. scutata</i> Brébisson |
| 46 | GENUS: [Eunotia] Ehrenberg <i>E. pectinalis</i> (Kützing) Rabenhorst |
| 47 | GENUS: [Dictyosphaerium] Nägeli <i>D. pulchellum</i> Wood |
| 48 | GENUS: [Synechocystis] Sauvageau <i>S. salina</i> Wislouch |
| 49 | GENUS: [Chlamydomonas] Ehrenberg <i>C. parallestriata</i> Korchikoff |
| 50 | GENUS: [Navicula] Bory de Saint-Vincent <i>N. similis</i> Krasske |
| 51 | GENUS: [Haematococcus] C.A. Agardh em. Flotow <i>H. pluvialis</i> Flotow em. Wille |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 52 | GENUS: [Tribonema] Derbès et Solier <i>T. intermixtum</i> Pascher |
| 53 | GENUS: [Fernandinella] Chodat <i>F. alpina</i> Chodat |
| 54 | GENUS: [Trichosarcina] Nichols et Bold <i>T. polymorpha</i> Nichols et Bold |
| 55 | GENUS: [Cylindrocystis] Meneghini <i>C. brebissonii</i> Meneghini |
| 57 | GENUS: [Gonium] Müller <i>G. pectorale</i> Müller |
| 58 | GENUS: [Botryococcus] Kützing <i>B. braunii</i> Kützing |
| 59 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 60 | GENUS: [Zygnemopsis] (Skuja) Transeau <i>Z. minuta</i> Randhawa |
| 61 | GENUS: [Pseudocharacium] Korchikoff <i>P. acuminatum</i> Korchikoff |
| 62 | GENUS: [Fusola] Snow <i>F. viridis</i> Snow |
| 63 | GENUS: [Crucigeniella] Lemmermann <i>C. rectangularis</i> (Näg.) Komárek |
| 65 | GENUS: [Sorastrum] Kützing <i>S. spinulosum</i> Nägeli |
| 66 | GENUS: [Euglena] Ehrenberg <i>E. geniculata</i> Dujardin |
| 67 | GENUS: [Gomphonema] Ehrenberg <i>G. angustatum</i> (F.T. Kützing) G.L. Rabenhorst |
| 68 | GENUS: [Gomphonema] Ehrenberg <i>G. parvulum</i> (F.T. Kützing) H.F. Van Heurck |
| 70 | GENUS: [Apiocystis] Nägeli <i>A. brauniana</i> var. <i>caput-medusae</i> Bohlin |
| 71 | GENUS: [Oonephris] Fott <i>O. obesa</i> (W. West) Fott |
| 72 | GENUS: [Gloeotrichia] Agardh <i>G. natans</i> Rabenhorst |
| 73 | GENUS: [Nodularia] Mertens ex Bornet et Flahault <i>N. harveyana</i> (Thwaites) Thuret |
| 74 | GENUS: [Chroococcopsis] Geitler <i>C. gigantea</i> Geitler |
| 75 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> var. <i>boryanum</i> (Turp.) Meneghini |
| 76 | GENUS: [Chlorosarcinopsis] W. Herndon <i>C. minor</i> (Gerneck) Herndon |
| 78 | GENUS: [Aphanothece] Nägeli <i>A. microscopica</i> Nägeli |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 80 | GENUS: [Oscillatoria] Vaucher <i>O. pseudacutissima</i> Geitler |
| 81 | GENUS: [Tolypothrix] Kützing <i>T. distorta</i> (Fl. Dan.) Kützing |
| 82 | GENUS: [Glaucocystis] Itzigshon <i>G. nostochinearum</i> Itzigsohn |
| 83 | GENUS: [Rhopalodia] O. Mueller <i>R. gibba</i> (Ehrenberg) O. Müller |
| 84 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 85 | GENUS: [Anabaena] Bory <i>A. variabilis</i> var. <i>rotundospora</i> Hollerbach |
| 86 | GENUS: [Tribonema] Derbès et Solier <i>T. viride</i> Pascher |
| 87 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. microscopicum</i> Carmichael |
| 89 | GENUS: [Tribonema] Derbès et Solier <i>T. vulgare</i> Pascher |
| 90 | GENUS: [Chlorosphaeropsis] Vischer <i>C. lemnae</i> Moevus |
| 91 | GENUS: [Ophiocytium] Nägeli <i>O. maius</i> Nägeli |
| 92 | GENUS: [Tolypothrix] Kützing <i>T. tenuis</i> Kützing |
| 93 | GENUS: [Synedra] Ehrenberg <i>S. ulna</i> var. <i>oxyrhynchus</i> (F.T. Kützing) E. O?Meara |
| 94 | GENUS: [Chamaesiphon] A. Braun et Grunow <i>C. pseudopolymorphus</i> Fritsch |
| 95 | GENUS: [Stichococcus] Nägeli <i>S. bacillaris</i> Nägeli |
| 96 | GENUS: [Chlorella] Beijerinck <i>C. saccharophila</i> (Krüger) Migula |
| 97 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. edaphicum</i> Kondratieva |
| 98 | GENUS: [Draparnaldia] Bory <i>D. plumosa</i> (Vaucher) Agardh |
| 99 | GENUS: [Asterococcus] Scherffel <i>A. superbus</i> (Cienk.) Scherffel |
| 100 | GENUS: [Chaetopeltis] Berthold <i>C. orbicularis</i> Berthold |
| 102 | GENUS: [Botryosphaerella] Silva <i>B. sudetica</i> (Lemm.) Silva |
| 103 | GENUS: [Cosmarium] Corda <i>C. subcucumis</i> Schmidle |
| 104 | GENUS: [Fortiea] De-Toni <i>F. crassa</i> (G.S. West) De-Toni |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 105 | GENUS: [Closteriospira] Reverdin <i>C. lemanensis</i> Reverdin |
| 107 | GENUS: [Stigeoclonium] Kützing <i>S. subsecundum</i> var. <i>tenuis</i> Nordstedt em. Islam |
| 108 | GENUS: [Geminella] Turpin <i>G. minor</i> (Näg.) Heering |
| 109 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. sp. -</i> |
| 110 | GENUS: [Ankistrodesmus] Corda <i>A. stipitatus</i> (Chodat) Komárková-Legnerová |
| 111 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. convolutum</i> var. <i>pseudosabulosum</i> Hindák |
| 112 | GENUS: [Ankistrodesmus] Corda <i>A. gracilis</i> (Reinsch) Korchikoff |
| 113 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe <i>N. digitus</i> (Ehrenb.) Itzigsohn et Rothe |
| 114 | GENUS: [Teilingia] Bourrelly <i>T. sp. -</i> |
| 115 | GENUS: [Cosmarium] Corda <i>C. quadratum</i> var. <i>willei</i> (Schmidle) Krieger et Gerloff |
| 116 | GENUS: [Cosmarium] Corda <i>C. subcrenatum</i> Hantzsch |
| 117 | GENUS: [Aphanochaete] A. Braun <i>A. confervicola</i> (Näg. et Kütz.) Rabenhorst |
| 118 | GENUS: [Enallax] Pascher <i>E. acutiformis</i> (Schröder) Hindák |
| 119 | GENUS: [Phormidium] Kützing <i>P. autumnale</i> (Agardh) Gomont |
| 120 | GENUS: [Desmodesmus] Hegewald <i>D. flavescens</i> (Chod.) Hegewald |
| 121 | GENUS: [Eucapsis] Clements et Schantz <i>E. minor</i> (Skuja) Elenkin |
| 122 | GENUS: [Chlorogloea] Wille <i>C. purpurea</i> Geitler |
| 126 | GENUS: [Characium] A. Braun <i>C. oviforme</i> Lee et Bold |
| 127 | GENUS: [Mesotaenium] Nägeli <i>M. caldariorum</i> (Lagerh.) Hansgirg |
| 128 | GENUS: [Pleurochloris] Pascher <i>P. magna</i> J. B. Petersen |
| 129 | GENUS: [Chlorogloea] Wille <i>C. microcystoides</i> Geitler |
| 130 | GENUS: [Carteria] Diesing <i>C. crucifera</i> Korchikoff |
| 131 | GENUS: [Pseudochlorella] Lund <i>P. pyrenoidosa</i> (Zeitl.) Lund |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 132 | GENUS: [Chlorella] Beijerinck <i>C. vulgaris</i> Beijerinck |
| 133 | GENUS: [Haematococcus] C.A. Agardh em. Flotow <i>H. pluvialis</i> Flotow em. Wille |
| 134 | GENUS: [Nitzschia] Hassall <i>N. amphibia</i> Grunow |
| 135 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> var. <i>boryanum</i> (Turp.) Meneghini |
| 136 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 137 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 138 | GENUS: [Coenochloris] Korchikoff <i>C. mucosa</i> (Korch.) Hindák |
| 139 | GENUS: [Synedra] Ehrenberg <i>S. ulna</i> var. <i>oxyrhynchus</i> (F.T. Kützing) E. O?Meara |
| 140 | GENUS: [Microthamnion] Nägeli <i>M. kuetzingianum</i> Nägeli |
| 141 | GENUS: [Characium] A. Braun <i>C. maximum</i> Watanabe |
| 142 | GENUS: [Euglena] Ehrenberg <i>E. archaeoplastidiata</i> Chadeffaud |
| 145 | GENUS: [Sphaerocystis] Chodat <i>S. schroeteri</i> Chodat |
| 146 | GENUS: [Coelastrum] Nägeli <i>C. morus</i> W. et G. S. West |
| 147 | GENUS: [Dictyosphaerium] Nägeli <i>D. pulchellum</i> Wood |
| 148 | GENUS: [Dimorphococcus] A. Braun <i>D. lunatus</i> A. Braun |
| 149 | GENUS: [Coelastrum] Nägeli <i>C. reticulatum</i> Dangeard |
| 150 | GENUS: [Coelastrum] Nägeli <i>C. sphaericum</i> Nägeli |
| 152 | GENUS: [Pediastrum] Meyen <i>P. duplex</i> var. <i>rugulosum</i> Raciborski |
| 153 | GENUS: [Gomphonema] Ehrenberg <i>G. constrictum</i> C.G. Ehrenberg |
| 155 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 156 | GENUS: [Coelastrum] Nägeli <i>C. sphaericum</i> Nägeli |
| 157 | GENUS: [Dictyosphaerium] Nägeli <i>D. pulchellum</i> Wood |
| 158 | GENUS: [Oscillatoria] Vaucher <i>O. margaritifera</i> (Kütz.) Gomont |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 161 | GENUS: [Halochlorococcum] P.J.L. Dangeard H. saccatum R.R.L. Guillard, H.C. Bold & F.J. MacEntee |
| 162 | GENUS: [Cocciobotrys] Chodat C. verrucariae Chodat |
| 163 | GENUS: [Coelastrella] Chodat C. striolata Chodat |
| 164 | GENUS: [Ankistrodesmus] Corda A. bibraianus (Reinsch) Korchikoff |
| 165 | GENUS: [Coelastrum] Nägeli C. reticulatum Dangeard |
| 166 | GENUS: [Pediastrum] Meyen P. simplex var. simplex Meyen |
| 167 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 168 | GENUS: [Gomphonema] Ehrenberg G. acuminatum var. coronatum (C.G. Ehrenberg) W. Smith |
| 169 | GENUS: [Cyclotella] (Kützing) Brébisson C. meneghiniana Kützing |
| 170 | GENUS: [Micractinium] Fresenius M. pusillum Fresenius |
| 171 | GENUS: [Pediastrum] Meyen P. angulosum (Ehrenb.) Meneghini |
| 172 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 173 | GENUS: [Teilingia] Bourrelly T. granulata (Roy et Bisset) Bourrelly |
| 174 | GENUS: [Scenedesmus] Meyen S. pectinatus Meyen |
| 176 | GENUS: [Closterium] Nitzsch C. limneticum Lemmermann |
| 177 | GENUS: [Planktosphaeria] G. M. Smith P. gelatinosa G. M. Smith |
| 178 | GENUS: [Scenedesmus] Meyen S. arcuatus var. platydiscus G. M. Smith |
| 179 | GENUS: [Scenedesmus] Meyen S. tenuispina Chodat |
| 180 | GENUS: [Coelastrum] Nägeli C. morus W. et G. S. West |
| 181 | GENUS: [Coelastrum] Nägeli C. pseudomicroporum Korchikoff |
| 182 | GENUS: [Coelastrum] Nägeli C. pseudomicroporum Korchikoff |
| 183 | GENUS: [Pleurastrum] Chodat P. paucicellulare Vischer |
| 184 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 185 | GENUS: [Scenedesmus] Meyen S. pectinatus Meyen |
| 186 | GENUS: [Pseudendoconium] Wille P. basiliense var. brandii Vischer |
| 187 | GENUS: [Actinastrum] Lagerheim A. hantzschii var. subtile Woloszynska |
| 188 | GENUS: [Lagerheimia] Chodat L. ciliata (Lagerh.) Chodat |
| 189 | GENUS: [Monoraphidium] Komárková-Legnerová M. griffithii (Berk.) Komárková-Legnerová |
| 190 | GENUS: [Phormidium] Kützing P. subfuscum (Agardh) Kützing |
| 191 | GENUS: [Coelastrum] Nägeli C. microporum var. octaedricum (Skuja) Sodomková |
| 192 | GENUS: [Euglena] Ehrenberg E. cantabrica Pringsheim |
| 193 | GENUS: [Apatococcus] Brand A. vulgaris Brand em. Geitler |
| 194 | GENUS: [Leptosira] Borzi L. obovata Vischer |
| 195 | GENUS: [Pleurastrum] Chodat P. terrestre Fritsch et John |
| 197 | GENUS: [Euglena] Ehrenberg E. geniculata Dujardin |
| 198 | GENUS: [Euglena] Ehrenberg E. agilis Carter |
| 199 | GENUS: [Staurodesmus] Teiling S. dejectus var. apiculatus (Bréb.) Teiling |
| 200 | GENUS: [Chlamydomonas] Ehrenberg C. meslinii Bourrelly |
| 201 | GENUS: [Cosmarium] Corda C. obtusatum Schmidle |
| 202 | GENUS: [Nautococcus] Korchikoff N. grandis Korchikoff |
| 203 | GENUS: [Myrmecia] Printz M. bisecta Reisinger |
| 204 | GENUS: [Gonium] Müller G. pectorale Müller |
| 206 | GENUS: [Monoraphidium] Komárková-Legnerová M. convolutum var. pseudosabulosum Hindák |
| 207 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 208 | GENUS: [Chlorolobion] Korchikoff C. saxatile (Kom.-Legn.) Komárek |
| 209 | GENUS: [Monoraphidium] Komárková-Legnerová M. affixum Hindák |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 210 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. intermedium</i> Hindák |
| 211 | GENUS: [Chlorella] Beijerinck <i>C. ellipsoidea</i> Gerneck |
| 212 | GENUS: [Scenedesmus] Meyen <i>S. spinosus</i> Chodat |
| 213 | GENUS: [Kirchneriella] Schmidle <i>K. obesa</i> (W. West) Schmidle |
| 214 | GENUS: [Kirchneriella] Schmidle <i>K. subcapitata</i> Korchikoff |
| 216 | GENUS: [Stichococcus] Nägeli <i>S. bacillaris</i> Nägeli |
| 217 | GENUS: [Chlorella] Beijerinck <i>C. minutissima</i> Fott et Nováková |
| 218 | GENUS: [Oocystis] Nägeli <i>O. bispora</i> Komárek |
| 219 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. subclavatum</i> Nygaard |
| 220 | GENUS: [Chlorolobion] Korchikoff <i>C. braunii</i> (Näg.) Komárek |
| 221 | GENUS: [Oocystis] Nägeli <i>O. lacustris</i> Chodat |
| 222 | GENUS: [Oocystis] Nägeli <i>O. parva</i> W. et G. S. West |
| 223 | GENUS: [Chlorhormidium] Fott <i>C. flaccidum</i> (Kütz.) Fott |
| 224 | GENUS: [Kirchneriella] Schmidle <i>K. incurvata</i> Belcher et Swale |
| 225 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. contortum</i> (Thuret) Komárková-Legnerová |
| 226 | GENUS: [Nautococcus] Korchikoff <i>N. constrictus</i> Korshikov |
| 227 | GENUS: [Oocystis] Nägeli <i>O. solitaria</i> Wittrock |
| 229 | GENUS: [Oocystis] Nägeli <i>O. solitaria</i> var. <i>solitaria</i> fa. <i>major</i> Wille |
| 230 | GENUS: [Chlorella] Beijerinck <i>C. ellipsoidea</i> Gerneck |
| 231 | GENUS: [Chlorolobion] Korchikoff <i>C. lunulatum</i> Hindák |
| 232 | GENUS: [Scenedesmus] Meyen <i>S. naegelii</i> Brébisson |
| 233 | GENUS: [Aphanochaete] A. Braun <i>A. repens</i> A. Braun |
| 234 | GENUS: [Coleochlamys] Korchikoff <i>C. oleifera</i> (Schussnig) Fott |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 235 | GENUS: [Enallax] Pascher <i>E. coelastroides</i> (Bohl.) Skuja |
| 236 | GENUS: [Eremosphaera] De Bary <i>E. viridis</i> De Bary |
| 237 | GENUS: [Trochiscia] Kützing <i>T. hystrix</i> (Reinsch) Hansgirg |
| 238 | GENUS: [Asterococcus] Scherffel <i>A. korschikofii</i> Ettl |
| 239 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. rotata</i> (Grev.) Ralfs ex Ralfs |
| 240 | GENUS: [Chlorosaccus] Luther <i>C. fluidus</i> Luther |
| 241 | GENUS: [Palmodictyon] Kützing <i>P. lobatum</i> Korchikoff |
| 242 | GENUS: [Pseudodictyochloris] Vinatzer <i>P. dissecta</i> Vinatzer |
| 243 | GENUS: [Spirotaenia] Brébisson <i>S. obscura</i> Ralfs |
| 244 | GENUS: [Lobococcus] Reisigl <i>L. macronucleatus</i> (Deason) Bourrelly |
| 245 | GENUS: [Franceia] Lemmermann <i>F. droescheri</i> (Lemmermann) G. M. Smith |
| 246 | GENUS: [Tetraedron] Kützing <i>T. caudatum</i> (Corda) Hansgirg |
| 247 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. papillifera</i> Brébisson |
| 248 | GENUS: [Microthamnion] Nägeli <i>M. strictissimum</i> Rabenhorst |
| 249 | GENUS: [Botryococcus] Kützing <i>B. protuberans</i> var. <i>minor</i> G.M. Smith. |
| 250 | GENUS: [Heleochloris] Korchikoff <i>H. mucosa</i> (Fott) Fott |
| 251 | GENUS: [Kentrosphaera] Borzi <i>K. willei</i> Reichardt |
| 252 | GENUS: [Ankistrodesmus] Corda <i>A. falcatus</i> (Corda) Ralfs |
| 253 | GENUS: [Ankistrodesmus] Corda <i>A. stipitatus</i> (Chodat) Komárková-Legnerová |
| 254 | GENUS: [Fernandinella] Chodat <i>F. alpina</i> Chodat |
| 255 | GENUS: [Haematococcus] C.A. Agardh em. Flotow <i>H. pluvialis</i> Flotow em. Wille |
| 256 | GENUS: [Kentrosphaera] Borzi <i>K. facciolae</i> Borzi |
| 257 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. circinale</i> (Nyg.) Nygaard |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 259 | GENUS: [Enallax] Pascher <i>E. costatus</i> (Schmidle) Pascher |
| 260 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 261 | GENUS: [Botryosphaerella] Silva <i>B. sudetica</i> (Lemm.) Silva |
| 262 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> var. <i>dissiliens</i> fa. <i>tridentula</i> Nordstedt |
| 263 | GENUS: [Oscillatoria] Vaucher <i>O. splendida</i> Greville |
| 264 | GENUS: [Oscillatoria] Vaucher <i>O. splendida</i> Greville |
| 265 | GENUS: [Oscillatoria] Vaucher <i>O. princeps</i> Vaucher |
| 266 | GENUS: [Synedra] Ehrenberg <i>S. ulna</i> (C.L.Nitzsch) C.G. Ehrenberg |
| 267 | GENUS: [Ankistrodesmus] Corda <i>A. densus</i> Korchikoff |
| 268 | GENUS: [Podohedra] Düringer <i>P. bicaudata</i> Geitler |
| 269 | GENUS: [Hyalotheca] Ehrenberg <i>H. mucosa</i> (Dillw.) Ehrenberg |
| 270 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> (Smith) Bréb. |
| 271 | GENUS: [Cosmarium] Corda <i>C. quadratum</i> var. <i>willei</i> (Schmidle) Krieger et Gerloff |
| 272 | GENUS: [Staurastrum] Meyen <i>S. sexcostatum</i> Brébisson |
| 273 | GENUS: [Staurastrum] Meyen <i>S. pyramidatum</i> W. West |
| 274 | GENUS: [Microspora] Thuret <i>M. aequabilis</i> Wichmann |
| 275 | GENUS: [Binuclearia] Wittrock <i>B. tectorum</i> (Kütz.) Beger |
| 276 | GENUS: [Haematococcus] C.A. Agardh em. Flotow <i>H. pluvialis</i> Flotow em. Wille |
| 277 | GENUS: [Closterium] Nitzsch <i>C. striolatum</i> Ehrenberg |
| 278 | GENUS: [Closterium] Nitzsch <i>C. pritchardianum</i> Archer |
| 279 | GENUS: [Closterium] Nitzsch <i>C. lunula</i> (Müller) Nitzsch |
| 280 | GENUS: [Closterium] Nitzsch <i>C. cynthia</i> De Notaris |
| 281 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. thomasiana</i> Archer |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 282 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. bidentatum var. bidentatum Grönblad |
| 283 | GENUS: [Closterium] Nitzsch C. kuetzingii Brébisson |
| 284 | GENUS: [Phaeoschizochlamys] Lemmermann P. mucosa Lemmermann |
| 285 | GENUS: [Cylindrocystis] Meneghini C. brebissonii Meneghini |
| 286 | GENUS: [Quadricoccus] Fott Q. ellipticus Hortobágyi |
| 287 | GENUS: [Kirchneriella] Schmidle K. diana (Bohlin) Comas |
| 288 | GENUS: [Staurastrum] Meyen S. fuscum (Ehrenb.) Brébisson |
| 289 | GENUS: [Vaucheria] De Candolle V. dillwynii (Web. & Mohr) C. Agardh |
| 290 | GENUS: [Schizochlamys] A. Braun S. gelatinosa A. Braun |
| 291 | GENUS: [Gonatozygon] De Bary G. pilosum Wolle |
| 292 | GENUS: [Gonatozygon] De Bary G. brebissonii De Bary |
| 293 | GENUS: [Staurastrum] Meyen S. pilosum (Näg.) Archer |
| 294 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 295 | GENUS: [Geminella] Turpin G. terricola Boye-Petersen |
| 296 | GENUS: [Apatococcus] Brand A. vulgaris Brand em. Geitler |
| 297 | GENUS: [Desmococcus] Brand D. vulgaris (Nägeli) Brand |
| 298 | GENUS: [Ophiocytium] Nägeli O. mucronatum (A. Braun) Rabenhorst |
| 299 | GENUS: [Vischeria] Pascher V. helvetica (Vischer et Pascher) Hibberd |
| 300 | GENUS: [Pleurotaenium] Nägeli P. ehrenbergii (Bréb.) De Bary |
| 301 | GENUS: [Closterium] Nitzsch C. limneticum Lemmermann |
| 302 | GENUS: [Closterium] Nitzsch C. diana Ehrenberg |
| 303 | GENUS: [Cylindrospermum] Kützing C. michailovskoense Elenkin |
| 304 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. ventricosum ? Lundell |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 305 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. didelta</i> (Turp.) Ralfs |
| 306 | GENUS: [Dictyochlorella] Silva <i>D. reniformis</i> (Korch.) Silva |
| 307 | GENUS: [Chlorobotrys] Bohlin <i>C. regularis</i> (W. West) Bohlin |
| 308 | GENUS: [Tetmemorus] Ralfs <i>T. granulatus</i> (Bréb.) Ralfs |
| 309 | GENUS: [Elakatothrix] Wille <i>E. linearis</i> Pascher |
| 310 | GENUS: [Cylindrocystis] Meneghini <i>C. brebissonii</i> Meneghini |
| 311 | GENUS: [Dictyosphaerium] Nägeli <i>D. tetrachotomum</i> Printz |
| 312 | GENUS: [Dictyosphaerium] Nägeli <i>D. pulchellum</i> Wood |
| 314 | GENUS: [Dictyosphaerium] Nägeli <i>D. chlorelloides</i> (Naum.) Komárek et Perman |
| 315 | GENUS: [Tetrachrysis] Dop <i>T. dendroides</i> Dop |
| 316 | GENUS: [Hydrianum] Rabenhorst <i>H. diogenes</i> (Jane) Fott |
| 317 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 318 | GENUS: [Scenedesmus] Meyen <i>S. maximus</i> (W. et G.S. West) Chodat |
| 319 | GENUS: [Ophiocytium] Nägeli <i>O. maius</i> Nägeli |
| 320 | GENUS: [Lobococcus] Reisi gl <i>L. macronucleatus</i> (Deason) Bourrelly |
| 321 | GENUS: [Myrmecia] Printz <i>M. biatorellae</i> Boye-Petersen |
| 322 | GENUS: [Myrmecia] Printz <i>M. bisecta</i> Reisi gl |
| 323 | GENUS: [Rhopalodia] O. Mueller <i>R. gibba</i> (Ehrenberg) O. Müller |
| 324 | GENUS: [Golenkiniopsis] Korchikoff <i>G. parvula</i> (Voronich) Korchikoff |
| 325 | GENUS: [Kirchneriella] Schmidle <i>K. subcapitata</i> Korchikoff |
| 326 | GENUS: [Asterococcus] Scherffel <i>A. korschikoffii</i> Ettl |
| 327 | GENUS: [Uronema] Lagerheim <i>U. intermedium</i> Bourrelly |
| 328 | GENUS: [Vaucheria] De Candolle <i>V. prona</i> Christensen |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 329 | GENUS: [Porphyridium] Nägeli <i>P. aerugineum</i> Geitler |
| 330 | GENUS: [Penium] Brébisson <i>P. margaritaceum</i> (Ehrenb.) Brébisson |
| 331 | GENUS: [Closterium] Nitzsch <i>C. costatum</i> Corda ex Ralfs |
| 332 | GENUS: [Spirotaenia] Brébisson <i>S. condensata</i> Brébisson |
| 333 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. oblongum</i> (Grev.) Ralfs |
| 334 | GENUS: [Anabaena] Bory <i>A. variabilis</i> Kützing |
| 335 | GENUS: [Tabellaria] C.G. Ehrenberg ex F.T. Kützing <i>T. flocculosa</i> (A.W. Roth) F.T. Kützing |
| 336 | GENUS: [Aphanothece] Nägeli <i>A. castagnei</i> (Bréb.) Rabenhorst |
| 337 | GENUS: [Euglena] Ehrenberg <i>E. elongata</i> Schewiakoff |
| 338 | GENUS: [Tetrachrysis] Dop <i>T. dendroides</i> Dop |
| 339 | GENUS: [Chrysofila] Anand <i>C. lamellosa</i> P.L. Anand |
| 340 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. ansatum</i> Ehrenberg ex Ralfs |
| 341 | GENUS: [Staurodesmus] Teiling <i>S. dejectus</i> (Bréb.) Teiling |
| 342 | GENUS: [Cosmocladium] Brébisson <i>C. perissum</i> Roy et Bisset |
| 343 | GENUS: [Staurastrum] Meyen <i>S. teliferum</i> var. <i>ordinatum</i> Borgessen |
| 344 | GENUS: [Cosmarium] Corda <i>C. amoenum</i> (Bréb.) Ralfs |
| 345 | GENUS: [Cosmarium] Corda <i>C. elegantissimum</i> Lundell |
| 346 | GENUS: [Staurodesmus] Teiling <i>S. glaber</i> (Ehrenb.) Teiling |
| 347 | GENUS: [Pteromonas] Seligo <i>P. angulosa</i> (Carter) Lemmermann |
| 348 | GENUS: [Staurastrum] Meyen <i>S. proboscideum</i> (Bréb.) Archer |
| 349 | GENUS: [Cosmarium] Corda <i>C. hammeri</i> Reinsch |
| 350 | GENUS: [Gonatozygon] De Bary <i>G. kinahanii</i> (Arch.) Rabenhorst |
| 351 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. humerosum</i> Ralfs |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 352 | GENUS: [Closterium] Nitzsch <i>C. eboracense</i> Turner |
| 353 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. denticulata</i> Brébisson |
| 354 | GENUS: [Cosmarium] Corda <i>C. subcrenatum</i> Hantzsch |
| 355 | GENUS: [Cosmarium] Corda <i>C. crenatum</i> Ralfs |
| 356 | GENUS: [Staurastrum] Meyen <i>S. dispar</i> Brébisson |
| 357 | GENUS: [Staurastrum] Meyen <i>S. manfeldtii</i> G.B. Delponte |
| 358 | GENUS: [Closterium] Nitzsch <i>C. acerosum</i> (Schrank) Ehrenberg |
| 359 | GENUS: [Closterium] Nitzsch <i>C. intermedium</i> Ralfs |
| 360 | GENUS: [Staurastrum] Meyen <i>S. subavicula</i> ? (West) West & G.S. West |
| 361-A | GENUS: [Closterium] Nitzsch <i>C. acerosum</i> var. <i>elongatum</i> Brébisson |
| 361-B | GENUS: [Closterium] Nitzsch <i>C. acerosum</i> var. <i>minus</i> Hantzsch |
| 362 | GENUS: [Closterium] Nitzsch <i>C. ehrenbergii</i> Meneghini |
| 363 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 364 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 365 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 366 | GENUS: [Closterium] Nitzsch <i>C. diana</i> Ehrenberg |
| 367 | GENUS: [Spirotaenia] Brébisson <i>S. obscura</i> Ralfs |
| 368 | GENUS: [Cosmarium] Corda <i>C. quadrum</i> var. <i>sublatum</i> fa. <i>dilatatum</i> Scott et Grönblad |
| 369 | GENUS: [Cosmarium] Corda <i>C. biretum</i> (Bréb.) Ralfs |
| 370 | GENUS: [Cosmarium] Corda <i>C. regnellii</i> var. <i>pseudoregnellii</i> (Messik.) Krieger et Gerloff |
| 371 | GENUS: [Cosmarium] Corda <i>C. caelatum</i> Ralfs |
| 372 | GENUS: [Staurastrum] Meyen <i>S. meriani</i> Reinsch |
| 373 | GENUS: [Staurastrum] Meyen <i>S. tetracerum</i> Ralfs |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 374 | GENUS: [Pleurotaenium] Nägeli P. maximum (Reinsch) Lundell |
| 375 | GENUS: [Cosmarium] Corda C. binum Nordstedt |
| 376 | GENUS: [Cosmarium] Corda C. sportella Brébisson |
| 377 | GENUS: [Cosmarium] Corda C. hornavanense var. dubovianum (Lützk.) Ruzicka |
| 377-A | GENUS: [Cosmarium] Corda C. hornavanense Gutw. |
| 378 | GENUS: [Cosmarium] Corda C. angulosum Brébisson |
| 379 | GENUS: [Cosmarium] Corda C. laeve Rabenhorst |
| 380 | GENUS: [Cosmarium] Corda C. subgranatum var. borgei Krieger |
| 381 | GENUS: [Scenedesmus] Meyen S. maximus (W. et G.S. West) Chodat |
| 382 | GENUS: [Closterium] Nitzsch C. moniliferum var. submoniliferum (Voron.) Kreiger |
| 383 | GENUS: [Closterium] Nitzsch C. moniliferum (Bory) Ehrenberg |
| 384 | GENUS: [Closterium] Nitzsch C. eboracense Turner |
| 385 | GENUS: [Chlorogloea] Wille C. purpurea Geitler |
| 386 | GENUS: [Characiochloris] Pascher C. sasae Nozaki |
| 387 | GENUS: [Cyanoptycha] Pascher C. gloeocystis Pascher |
| 388 | GENUS: [Eremosphaera] De Bary E. viridis De Bary |
| 389 | GENUS: [Glaucocystis] Itzigshon G. nostochinearum Itzigsohn |
| 390 | GENUS: [Hydrianum] Rabenhorst H. diogenes (Jane) Fott |
| 391 | GENUS: [Pediastrum] Meyen P. duplex var. cohaerens Bohlin |
| 392 | GENUS: [Pediastrum] Meyen P. duplex var. gracillimum W. et G. S. West |
| 393 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 394 | GENUS: [Pediastrum] Meyen P. boryanum var. longicorne Reinsch |
| 395 | GENUS: [Pediastrum] Meyen P. duplex var. asperum (A. Braun) Hansgirg |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 396 | GENUS: [Quadrigula] Printz <i>Q. closterioides</i> (Bohlin) Printz |
| 397 | GENUS: [Gloeocystis] Nägeli <i>G. papuana</i> (Watan.) H. Ettl et G. Gärtner |
| 398 | GENUS: [Microthamnion] Nägeli <i>M. strictissimum</i> Rabenhorst |
| 399 | GENUS: [Microspora] Thuret <i>M. amoena</i> var. <i>gracilis</i> (Wille) De-Toni |
| 400 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 401 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. contortum</i> (Thuret) Komárková-Legnerová |
| 402 | GENUS: [Kentrosphaera] Borzi <i>K. sp. -</i> |
| 403 | GENUS: [Cosmarium] Corda <i>C. difficile</i> Lütkemüller |
| 404 | GENUS: [Cosmarium] Corda <i>C. brebissonii</i> (Menegh.) Ralfs |
| 405 | GENUS: [Cosmarium] Corda <i>C. sportella</i> var. <i>subnudun</i> W. et G.S. West |
| 406 | GENUS: [Cosmarium] Corda <i>C. sinostegos</i> var. <i>obtusius</i> Gutwinski |
| 407 | GENUS: [Closterium] Nitzsch <i>C. cornu</i> Ehrenberg |
| 408 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> (Smith) Bréb. |
| 409 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. humerosum</i> Ralfs |
| 410 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. pectinatum</i> Brébisson |
| 411 | GENUS: [Jaagiella] Vischer <i>J. alpicola</i> Vischer |
| 412 | GENUS: [Trebouxia] De Puymaly <i>T. simplex</i> Tschermak-Woess |
| 413 | GENUS: [Trebouxia] De Puymaly <i>T. potteri</i> Ahmadjian ex Gartner |
| 414 | GENUS: [Pleurochloris] Pascher <i>P. sp. -</i> |
| 415 | GENUS: [Scenedesmus] Meyen <i>S. acuminatus</i> (Lagerh.) Chodat |
| 416 | GENUS: [Siderocelis] (Naum.) Fott <i>S. kolkwitzii</i> (Naum.) Fott |
| 417 | GENUS: [Koliella] Hindák <i>K. spiculiformis</i> (Vischer) Kindák |
| 418 | GENUS: [Protosiphon] Klebs <i>P. botryoides</i> (Kütz.) Klebs |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 419 | GENUS: [Bracteacoccus] Tereg B. grandis Bischoff et Bold |
| 420 | GENUS: [Lobococcus] Reisi gl L. sp. - |
| 421 | GENUS: [Vaucheria] De Candolle V. repens A.H. Hassall |
| 422 | GENUS: [Vaucheria] De Candolle V. sessilis (Vaucher) de Candolle |
| 423 | GENUS: [Vaucheria] De Candolle V. racemosa (Vaucher) De Candolle |
| 424 | GENUS: [Scenedesmus] Meyen S. obtusus Meyen |
| 425 | GENUS: [Scenedesmus] Meyen S. acuminatus var. tetradesmoides G. M. Smith |
| 426 | GENUS: [Geminella] Turpin G. terricola Boye-Petersen |
| 427 | GENUS: [Stigonema] Agardh S. ocellatum (Dillw.) Thuret |
| 428 | GENUS: [Radiococcus] Schmidle R. planktonicus Lund |
| 429 | GENUS: [Scenedesmus] Meyen S. aculeolatus Reinsch |
| 430 | GENUS: [Geminella] Turpin G. interrupta (Turpin) Lagerheim |
| 431 | GENUS: [Desmodesmus] Hegewald D. flavescens var. longicaudatus (Hegew.) Hegewald |
| 432 | GENUS: [Scenedesmus] Meyen S. aculeolatus Reinsch |
| 433 | GENUS: [Scenedesmus] Meyen S. aculeolatus Reinsch |
| 434 | GENUS: [Oocystis] Nägeli O. heteromucosa Hegewald |
| 435 | GENUS: [Oocystis] Nägeli O. parva W. et G. S. West |
| 436 | GENUS: [Podohedra] Düringer P. bicaudata Geitler |
| 437 | GENUS: [Scenedesmus] Meyen S. armatus var. asymmetricus Bourrelly |
| 438 | GENUS: [Ophiocytium] Nägeli O. mucronatum (A. Braun) Rabenhorst |
| 439 | GENUS: [Xanthidium] Ehrenberg X. brebissonii Ralfs |
| 440 | GENUS: [Closterium] Nitzsch C. navicula (Bréb.) Lütkemüller |
| 441 | GENUS: [Cylindrospermum] Kützing C. alatosporum F. E. Fritsch |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 442 | GENUS: [Scenedesmus] Meyen S. armatus Chodat |
| 443 | GENUS: [Hapalosiphon] Nägeli H. hibernicus W. et G. S. West |
| 444 | GENUS: [Tetmemorus] Ralfs T. brebissonii (Menegh.) Ralfs |
| 445 | GENUS: [Penium] Brébisson P. spirostriolatum Barker |
| 446 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. verrucosum Ehrenberg ex Ralfs |
| 447 | GENUS: [Chaetophora] Schrank C. incrassata (Hudson) Hazen |
| 448 | GENUS: [Elakatothrix] Wille E. genevensis (Rev.) Hindák |
| 449 | GENUS: [Pavlova] Butcher P. granifera (Mack) Green |
| 450 | GENUS: [Staurastrum] Meyen S. laeve Ralfs |
| 451 | GENUS: [Mesotaenium] Nägeli M. endlicherianum Nägeli |
| 452 | GENUS: [Penium] Brébisson P. margaritaceum (Ehrenb.) Brébisson |
| 453 | GENUS: [Pleurotaenium] Nägeli P. ehrenbergii (Bréb.) De Bary |
| 454 | GENUS: [Chlorella] Beijerinck C. reisigii Watanabe |
| 455 | GENUS: [Dictyochloropsis] Geitler D. splendida Geitler |
| 456 | GENUS: [Characiopsis] Borzi C. acuta (A. Braun) Borzi |
| 457 | GENUS: [Chaetophora] Schrank C. elegans (Roth) Agardh |
| 458 | GENUS: [Chlorokybus] Geitler C. atmophyticus Geitler |
| 459 | GENUS: [Closterium] Nitzsch C. acutum var. variabile (Lemm.) Krieger |
| 460 | GENUS: [Staurodesmus] Teiling S. incus (Meneghini) Teiling |
| 461 | GENUS: [Gloeotila] Kützing G. curta Skuja |
| 462 | GENUS: [Palmodictyon] Kützing P. varium (Näg.) Lemmermann |
| 463 | GENUS: [Spirotaenia] Brébisson S. erythrocephala Itzigsohn |
| 464 | GENUS: [Dictyococcus] Gerneck D. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 465 | GENUS: [Pseudotrochiscia] Vinatzer P. sp. - |
| 466 | GENUS: [Anabaena] Bory A. laxa (Rabenh.) A. Braun |
| 467 | GENUS: [Desmatractum] W. et G. S. West D. bipyramidatum (Chod.) Pascher |
| 468 | GENUS: [Tetraspora] Link T. lemmermannii Fott |
| 469 | GENUS: [Volvox] (Linné) Ehrenberg V. aureus Ehrenberg |
| 470 | GENUS: [Volvox] (Linné) Ehrenberg V. tertius Meyer |
| 471 | GENUS: [Cladophorella] Fritsch C. calcicola Fritsch |
| 472 | GENUS: [Staurastrum] Meyen S. tohopekaligense Wolle |
| 473 | GENUS: [Coronastrum] Thompson C. aestivale Thompson |
| 474 | GENUS: [Crucigeniella] Lemmermann C. pulchra (W. et G.S. West) Komárek |
| 475 | GENUS: [Cloniophora] Tiffany C. spicata (Schmidle) Islam |
| 476 | GENUS: [Closterium] Nitzsch C. incurvum Brébisson |
| 477 | GENUS: [Stephanosphaera] Cohn S. pluvialis Cohn |
| 478 | GENUS: [Dactylosphaerium] Steinecke D. jurisii Hindák |
| 479 | GENUS: [Scenedesmus] Meyen S. opoliensis P. Richter |
| 480 | GENUS: [Tetrallantos] Teiling T. lagerheimii Teiling |
| 481 | GENUS: [Characiopsis] Borzi C. saccata Carter |
| 482 | GENUS: [Pseudopleurococcus] Snow P. printzii Vischer |
| 483 | GENUS: [Cylindrospermum] Kützing C. majus Kützing |
| 484 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. elliposporum Rabenhorst |
| 485 | GENUS: [Pleodorina] W. R. Shaw P. californica W. R. Shaw |
| 486 | GENUS: [Eudorina] Ehrenberg E. elegans Ehrenberg |
| 487 | GENUS: [Heleochloris] Korchikoff H. pallida Korchikoff |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 488 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. binale var. gutwinskii (Schm.) Homfeld |
| 489 | GENUS: [Chaetopeltis] Berthold C. orbicularis Berthold |
| 490 | GENUS: [Cosmarium] Corda C. granatum Brébisson |
| 491 | GENUS: [Chlorokybus] Geitler C. atmophyticus Geitler |
| 492 | GENUS: [Crucigenia] Morren C. mucronata (G.M. Smith) Komárek |
| 493 | GENUS: [Vaucheria] De Candolle V. aversa A. H. Hassall |
| 494 | GENUS: [Pseudendoclonium] Wille P. prostratum Tupa |
| 495 | GENUS: [Staurastrum] Meyen S. sebaldi var. ornatum Nordstedt |
| 496 | GENUS: [Tolypothrix] Kützing T. distorta var. distorta fa. penicillata (Agardh) Kossinskaja |
| 497 | GENUS: [Scenedesmus] Meyen S. cf. semipulcher . |
| 498 | GENUS: [Closterium] Nitzsch C. eboracense Turner |
| 499 | GENUS: [Microspora] Thuret M. wittrockii (Wille) Lagerheim |
| 500 | GENUS: [Cylindrocapsopsis] Iyengar C. indica Iyengar |
| 501 | GENUS: [Chlorangiella] De-Toni C. basiannulata (Skuja) Silva |
| 502 | GENUS: [Ploeotila] Mrozinska-Webb P. ramosa Mrozinska-Webb |
| 503 | GENUS: [Enallax] Pascher E. acutiformis (Schröder) Hindák |
| 504 | GENUS: [Closterium] Nitzsch C. cornu Ehrenberg |
| 505 | GENUS: [Anabaena] Bory A. cylindrica Lemmermann |
| 506 | GENUS: [Hapalosiphon] Nägeli H. intricatus W. et G. S. West |
| 507 | GENUS: [Tribonema] Derbès et Solier T. regulare Pascher |
| 508 | GENUS: [Heterothrix] Pascher H. debilis Vischer |
| 509 | GENUS: [Heterothrix] Pascher H. debilis Vischer |
| 510 | GENUS: [Ophiocytium] Nägeli O. capitatum Wolle |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 511 | GENUS: [Anabaena] Bory A. variabilis Kützing |
| 512 | GENUS: [Botrydium] Wallroth B. cystosum Vischer |
| 513 | GENUS: [Chlorococcum] Meneghini C. robustum Ettl et Gärtner |
| 514 | GENUS: [Dermatochrysis] Entwisle et Andersen D. reticulata (Meyer) Entwisle et Andersen |
| 515 | GENUS: [Uronema] Lagerheim U. terrestre Mitra |
| 516 | GENUS: [Chlorella] Beijerinck C. emersonii Shihira et Krauss |
| 517 | GENUS: [Tribonema] Derbès et Solier T. vulgare Pascher |
| 518 | GENUS: [Tribonema] Derbès et Solier T. affine (Kützing) G.S.West |
| 519 | GENUS: [Tribonema] Derbès et Solier T. regulare Pascher |
| 520 | GENUS: [Tribonema] Derbès et Solier T. regulare Pascher |
| 521 | GENUS: [Tetraedron] Kützing T. caudatum (Corda) Hansgirg |
| 522 | GENUS: [Desmodesmus] Hegewald D. serratus (Corda) An, Friedl et Hegewald |
| 523 | GENUS: [Eucapsis] Clements et Schantz E. alpina Clements et Shantz |
| 524 | GENUS: [Lobococcus] Reisinger L. irregularis (Boye-Petersen) Reisinger |
| 525 | GENUS: [Neosporangiococcum] Deason N. gelatinosum (Archibald et Bold) Ettl et Gärtner |
| 526 | GENUS: [Chlamydocapsa] Fott C. maxima (Mainx) Ettl et Gärtner |
| 527 | GENUS: [Scenedesmus] Meyen S. denticulatus Lagerheim |
| 528 | GENUS: [Tetraedron] Kützing T. minimum (A. Braun) Hansgirg |
| 529 | GENUS: [Bracteacoccus] Tereg B. giganteus Bischoff et Bold |
| 530 | GENUS: [Planktosphaeria] G. M. Smith P. maxima Bischoff et Bold |
| 531 | GENUS: [Chlorella] Beijerinck C. zofingiensis Dönz |
| 532 | GENUS: [Planochloris] Komárek P. pyrenoidifera (Korch.) Komárek |
| 533 | GENUS: [Scenedesmus] Meyen S. acuminatus (Lagerh.) Chodat |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 534 | GENUS: [Scenedesmus] Meyen <i>S. granulatus</i> W. et G.S. West |
| 535 | GENUS: [Scenedesmus] Meyen <i>S. aculeolatus</i> Reinsch |
| 536 | GENUS: [Scenedesmus] Meyen <i>S. acuminatus</i> (Lagerh.) Chodat |
| 537 | GENUS: [Scenedesmus] Meyen <i>S. acutus</i> Meyen |
| 538 | GENUS: [Scenedesmus] Meyen <i>S. acutus</i> Meyen |
| 539 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 540 | GENUS: [Scenedesmus] Meyen <i>S. tenuispina</i> Chodat |
| 541 | GENUS: [Coccobotrys] Chodat <i>C. verrucariae</i> Chodat |
| 542 | GENUS: [Desmodesmus] Hegewald <i>D. komarekii</i> (Hegew.) Hegewald |
| 543 | GENUS: [Scenedesmus] Meyen <i>S. corallinus</i> Chodat |
| 544 | GENUS: [Scenedesmus] Meyen <i>S. corallinus</i> Chodat |
| 545 | GENUS: [Scenedesmus] Meyen <i>S. quadrispina</i> Chodat |
| 546 | GENUS: [Schroederia] Lemmermann <i>S. setigera</i> (Schröd.) Lemmermann |
| 547 | GENUS: [Scenedesmus] Meyen <i>S. smithii</i> Chodat |
| 548 | GENUS: [Scenedesmus] Meyen <i>S. asymmetricus</i> (Schröd.) Chodat |
| 549 | GENUS: [Scenedesmus] Meyen <i>S. raciborskii</i> Woloszynska |
| 550 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 551 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> var. <i>longispina</i> (Chod.) Hegewald et Hindák |
| 552 | GENUS: [Bulbochaete] Agardh <i>B. sp. -</i> |
| 553 | GENUS: [Golenkinia] Chodat <i>G. radiata</i> Chodat |
| 554 | GENUS: [Desmidium] Agardh <i>D. swartzii</i> Agardh |
| 555 | GENUS: [Scenedesmus] Meyen <i>S. aculeolatus</i> Reinsch |
| 556 | GENUS: [Scenedesmus] Meyen <i>S. naegelii</i> Brébisson |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 557 | GENUS: [Scenedesmus] Meyen <i>S. communis</i> Hegewald |
| 558 | GENUS: [Gonatozygon] De Bary <i>G. kinahanii</i> (Arch.) Rabenhorst |
| 559 | GENUS: [Pseudodidymocystis] Hegewald et Deason <i>P. inconspicua</i> (Korch.) Hindák |
| 560 | GENUS: [Scenedesmus] Meyen <i>S. pannonicus</i> Hortobágyi |
| 561 | GENUS: [Scenedesmus] Meyen <i>S. pleiomorphus</i> Hindák |
| 562 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 563 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 564 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 565 | GENUS: [Scenedesmus] Meyen <i>S. brasiliensis</i> Bohlin |
| 566 | GENUS: [Cosmarium] Corda <i>C. pachydermum</i> var. <i>aethiopicum</i> W. et G.S. West |
| 567 | GENUS: [Micractinium] Fresenius <i>M. pusillum</i> Fresenius |
| 568 | GENUS: [Pseudostaurastrum] (Hansgirg) Chodat <i>P. enorme</i> (Ralfs) R. Chodat |
| 569 | GENUS: [Leptosira] Borzi <i>L. obovata</i> Vischer |
| 570 | GENUS: [Cylindrospermum] Kützing <i>C. gorakhpurensis</i> Singh |
| 571 | GENUS: [Calothrix] Agardh <i>C. atricha</i> Frémy |
| 572 | GENUS: [Scytonema] Agardh <i>S. chiasmum</i> Geitler |
| 572-A | GENUS: [Scytonema] Agardh <i>S. chiasmum</i> Geitler |
| 573 | GENUS: [Scytonema] Agardh <i>S. obscurum</i> Hansgirg |
| 574 | GENUS: [Koliella] Hindák <i>K. spiculiformis</i> (Vischer) Kindák |
| 575 | GENUS: [Pediastrum] Meyen <i>P. privum</i> (Printz) Hegewald |
| 576 | GENUS: [Tetrastrum] Chodat <i>T. komarekii</i> Hindák |
| 577 | GENUS: [Pediastrum] Meyen <i>P. integrum</i> Nägeli |
| 578 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. microscopicum</i> Carmichael |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 579 | GENUS: [Scytonema] Agardh <i>S. chiasmum</i> Geitler |
| 580 | GENUS: [Scytonema] Agardh <i>S. crispum</i> (Agardh) Bornet |
| 581 | GENUS: [Sphaerello cystis] Ettl <i>S. stellata</i> Ettl |
| 582 | GENUS: [Sphaerello cystis] Ettl <i>S. stellata</i> Ettl |
| 583 | GENUS: [Leptosira] Borzi <i>L. obovata</i> Vischer |
| 584 | GENUS: [Scenedesmus] Meyen <i>S. denticulatus</i> Lagerheim |
| 585 | GENUS: [Vaucheria] De Candolle <i>V. racemosa</i> (Vaucher) De Candolle |
| 586 | GENUS: [Choricystis] (Skuja) Fott <i>C. hindakii</i> Tell |
| 587 | GENUS: [Coccobotrys] Chodat <i>C. verrucariae</i> Chodat |
| 588 | GENUS: [Spirogyra] Link <i>S. submaxima</i> Transeau |
| 589 | GENUS: [Scotiellopsis] Vinatzer <i>S. terrestris</i> (Reisigl) Puncochárová et Kalina |
| 590 | GENUS: [Interfilum] Chodat et Topali <i>I. paradoxum</i> Chodat et Topali |
| 591 | GENUS: [Interfilum] Chodat et Topali <i>I. paradoxum</i> Chodat et Topali |
| 592 | GENUS: [Protoderma] Kützing <i>P. sarcinoidea</i> (Groover et Bold) Tupa |
| 593 | GENUS: [Chlorosarcinopsis] W. Herndon <i>C. minor</i> (Gerneck) Herndon |
| 594 | GENUS: [Tolypothrix] Kützing <i>T. byssoidea</i> (Berk.) Kirchner |
| 595 | GENUS: [Gloeocapsa] Kützing <i>G. decorticans</i> (A. Braun) P. Richter |
| 596 | GENUS: [Phormidium] Kützing <i>P. subfuscum</i> (Agardh) Kützing |
| 597 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. contortum</i> (Thuret) Komárková-Legnerová |
| 598 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 599 | GENUS: [Chlorella] Beijerinck <i>C. fusca</i> Shihira et Krauss |
| 600 | GENUS: [Tetraedron] Kützing <i>T. minimum</i> (A. Braun) Hansgirg |
| 601 | GENUS: [Coelastrum] Nägeli <i>C. morus</i> W. et G. S. West |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 602 | GENUS: [Anabaena] Bory A. variabilis Kützing |
| 603 | GENUS: [Closterium] Nitzsch C. moniliferum (Bory) Ehrenberg |
| 604 | GENUS: [Gloeotheca] Nägeli G. rupestris (Lyngb.) Bornet |
| 605 | GENUS: [Chlorogloea] Wille C. purpurea Geitler |
| 606 | GENUS: [Chlorogloea] Wille C. microcystoides Geitler |
| 607 | GENUS: [Pseudotetracystis] Arneson P. terrestris Arneson |
| 608 | GENUS: [Chlorobion] Korchikoff C. braunii (Näg.) Komárek |
| 609 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. gelatinosum Schousboe |
| 610 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. ellipso sporum Rabenhorst |
| 611 | GENUS: [Planktosphaeria] G. M. Smith P. maxima Bischoff et Bold |
| 612 | GENUS: [Planktosphaeria] G. M. Smith P. texensis Bischoff et Bold |
| 613 | GENUS: [Sphaerello cystis] Ettl S. stellata Ettl |
| 614 | GENUS: [Phacus] Dujardin P. orbicularis Hübner |
| 615 | GENUS: [Microcystis] Kützing M. muscicola (Menegh.) Elenkin |
| 616 | GENUS: [Pediastrum] Meyen P. boryanum var. brevicorne fa. granulatum (Racib.) Parra |
| 617 | GENUS: [Oocystis] Nägeli O. solitaria Wittrock |
| 618 | GENUS: [Scenedesmus] Meyen S. quadrispina Chodat |
| 619 | GENUS: [Scenedesmus] Meyen S. obtusus Meyen |
| 620 | GENUS: [Chlorella] Beijerinck C. reisi gii Watanabe |
| 621 | GENUS: [Chlorella] Beijerinck C. fusca Shihira et Krauss |
| 622 | GENUS: [Cosmarium] Corda C. sportella var. subnudun W. et G.S. West |
| 623 | GENUS: [Cosmarium] Corda C. difficile Lüt kemüller |
| 624 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. digitus var. naegelii (Bréb.) Krieger |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 625 | GENUS: [Cosmarium] Corda <i>C. regnellii</i> var. <i>pseudoregnellii</i> (Messik.) Krieger et Gerloff |
| 625-A | GENUS: [Cosmarium] Corda <i>C. regnellii</i> var. <i>pseudoregnellii</i> (Messik.) Krieger et Gerloff |
| 626 | GENUS: [Tolypothrix] Kützing <i>T. tenuis</i> Kützing |
| 627 | GENUS: [Tolypothrix] Kützing <i>T. distorta</i> var. <i>penicillata</i> (C. Agardh) Lemmermann |
| 628 | GENUS: [Staurastrum] Meyen <i>S. dispar</i> Brébisson |
| 629 | GENUS: [Draparnaldia] Bory <i>D. plumosa</i> (Vaucher) Agardh |
| 630 | GENUS: [Microchaete] Thuret <i>M. tenera</i> Thuret |
| 631 | GENUS: [Microchaete] Thuret <i>M. tenera</i> Thuret |
| 632 | GENUS: [Microchaete] Thuret <i>M. tenera</i> Thuret |
| 633 | GENUS: [Calothrix] Agardh <i>C. braunii</i> Bornet et Flahault |
| 634 | GENUS: [Aphanothece] Nägeli <i>A. saxicola</i> Nägeli |
| 635 | GENUS: [Gloeothece] Nägeli <i>G. rupestris</i> (Lyngb.) Bornet |
| 636 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. elliposporum</i> Rabenhorst |
| 637 | GENUS: [Phormidium] Kützing <i>P. subfuscum</i> (Agardh) Kützing |
| 638 | GENUS: [Ankistrodesmus] Corda <i>A. fusiformis</i> Corda |
| 639 | GENUS: [Dactylosphaerium] Steinecke <i>D. jurisii</i> Hindák |
| 640 | GENUS: [Kirchneriella] Schmidle <i>K. rotunda</i> (Korch.) Hindák |
| 641 | GENUS: [Kirchneriella] Schmidle <i>K. danubiana</i> Hindák |
| 642 | GENUS: [Kirchneriella] Schmidle <i>K. subcapitata</i> Korchikoff |
| 643 | GENUS: [Tetraedron] Kützing <i>T. minimum</i> (A. Braun) Hansgirg |
| 644 | GENUS: [Scenedesmus] Meyen <i>S. communis</i> Hegewald |
| 645 | GENUS: [Scenedesmus] Meyen <i>S. denticulatus</i> Lagerheim |
| 646 | GENUS: [Fottea] Hindák <i>F. stichococcoides</i> Hindák |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 647 | GENUS: [Chrysonobola] Lund C. flava Starmach |
| 648 | GENUS: [Phormidium] Kützing P. favosum (Bory) Gomont |
| 649 | GENUS: [Oedogonium] Link O. tapeinosporum Wittrock |
| 650 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. carneum Agardh |
| 651 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. humifusum Carmichael |
| 652 | GENUS: [Hapalosiphon] Nägeli H. intricatus W. et G. S. West |
| 653 | GENUS: [Lyngbya] Agardh L. major Meneghini |
| 654 | GENUS: [Aphanothece] Nägeli A. naegelii Wartmann |
| 655 | GENUS: [Oedogonium] Link O. pusillum Kirchner |
| 656 | GENUS: [Microcoleus] Desmazières ex Gomont M. vaginatus (Vaucher) Gomont |
| 657 | GENUS: [Chrysonobola] Lund C. flava Starmach |
| 658 | GENUS: [Pediastrum] Meyen P. biradiatum var. biradiatum Mayen |
| 659 | GENUS: [Phacus] Dujardin P. splendens Pochmann |
| 660 | GENUS: [Mesostigma] Lauterborn M. viride Lauterborn |
| 661 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 662 | GENUS: [Tolypothrix] Kützing T. byssoidea (Berk.) Kirchner |
| 663 | GENUS: [Oedogonium] Link O. vaucherii (Le Clerc) A. Braun |
| 664 | GENUS: [Oedogonium] Link O. crispum var. hawaiiense Nordstedt |
| 665 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. bidentatum var. bidentatum Grönblad |
| 666 | GENUS: [Oscillatoria] Vaucher O. deflexa W. et G. S. West |
| 667 | GENUS: [Oscillatoria] Vaucher O. amphibia Agardh |
| 668 | GENUS: [Oscillatoria] Vaucher O. acutissima Kufferath |
| 669 | GENUS: [Chlorobion] Korchikoff C. braunii (Näg.) Komárek |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 670 | GENUS: [Microchaete] Thuret <i>M. catenata</i> Lemmermann |
| 671 | GENUS: [Phormidium] Kützing <i>P. autumnale</i> (Agardh) Gomont |
| 672 | GENUS: [Oscillatoria] Vaucher <i>O. amphibia</i> Agardh |
| 673 | GENUS: [Hydrocoleum] Kützing <i>H. brebissonii</i> Kützing |
| 674 | GENUS: [Oscillatoria] Vaucher <i>O. amphibia</i> Agardh |
| 675 | GENUS: [Oscillatoria] Vaucher <i>O. acutissima</i> Kufferath |
| 676 | GENUS: [Oscillatoria] Vaucher <i>O. pseudacutissima</i> Geitler |
| 677 | GENUS: [Tolypothrix] Kützing <i>T. byssoidea</i> (Berk.) Kirchner |
| 678 | GENUS: [Gloeotrichia] Agardh <i>G. pilgeri</i> Schmidle |
| 679 | GENUS: [Aphanothece] Nägeli <i>A. clathrata</i> W. et G.S. West |
| 680 | GENUS: [Gomphosphaeria] Kützing <i>G. lacustris</i> Chodat |
| 681 | GENUS: [Nephrocycium] Nägeli <i>N. agardhianum</i> Nägeli |
| 682 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 683 | GENUS: [Kirchneriella] Schmidle <i>K. contorta</i> (Schmidle) Bohlin |
| 684 | GENUS: [Scenedesmus] Meyen <i>S. smithii</i> Chodat |
| 685 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> var. <i>brevicorne</i> A. Braun |
| 686 | GENUS: [Scenedesmus] Meyen <i>S. maximus</i> (W. et G.S. West) Chodat |
| 687 | GENUS: [Aphanothece] Nägeli <i>A. clathrata</i> W. et G.S. West |
| 688 | GENUS: [Coelosphaerium] Nägeli <i>C. kuetzingianum</i> Nägeli |
| 689 | GENUS: [Coelomoron] Buell <i>C. pusillus</i> (Van Goor) Komárek |
| 690 | GENUS: [Tetrachlorella] Korchikoff <i>T. alternans</i> (G.M. Smith) Korchikoff |
| 691 | GENUS: [Pleurocapsa] Thuret <i>P. sp.</i> |
| 692 | GENUS: [Korshikoviella] Silva <i>K. michailovskoensis</i> (Elenk.) Silva |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 693 | GENUS: [Chroococcus] Nägeli <i>C. minor</i> (Kütz.) Nägeli |
| 694 | GENUS: [Chlamydocapsa] Fott <i>C. ampla</i> (Kütz.) Fott |
| 695 | GENUS: [Sphaerellocystis] Ettl <i>S. stellata</i> Ettl |
| 696 | GENUS: [Colacium] Ehrenberg <i>C. vesiculosum</i> Ehrenberg |
| 697 | GENUS: [Calothrix] Agardh <i>C. sp. -</i> |
| 698 | GENUS: [Chroococcus] Nägeli <i>C. limneticus</i> Lemmermann |
| 699 | GENUS: [Chroococcus] Nägeli <i>C. cohaerens</i> (Bréb.) Nägeli |
| 700 | GENUS: [Oedogonium] Link <i>O. curvum</i> Pringsheim |
| 701 | GENUS: [Oedogonium] Link <i>O. crispum</i> (Hassal) Wittrock |
| 702 | GENUS: [Hydrocoleum] Kützing <i>H. brebissonii</i> Kützing |
| 703 | GENUS: [Eremosphaera] De Bary <i>E. viridis</i> De Bary |
| 704 | GENUS: [Merismopedia] Meyen <i>M. punctata</i> Meyen |
| 705 | GENUS: [Radiocystis] Skuja <i>R. geminata</i> Skuja |
| 706 | GENUS: [Aphanothece] Nägeli <i>A. stagnina</i> (Spreng.) A. Braun |
| 707 | GENUS: [Microcystis] Kützing <i>M. aeruginosa</i> Kützing |
| 708 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. minutum</i> (Näg.) Komárková-Legnerová |
| 709 | GENUS: [Chroococcus] Nägeli <i>C. minutus</i> (Kütz.) Nägeli |
| 710 | GENUS: [Coelastrum] Nägeli <i>C. reticulatum</i> (Dangeard) Senn |
| 711 | GENUS: [Coelastrum] Nägeli <i>C. microporum</i> Nägeli |
| 712 | GENUS: [Coelastrum] Nägeli <i>C. sphaericum</i> Nägeli |
| 713 | GENUS: [Elakatothrix] Wille <i>E. genevensis</i> (Rev.) Hindák |
| 714 | GENUS: [Kirchneriella] Schmidle <i>K. incurvata</i> Belcher et Swale |
| 715 | GENUS: [Sphaerocystis] Chodat <i>S. schroeteri</i> Chodat |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 716 | GENUS: [Pediastrum] Meyen <i>P. duplex</i> var. <i>cohaerens</i> Bohlin |
| 717 | GENUS: [Pediastrum] Meyen <i>P. angulosum</i> (Ehrenb.) Meneghini |
| 717-A | GENUS: [Pediastrum] Meyen <i>P. angulosum</i> (Ehrenb.) Meneghini |
| 717-B | GENUS: [Pediastrum] Meyen <i>P. angulosum</i> (Ehrenb.) Meneghini |
| 719 | GENUS: [Scenedesmus] Meyen <i>S. pannonicus</i> Hortobágyi |
| 720 | GENUS: [Tetraedron] Kützing <i>T. caudatum</i> (Corda) Hansgirg |
| 721 | GENUS: [Tetrastrum] Chodat <i>T. komarekii</i> Hindák |
| 722 | GENUS: [Staurastrum] Meyen <i>S. tetracerum</i> Ralfs |
| 723 | GENUS: [Staurastrum] Meyen <i>S. gracile</i> var. <i>coronulatum</i> Boldt |
| 724 | GENUS: [Closterium] Nitzsch <i>C. directum</i> W. Archer |
| 725 | GENUS: [Aphanothece] Nägeli <i>A. microscopica</i> Nägeli |
| 726 | GENUS: [Chroococcus] Nägeli <i>C. turgidus</i> var. <i>maximus</i> Nygaard |
| 727 | GENUS: [Aphanothece] Nägeli <i>A. castagnei</i> (Bréb.) Rabenhorst |
| 728 | GENUS: [Phormidium] Kützing <i>P. autumnale</i> (Agardh) Gomont |
| 729 | GENUS: [Nodularia] Mertens ex Bornet et Flahault <i>N. harveyana</i> (Thwaites) Thuret |
| 730 | GENUS: [Tolypothrix] Kützing <i>T. distorta</i> var. <i>distorta</i> fa. <i>penicillata</i> (Agardh) Kossinskaja |
| 731 | GENUS: [Tolypothrix] Kützing <i>T. distorta</i> (Fl. Dan.) Kützing |
| 732 | GENUS: [Chlorolobion] Korchikoff <i>C. obtusum</i> Korchikoff |
| 733 | GENUS: [Rhabdogloea] Schröder <i>R. linearis</i> (Geitler) Komarék |
| 734 | GENUS: [Anabaena] Bory <i>A. lapponica</i> Borge |
| 735 | GENUS: [Staurodesmus] Teiling <i>S. spencerianus</i> (Mask.) Teiling |
| 736 | GENUS: [Staurastrum] Meyen <i>S. inconspicuum</i> Nordstedt |
| 737 | GENUS: [Chaetosphaeridium] (Nordst.) Klebahn <i>C. pringsheimii</i> Klebahn |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 738 | GENUS: [Hydrianum] Rabenhorst <i>H. viride</i> (Scherff.) Ettl |
| 739 | GENUS: [Coelastropsis] Fott et Kalina <i>C. costata</i> (Korch.) Fott et Kalina |
| 740 | GENUS: [Staurastrum] Meyen <i>S. quadrangulare</i> L.A. Brébisson |
| 741 | GENUS: [Tribonema] Derbès et Solier <i>T. viride</i> Pascher |
| 742 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 743 | GENUS: [Tetraspora] Link <i>T. gelatinosa</i> (Vaucher) Desvaux |
| 744 | GENUS: [Microspora] Thuret <i>M. aequabilis</i> Wichmann |
| 745 | GENUS: [Staurodesmus] Teiling <i>S. extensus</i> (Borge) Teiling |
| 746 | GENUS: [Teilingia] Bourrelly <i>T. granulata</i> (Roy et Bisset) Bourrelly |
| 747 | GENUS: [Microspora] Thuret <i>M. wittrockii</i> (Wille) Lagerheim |
| 748 | GENUS: [Calothrix] Agardh <i>C. sp. -</i> |
| 749 | GENUS: [Ulothrix] Kützing <i>U. mucosa</i> Thuret |
| 750 | GENUS: [Aphanothece] Nägeli <i>A. saxicola</i> Nägeli |
| 751 | GENUS: [Euglena] Ehrenberg <i>E. mutabilis</i> Schmitz |
| 752 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. bidentatum</i> var. <i>speciosum</i> (Boldt) Schmidle |
| 753 | GENUS: [Sphaerocystis] Chodat <i>S. planctonica</i> (Korch.) Bourrelly |
| 754 | GENUS: [Scenedesmus] Meyen <i>S. asymmetricus</i> (Schröd.) Chodat |
| 755 | GENUS: [Dictyosphaerium] Nägeli <i>D. sphagnale</i> Hindák |
| 756 | GENUS: [Dictyosphaerium] Nägeli <i>D. chlorelloides</i> (Naum.) Komárek et Perman |
| 757 | GENUS: [Dictyosphaerium] Nägeli <i>D. tetrachotomum</i> Printz |
| 758 | GENUS: [Dictyosphaerium] Nägeli <i>D. chlorelloides</i> (Naum.) Komárek et Perman |
| 759 | GENUS: [Scenedesmus] Meyen <i>S. costatus</i> Schmidle |
| 760 | GENUS: [Coelastropsis] Fott et Kalina <i>C. costata</i> (Korch.) Fott et Kalina |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 761 | GENUS: [Palmodictyon] Kützing <i>P. lobatum</i> Korchikoff |
| 762 | GENUS: [Phormidium] Kützing <i>P. favosum</i> (Bory) Gomont |
| 763 | GENUS: [Phormidium] Kützing <i>P. favosum</i> (Bory) Gomont |
| 764 | GENUS: [Tolypothrix] Kützing <i>T. tenuis</i> Kützing |
| 765 | GENUS: [Tolypothrix] Kützing <i>T. tenuis</i> var. <i>tenuis</i> fa. <i>lanata</i> (Wartmann) Kossinskaja |
| 766 | GENUS: [Tolypothrix] Kützing <i>T. tenuis</i> var. <i>tenuis</i> fa. <i>lanata</i> (Wartm.) Kossinskaja |
| 767 | GENUS: [Oscillatoria] Vaucher <i>O. pseudacutissima</i> Geitler |
| 768 | GENUS: [Chroococcus] Nägeli <i>C. giganteus</i> W. West |
| 769 | GENUS: [Stigonema] Agardh <i>S. ocellatum</i> (Dillw.) Thuret |
| 770 | GENUS: [Staurastrum] Meyen <i>S. lusitanicum</i> Nauwerck |
| 771 | GENUS: [Ankistrodesmus] Corda <i>A. gracilis</i> (Reinsch) Korchikoff |
| 772 | GENUS: [Anabaena] Bory <i>A. lapponica</i> Borge |
| 773 | GENUS: [Anabaena] Bory <i>A. variabilis</i> Kützing |
| 774 | GENUS: [Scenedesmus] Meyen <i>S. aculeolatus</i> Reinsch |
| 775 | GENUS: [Desmodesmus] Hegewald <i>D. perforatus</i> var. <i>iberaënsis</i> (Tell) E. Hegewald & S. L. Jeon |
| 776 | GENUS: [Closterium] Nitzsch <i>C. cynthia</i> De Notaris |
| 777 | GENUS: [Closterium] Nitzsch <i>C. striolatum</i> Ehrenberg |
| 778 | GENUS: [Oscillatoria] Vaucher <i>O. splendida</i> Greville |
| 779 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. verrucosum</i> var. <i>alatum</i> Walle |
| 780 | GENUS: [Penium] Brébisson <i>P. cylindrus</i> (Ehrenb.) Brébisson |
| 781 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. insigne</i> Hassal ex Ralfs |
| 782 | GENUS: [Tetmemorus] Ralfs <i>T. laevis</i> var. <i>minutus</i> (De Bary) Krieger |
| 783 | GENUS: [Pleurotaenium] Nägeli <i>P. minutum</i> (Ralfs) Delponte |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 784 | GENUS: [Pediastrum] Meyen <i>P. privum</i> (Printz) Hegewald |
| 785 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. truncata</i> (Corda) Brébisson |
| 786 | GENUS: [Staurastrum] Meyen <i>S. pileolatum</i> Brébisson |
| 787 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. rotata</i> (Grev.) Ralfs ex Ralfs |
| 788 | GENUS: [Cylindrocystis] Meneghini <i>C. crassa</i> De Bary |
| 789 | GENUS: [Staurodesmus] Teiling <i>S. triangularis</i> (Lagerh.) Teiling |
| 790 | GENUS: [Gonium] Müller <i>G. sociale</i> (Dujardin) Warming |
| 791 | GENUS: [Cosmarium] Corda <i>C. quadratum</i> var. <i>willei</i> (Schmidle) Krieger et Gerloff |
| 792 | GENUS: [Cosmarium] Corda <i>C. caelatum</i> Ralfs |
| 793 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. crassum</i> (Bréb.) Kützing ex Ralfs |
| 794 | GENUS: [Cosmarium] Corda <i>C. decedens</i> (Reinsch) Raciborski |
| 795 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> var. <i>dissiliens</i> fa. <i>tridentula</i> Nordstedt |
| 796 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. yeneri</i> Ralfs |
| 797 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe <i>N. digitus</i> var. <i>latum</i> Hustedt |
| 798 | GENUS: [Pleurotaenium] Nägeli <i>P. minutum</i> (Ralfs) Delponte |
| 799 | GENUS: [Roya] W. et G. S. West <i>R. anglica</i> G. S. West |
| 800 | GENUS: [Staurastrum] Meyen <i>S. brachiatum</i> var. <i>gracilius</i> Maskell |
| 801 | GENUS: [Staurastrum] Meyen <i>S. brachiatum</i> Ralfs |
| 802 | GENUS: [Staurastrum] Meyen <i>S. tohopekaligense</i> Wolle |
| 803 | GENUS: [Tetmemorus] Ralfs <i>T. brebissonii</i> (Menegh.) Ralfs |
| 804 | GENUS: [Tetmemorus] Ralfs <i>T. granulatus</i> (Bréb.) Ralfs |
| 805 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. griffithii</i> (Berk.) Komárková-Legnerová |
| 806 | GENUS: [Botryosphaerella] Silva <i>B. sudetica</i> (Lemm.) Silva |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 807 | GENUS: [Coccomyxa] Schmidle C. sp. - |
| 808 | GENUS: [Coccomyxa] Schmidle C. subglobosa Pascher |
| 809 | GENUS: [Radiococcus] Schmidle R. planktonicus Lund |
| 810 | GENUS: [Neochloris] Starr N. bilobata Vinatzer |
| 811 | GENUS: [Chlorolobion] Korchikoff C. lunulatum Hindák |
| 812 | GENUS: [Geminella] Turpin G. minor (Näg.) Heering |
| 813 | GENUS: [Chlorogonium] Ehrenberg C. tetragamum Bohlin |
| 814 | GENUS: [Gonium] Müller G. pectorale Müller |
| 815 | GENUS: [Haematococcus] C.A. Agardh em. Flotow H. pluvialis Flotow em. Wille |
| 816 | GENUS: [Haematococcus] C.A. Agardh em. Flotow H. pluvialis Flotow em. Wille |
| 817 | GENUS: [Synechococcus] Nägeli S. aeruginosus Nägeli |
| 818 | GENUS: [Botryosphaerella] Silva B. sudetica (Lemm.) Silva |
| 819 | GENUS: [Dimorphococcus] A. Braun D. lunatus A. Braun |
| 820 | GENUS: [Chlorolobion] Korchikoff C. braunii (Näg.) Komárek |
| 821 | GENUS: [Bracteacoccus] Tereg B. minutus Schwarz |
| 822 | GENUS: [Gloeotila] Kützing G. planctonica Balachonzew |
| 823 | GENUS: [Microspora] Thuret M. aequabilis var. minor Wichmann |
| 824 | GENUS: [Stigonema] Agardh S. mamillosum (Lyngb.) Agardh |
| 825 | GENUS: [Coenochloris] Korchikoff C. mucosa (Korch.) Hindák |
| 826 | GENUS: [Cosmarium] Corda C. caelatum Ralfs |
| 827 | GENUS: [Penium] Brébisson P. margaritaceum (Ehrenb.) Brébisson |
| 828 | GENUS: [Tribonema] Derbès et Solier T. aequale Pascher |
| 829 | GENUS: [Tribonema] Derbès et Solier T. regulare Pascher |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 830 | GENUS: [Lobosphaera] Reisingl L. reniformis (Watm.) Komárek et Fott |
| 831 | GENUS: [Chlorella] Beijerinck C. ellipsoidea Gerneck |
| 833 | GENUS: [Staurodesmus] Teiling S. glaber var. limnophilus Teiling |
| 834 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. elegans (Bréb.) Kützing ex Ralfs |
| 835 | GENUS: [Euglena] Ehrenberg E. agilis Carter |
| 836 | GENUS: [Micrasterias] Agardh ex Ralfs M. rotata (Grev.) Ralfs ex Ralfs |
| 837 | GENUS: [Staurastrum] Meyen S. pilosum (Näg.) Archer |
| 838 | GENUS: [Scenedesmus] Meyen S. obtusus Meyen |
| 839 | GENUS: [Schizothrix] Kützing S. muellerii Nägeli |
| 840 | GENUS: [Dictyococcus] Gerneck D. mucosus Korchikoff |
| 841 | GENUS: [Myrmecia] Printz M. astigmatica Vinatzer |
| 842 | GENUS: [Quadrigula] Printz Q. closterioides (Bohlin) Printz |
| 843 | GENUS: [Euglena] Ehrenberg E. archaeoplastidiata ? Chadeffaud |
| 844 | GENUS: [Tolypothrix] Kützing T. distorta (Fl. Dan.) Kützing |
| 845 | GENUS: [Scytonema] Agardh S. bewsii Fritsch & Rich |
| 846 | GENUS: [Stigonema] Agardh S. multipartitum N. L. Gardner |
| 847 | GENUS: [Stigonema] Agardh S. mamillosum (Lyngb.) Agardh |
| 848 | GENUS: [Hapalosiphon] Nägeli H. hibernicus W. et G. S. West |
| 849 | GENUS: [Elakatothrix] Wille E. gelifacta (Chod.) Hindák |
| 850 | GENUS: [Cosmarium] Corda C. pyramidatum Brébisson |
| 851 | GENUS: [Calothrix] Agardh C. sp. - |
| 852 | GENUS: [Micrasterias] Agardh ex Ralfs M. americana (Ehrenb.) Ralfs |
| 853 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. didelta ? Ehrenberg ex Ralfs |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 854 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. ansatum</i> Ehrenberg ex Ralfs |
| 855 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. subalpinum</i> Messikommer |
| 856 | GENUS: [Dictyosphaerium] Nägeli <i>D. ehrenbergianum</i> Nägeli |
| 857 | GENUS: [Scenedesmus] Meyen <i>S. serratus</i> (Corda) Bohlin |
| 857-A | GENUS: [Scenedesmus] Meyen <i>S. serratus</i> (Corda) Bohlin |
| 858 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. subhexalobum</i> W. et G.S. West |
| 859 | GENUS: [Staurostrum] Meyen <i>S. subavicularia</i> var. <i>nigrae-silvae</i> (W. Schmidle) R.L. Grönblad |
| 860 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. denticulata</i> Brébisson |
| 861 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. denticulata</i> Brébisson |
| 862 | GENUS: [Chlorella] Beijerinck <i>C. ellipsoidea</i> Gerneck |
| 863 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. griffithii</i> (Berk.) Komárková-Legnerová |
| 864 | GENUS: [Spondylosium] Brébisson <i>S. planum</i> (Wolle) W. et G.S. West |
| 864-A | GENUS: [Spondylosium] Brébisson <i>S. planum</i> (Wolle) W. et G.S. West |
| 865 | GENUS: [Cosmarium] Corda <i>C. impressulum</i> Elfving |
| 866 | GENUS: [Cosmarium] Corda <i>C. trilobulatum</i> Reinsch |
| 867 | GENUS: [Cosmarium] Corda <i>C. formosulum</i> Hoff |
| 868 | GENUS: [Cosmarium] Corda <i>C. sportella</i> var. <i>subnudum</i> W. et G.S. West |
| 869 | GENUS: [Cosmarium] Corda <i>C. regnellii</i> var. <i>pseudoregnellii</i> (Messik.) Krieger et Gerloff |
| 870 | GENUS: [Cosmarium] Corda <i>C. regnellii</i> var. <i>pseudoregnellii</i> (Messik.) Krieger et Gerloff |
| 871 | GENUS: [Stigonema] Agardh <i>S. mamillosum</i> (Lyngb.) Agardh |
| 872 | GENUS: [Stigonema] Agardh <i>S. ocellatum</i> (Dillw.) Thuret |
| 873 | GENUS: [Chlamydomonas] Ehrenberg <i>C. pseudotarda</i> Bourrelly |
| 874 | GENUS: [Bracteacoccus] Tereg <i>B. cohaerens</i> Bischoff & Bold |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 875 | GENUS: [Uronema] Lagerheim U. gigas Vischer |
| 876 | GENUS: [Spongiochloris] Starr S. incrassata Chantanachat et Bold |
| 877 | GENUS: [Follicularia] Miller F. paradoxalis Miller |
| 878 | GENUS: [Chlorella] Beijerinck C. fusca Shihira et Krauss |
| 879 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 880 | GENUS: [Staurastrum] Meyen S. scabrum Brébisson |
| 881 | GENUS: [Staurodesmus] Teiling S. brevispina var. obversus (West) Croasdale |
| 882 | GENUS: [Staurodesmus] Teiling S. dejectus (Bréb.) Teiling |
| 883 | GENUS: [Staurastrum] Meyen S. paradoxum var. longipes Nordstedt |
| 884 | GENUS: [Neglectella] Vodenicarov et Benderliev N. eremosphaerophila Vodenicarov et Benderliev |
| 885 | GENUS: [Coccomyxa] Schmidle C. subglobosa Pascher |
| 886 | GENUS: [Myxosarcina] Printz M. spectabilis Geitler |
| 887 | GENUS: [Tolypothrix] Kützing T. tenuis Kützing |
| 888 | GENUS: [Tetraedron] Kützing T. minimum (A. Braun) Hansgirg |
| 889 | GENUS: [Scytonema] Agardh S. stuposum (Kütz.) Bornet |
| 890 | GENUS: [Monoraphidium] Komárková-Legnerová M. tortile (W. et G. S. West) Komárková-Legnerová |
| 891 | GENUS: [Chamaesiphon] A. Braun et Grunow C. subglobosus (Rostaf.) Lemmermann |
| 892 | GENUS: [Scenedesmus] Meyen S. breviaculeatus R. Chodat |
| 893 | GENUS: [Pediastrum] Meyen P. duplex var. duplex Meyen |
| 893-A | GENUS: [Pediastrum] Meyen P. duplex var. duplex Meyen |
| 894 | GENUS: [Scenedesmus] Meyen S. smithii Chodat |
| 895 | GENUS: [Oocystis] Nägeli O. lacustris Chodat |
| 896 | GENUS: [Scenedesmus] Meyen S. smithii Chodat |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 897 | GENUS: [Scenedesmus] Meyen <i>S. soli</i> Hortobágyi |
| 898 | GENUS: [Mesotaenium] Nägeli <i>M. caldariorum</i> (Lagerh.) Hansgirg |
| 899 | GENUS: [Mesotaenium] Nägeli <i>M. caldariorum</i> (Lagerh.) Hansgirg |
| 900 | GENUS: [Cosmarium] Corda <i>C. pachydermum</i> Lundell |
| 901 | GENUS: [Actinotaenium] (Näg.) Teiling <i>A. cucurbitinum</i> (Bisset) Teiling |
| 902 | GENUS: [Closterium] Nitzsch <i>C. ehrenbergii</i> Meneghini |
| 903 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. fontinale</i> Hindák |
| 904 | GENUS: [Scenedesmus] Meyen <i>S. ecornis</i> (Ehrenb.) Chodat |
| 905 | GENUS: [Scenedesmus] Meyen <i>S. ellipticus</i> (W. et G.S. West) Chodat |
| 906 | GENUS: [Trentepohlia] Martius <i>T. lagenifera</i> (Hildenbrand) Wille |
| 907 | GENUS: [Trentepohlia] Martius <i>T. annulata</i> Brand |
| 908 | GENUS: [Aphanothece] Nägeli <i>A. stagnina</i> (Spreng.) A. Braun |
| 909 | GENUS: [Tolypothrix] Kützing <i>T. lignicola</i> Jao |
| 910 | GENUS: [Ankistrodesmus] Corda <i>A. bibraianus</i> (Reinsch) Korchikoff |
| 911 | GENUS: [Eucapsis] Clements et Schantz <i>E. minor</i> (Skuja) Elenkin |
| 912 | GENUS: [Ankistrodesmus] Corda <i>A. fusiformis</i> Corda |
| 913 | GENUS: [Penium] Brébisson <i>P. spirostriolatum</i> Barker |
| 914 | GENUS: [Aphanothece] Nägeli <i>A. clathrata</i> W. et G.S. West |
| 915 | GENUS: [Lobococcus] Reisißl <i>L. macronucleatus</i> (Deason) Bourrelly |
| 916 | GENUS: [Scenedesmus] Meyen <i>S. grahneisii</i> (Heynig) Fott |
| 917 | GENUS: [Aphanothece] Nägeli <i>A. clathrata</i> W. et G.S. West |
| 918 | GENUS: [Sphaerello cystis] Ettl <i>S. stellata</i> Ettl |
| 919 | GENUS: [Euglena] Ehrenberg <i>E. granulata</i> (Klebs) Schmitz |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 920 | GENUS: [Euglena] Ehrenberg <i>E. sociabilis</i> Dangeard |
| 921 | GENUS: [Euglena] Ehrenberg <i>E. granulata</i> (Klebs) Schmitz |
| 922 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> var. <i>brevicorne</i> A. Braun |
| 923 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> var. <i>brevicorne</i> A. Braun |
| 924 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> var. <i>brevicorne</i> A. Braun |
| 925 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> (Turp.) Meneghini |
| 926 | GENUS: [Stigonema] Agardh <i>S. lavardei</i> Frémy |
| 927 | GENUS: [Chroococcus] Nägeli <i>C. turgidus</i> var. <i>subnudus</i> Hansgirg |
| 928 | GENUS: [Chroococcus] Nägeli <i>C. turgidus</i> var. <i>subnudus</i> Hansgirg |
| 929 | GENUS: [Cyanostylon] Geitler <i>C. microcystoides</i> Geitler |
| 930 | GENUS: [Gloeocapsa] Kützing <i>G. dermochroa</i> Nägeli |
| 931 | GENUS: [Scytonema] Agardh <i>S. mirabile</i> (Dillwyn) Bornet |
| 932 | GENUS: [Closterium] Nitzsch <i>C. navicula</i> (Bréb.) Lütkemüller |
| 933 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. oblongum</i> (Grev.) Ralfs |
| 934 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. humerosum</i> Ralfs |
| 935 | GENUS: [Cosmarium] Corda <i>C. trachypleurum</i> Lundell |
| 936 | GENUS: [Cosmarium] Corda <i>C. notabile</i> var. <i>medium</i> (Gutw.) Krieger et Gerloff |
| 937 | GENUS: [Gloeococcus] A. Braun <i>G. minor</i> A. Braun |
| 937-A | GENUS: [Gloeococcus] A. Braun <i>G. minor</i> A. Braun |
| 938 | GENUS: [Coenochloris] Korchikoff <i>C. hindakii</i> Komárek |
| 939 | GENUS: [Coenochloris] Korchikoff <i>C. hindakii</i> Komárek |
| 940 | GENUS: [Microspora] Thuret <i>M. quadrata</i> Hazen |
| 941 | GENUS: [Staurastrum] Meyen <i>S. hirsutum</i> (Ehrenb.) Brébisson |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 942 | GENUS: [Staurastrum] Meyen <i>S. hirsutum</i> (Ehrenb.) Brébisson |
| 943 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. truncata</i> (Corda) Brébisson |
| 944 | GENUS: [Staurodesmus] Teiling <i>S. triangularis</i> (Lagerh.) Teiling |
| 945 | GENUS: [Hyalotheca] Ehrenberg <i>H. mucosa</i> (Dillw.) Ehrenberg |
| 946 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. affine</i> Ralfs |
| 947 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. humerosum</i> Ralfs |
| 948 | GENUS: [Ammatoidea] W. et G.S. West <i>A. normanii</i> W. et G.S. West |
| 949 | GENUS: [Heterococcus] Chodat <i>H. chodatii</i> Vischer |
| 950 | GENUS: [Euglena] Ehrenberg <i>E. gracilis</i> var. <i>gracilis</i> fa. <i>hiemalis</i> Matvienko |
| 951 | GENUS: [Chlamydomonas] Ehrenberg <i>C. kleinii</i> Schmidle |
| 952 | GENUS: [Closterium] Nitzsch <i>C. ehrenbergii</i> Meneghini |
| 953 | GENUS: [Staurodesmus] Teiling <i>S. spencerianus</i> ? (Mask.) Teiling |
| 954 | GENUS: [Staurodesmus] Teiling <i>S. glaber</i> var. <i>hirundinella</i> (Messik.) Teiling |
| 955 | GENUS: [Staurodesmus] Teiling <i>S. cuspidatus</i> var. <i>divergens</i> Nordstedt |
| 956 | GENUS: [Staurodesmus] Teiling <i>S. extensus</i> (Borge) Teiling |
| 957 | GENUS: [Cosmocladium] Brébisson <i>C. saxonicum</i> De Bary |
| 958 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> var. <i>dissiliens</i> fa. <i>tridentula</i> Nordstedt |
| 959 | GENUS: [Closterium] Nitzsch <i>C. ehrenbergii</i> Meneghini |
| 960 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. paludosum</i> Kützing |
| 961 | GENUS: [Asterococcus] Scherffel <i>A. korschikofii</i> Ettl |
| 962 | GENUS: [Chroococcus] Nägeli <i>C. turgidus</i> (Kütz.) Nägeli |
| 963 | GENUS: [Spirotaenia] Brébisson <i>S. condensata</i> Brébisson |
| 964 | GENUS: [Volvox] (Linné) Ehrenberg <i>V. globator</i> Linné |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 965 | GENUS: [Volvox] (Linné) Ehrenberg <i>V. aureus</i> Ehrenberg |
| 966 | GENUS: [Volvox] (Linné) Ehrenberg <i>V. tertius</i> Meyer |
| 967 | GENUS: [Staurastrum] Meyen <i>S. dispar</i> Brébisson |
| 968 | GENUS: [Scenedesmus] Meyen <i>S. arcuatus</i> (Lemm.) Lemmermann |
| 969 | GENUS: [Phragmonema] Zopf <i>P. sordidum</i> Zopf |
| 970 | GENUS: [Audouinella] Bory <i>A. sp.</i> |
| 971 | GENUS: [Ankistrodesmus] Corda <i>A. fusiformis</i> Corda |
| 972 | GENUS: [Pandorina] Bory <i>P. unicocca</i> W.R. Rayburn & R.C. Starr |
| 973 | GENUS: [Euglena] Ehrenberg <i>E. anabaena</i> Mainx |
| 974 | GENUS: [Chlorosphaeropsis] Vischer <i>C. alveolata</i> Herndon |
| 975 | GENUS: [Gonatozygon] De Bary <i>G. monotaenium</i> De Bary |
| 976 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. ansatum</i> Ehrenberg ex Ralfs |
| 977 | GENUS: [Closterium] Nitzsch <i>C. kuetzingii</i> Brébisson |
| 978 | GENUS: [Closterium] Nitzsch <i>C. striolatum</i> Ehrenberg |
| 979 | GENUS: [Coelastrum] Nägeli <i>C. reticulatum</i> Dangeard |
| 980 | GENUS: [Actinotaenium] (Näg.) Teiling <i>A. cucurbitinum</i> var. <i>cucurbitinum</i> fa. <i>minutum</i> (Presc.) Teiling |
| 981 | GENUS: [Koliella] Hindák <i>K. spiculiformis</i> (Vischer) Kindák |
| 982 | GENUS: [Staurastrum] Meyen <i>S. subscabrum</i> Nordstedt |
| 983 | GENUS: [Staurastrum] Meyen <i>S. punctulatum</i> Brébisson |
| 983-A | GENUS: [Staurastrum] Meyen <i>S. punctulatum</i> Brébisson |
| 984 | GENUS: [Staurastrum] Meyen <i>S. teliferum</i> var. <i>ordinatum</i> Borgessen |
| 985 | GENUS: [Staurastrum] Meyen <i>S. striolatum</i> (Näg.) Archer |
| 986 | GENUS: [Staurastrum] Meyen <i>S. spiniferum</i> var. <i>quadratum</i> - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 987 | GENUS: [Staurastrum] Meyen S. orbiculare var. extensum Nordstedt |
| 988 | GENUS: [Coelastrum] Nägeli C. microporum var. octaedricum (Skuja) Sodomková |
| 989 | GENUS: [Staurodesmus] Teiling S. dejectus var. apiculatus ? (Bréb.) Teiling |
| 990 | GENUS: [Ankistrodesmus] Corda A. spiralis (Turn.) Lemmermann |
| 991 | GENUS: [Anabaena] Bory A. oscillarioides Bory |
| 992 | GENUS: [Closterium] Nitzsch C. acerosum (Schrank) Ehrenberg |
| 993 | GENUS: [Closterium] Nitzsch C. acutum var. variabile (Lemm.) Krieger |
| 994 | GENUS: [Ulothrix] Kützing U. tenuissima Kützing |
| 995 | GENUS: [Anabaena] Bory A. flos-aquae (Lyngb.) Bréb. |
| 996 | GENUS: [Phacus] Dujardin P. orbicularis Hübner |
| 997 | GENUS: [Pithophora] Wittrock P. oedogonia (Mont.) Wittrock |
| 998 | GENUS: [Oocystis] Nägeli O. lacustris Chodat |
| 999 | GENUS: [Coelastrum] Nägeli C. astroideum De Notaris |
| 1000 | GENUS: [Staurodesmus] Teiling S. extensus var. joshuae (Gutw.) Teiling |
| 1001 | GENUS: [Staurodesmus] Teiling S. connatus (Lund.) Thomasson |
| 1002 | GENUS: [Staurastrum] Meyen S. paradoxum Meyen |
| 1003 | GENUS: [Staurastrum] Meyen S. brachycerum Brébisson |
| 1004 | GENUS: [Elakatothrix] Wille E. gelatinosa Wille |
| 1005 | GENUS: [Closterium] Nitzsch C. rostratum Ehrenberg |
| 1006 | GENUS: [Tetmemorus] Ralfs T. brebissonii (Menegh.) Ralfs |
| 1007 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. binale var. gutwinskii (Schm.) Homfeld |
| 1008 | GENUS: [Closterium] Nitzsch C. juncidum Ralfs |
| 1009 | GENUS: [Pediastrum] Meyen P. boryanum var. cornutum (Racib.) Sulek |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1010 | GENUS: [Crucigenia] Morren <i>C. mucronata</i> (G.M. Smith) Komárek |
| 1011 | GENUS: [Anabaena] Bory <i>A. cylindrica</i> Lemmermann |
| 1012 | GENUS: [Gongrosira] Kützing <i>G. leptotricha</i> Reineri |
| 1013 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 1014 | GENUS: [Pleurocapsa] Thuret <i>P. sp.</i> |
| 1015 | GENUS: [Ankistrodesmus] Corda <i>A. gracilis</i> (Reinsch) Korchikoff |
| 1016 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 1017 | GENUS: [Ophiocytium] Nägeli <i>O. capitatum</i> Wolle |
| 1018 | GENUS: [Merismopedia] Meyen <i>M. elegans</i> A. Braun |
| 1019 | GENUS: [Merismopedia] Meyen <i>M. tenuissima</i> Lemmermann |
| 1020 | GENUS: [Pteromonas] Seligo <i>P. aculeata</i> Lemmermann |
| 1021 | GENUS: [Pleurotaenium] Nägeli <i>P. ehrenbergii</i> (Bréb.) De Bary |
| 1022 | GENUS: [Synura] Ehrenberg <i>S. petersennii</i> Korchikoff |
| 1023 | GENUS: [Euglena] Ehrenberg <i>E. deses</i> Ehrenberg |
| 1024 | GENUS: [Lepocinclis] Perty <i>L. ovum</i> (Ehrenb.) Lemmermann |
| 1025 | GENUS: [Lepocinclis] Perty <i>L. fusiformis</i> (Carter) Lemmermann |
| 1026 | GENUS: [Phacus] Dujardin <i>P. limnophila</i> (Lemmermann) Linton et Karnkowska |
| 1027 | GENUS: [Lepocinclis] Perty <i>L. spirogyroides</i> (Ehr.) Marin et Melkonian |
| 1028 | GENUS: [Staurastrum] Meyen <i>S. brachiatum</i> Ralfs |
| 1029 | GENUS: [Cosmarium] Corda <i>C. quadrum</i> var. <i>sublatum</i> fa. <i>dilatatum</i> Scott et Grönblad |
| 1030 | GENUS: [Cosmarium] Corda <i>C. decedens</i> (Reinsch) Raciborski |
| 1031 | GENUS: [Spirulina] Turpin <i>S. yeneri</i> (Hassal) Kützing |
| 1032 | GENUS: [Lepocinclis] Perty <i>L. fusca</i> (Klebs) Kosmala et Zakrys |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1033 | GENUS: [Ophiocytium] Nägeli <i>O. parvulum</i> (Perty) A. Braun |
| 1034 | GENUS: [Phacus] Dujardin <i>P. longicauda</i> (Ehrenb.) Dujardin |
| 1035 | GENUS: [Phacus] Dujardin <i>P. longicauda</i> (Ehrenb.) Dujardin |
| 1036 | GENUS: [Tetrademus] G. M. Smith <i>T. wisconsinensis</i> G.M. Smith |
| 1037 | GENUS: [Tetraedron] Kützing <i>T. pentaedricum</i> W. et G.S. West |
| 1038 | GENUS: [Tetraplektron] Fott <i>T. bourrellyi</i> Ettl |
| 1039 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 1041 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>echinulatum</i> Wittrock |
| 1042 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>sturmii</i> (Reinsch) Wolle |
| 1043 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>pseudoglabrum</i> Parra |
| 1044 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>sturmii</i> (Reinsch) Wolle |
| 1045 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>pseudoglabrum</i> Parra |
| 1046 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>pseudoglabrum</i> Parra |
| 1047 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>sturmii</i> (Reinsch) Wolle |
| 1048 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>sturmii</i> (Reinsch) Wolle |
| 1049 | GENUS: [Closterium] Nitzsch <i>C. closterioides</i> var. <i>intermedium</i> (Roy et Biss.) Ruzicka |
| 1050 | GENUS: [Spirotaenia] Brébisson <i>S. condensata</i> Brébisson |
| 1051 | GENUS: [Spirotaenia] Brébisson <i>S. condensata</i> Brébisson |
| 1052 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. americana</i> (Ehrenb.) Ralfs |
| 1053 | GENUS: [Xanthidium] Ehrenberg <i>X. brebissonii</i> Ralfs |
| 1054 | GENUS: [Tetraedriella] Pascher <i>T. regularis</i> (Kütz.) Fott |
| 1055 | GENUS: [Monomorphina] Mereschkowsky <i>M. aenigmatica</i> (Drezepolski) Nudelman et Triemer |
| 1056 | GENUS: [Tetrastrum] Chodat <i>T. komarekii</i> Hindák |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1057 | GENUS: [Stauroidesmus] Teiling <i>S. convergens</i> var. <i>laportei</i> Teiling |
| 1058 | GENUS: [Sphaerososma] Corda <i>S. aubertianum</i> W. West |
| 1059 | GENUS: [Polyedriopsis] Schmidle <i>P. spinulosa</i> (Schmidle) Schmidle |
| 1060 | GENUS: [Cosmarium] Corda <i>C. amoenum</i> (Bréb.) Ralfs |
| 1061 | GENUS: [Desmidium] Agardh <i>D. swartzii</i> Agardh |
| 1062 | GENUS: [Desmidium] Agardh <i>D. baileyi</i> (Ralfs) Nordstedt |
| 1063 | GENUS: [Anabaena] Bory <i>A. flos-aquae</i> var. <i>flos-aquae</i> fa. <i>lemmermanii</i> (P. Richter) Canabaeus |
| 1064 | GENUS: [Arthrodesmus] Ehrenberg <i>A. impar</i> (Jacobs.) Grönblad |
| 1065 | GENUS: [Xanthidium] Ehrenberg <i>X. brebissonii</i> var. <i>varians</i> J. Ralfs |
| 1066 | GENUS: [Xanthidium] Ehrenberg <i>X. brebissonii</i> var. <i>varians</i> J. Ralfs |
| 1067 | GENUS: [Trentepohlia] Martius <i>T. lagenifera</i> (Hildenbrand) Wille |
| 1068 | GENUS: [Trentepohlia] Martius <i>T. monile</i> De Wildeman |
| 1069 | GENUS: [Coelastropsis] Fott et Kalina <i>C. costata</i> (Korch.) Fott et Kalina |
| 1070 | GENUS: [Staurastrum] Meyen <i>S. tohopekaligense</i> Wolle |
| 1071 | GENUS: [Staurastrum] Meyen <i>S. gemelliparum</i> Nordstedt |
| 1072 | GENUS: [Staurastrum] Meyen <i>S. tohopekaligense</i> Wolle |
| 1073 | GENUS: [Staurastrum] Meyen <i>S. brachiatum</i> Ralfs |
| 1074 | GENUS: [Xanthidium] Ehrenberg <i>X. brebissonii</i> var. <i>varians</i> J. Ralfs |
| 1075 | GENUS: [Spirogyra] Link <i>S. setiformis</i> (Roth) Kützing |
| 1076 | GENUS: [Treubaria] Bernard <i>T. quadripina</i> (G.M. Smith) Fott et Kovácik |
| 1077 | GENUS: [Polyedriopsis] Schmidle <i>P. spinulosa</i> (Schmidle) Schmidle |
| 1078 | GENUS: [Anabaena] Bory <i>A. sphaerica</i> Bornet et Flahault |
| 1079 | GENUS: [Chlamydomonas] Ehrenberg <i>C. monadina</i> Stein |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1080 | GENUS: [Scenedesmus] Meyen <i>S. denticulatus</i> Lagerheim |
| 1081 | GENUS: [Chlamydomonas] Ehrenberg <i>C. perpusilla</i> Gerloff |
| 1082 | GENUS: [Tetraedron] Kützing <i>T. minimum</i> (A. Braun) Hansgirg |
| 1083 | GENUS: [Gloeotila] Kützing <i>G. spiralis</i> Chodat |
| 1084 | GENUS: [Dispora] Printz <i>D. crucigenioides</i> Printz |
| 1085 | GENUS: [Scenedesmus] Meyen <i>S. subspicatus</i> Chodat |
| 1086 | GENUS: [Chlorokybus] Geitler <i>C. atmophyticus</i> Geitler |
| 1087 | GENUS: [Vaucheria] De Candolle <i>V. sessilis</i> (Vaucher) de Candolle |
| 1088 | GENUS: [Phacus] Dujardin <i>P. hamelii</i> Allorge et Lefèvre |
| 1088-A | GENUS: [Phacus] Dujardin <i>P. hamelii</i> Allorge et Lefèvre |
| 1089 | GENUS: [Chlorobotrys] Bohlin <i>C. regularis</i> (W. West) Bohlin |
| 1090 | GENUS: [Schroederia] Lemmermann <i>S. setigera</i> (Schröd.) Lemmermann |
| 1091 | GENUS: [Calothrix] Agardh <i>C. stagnalis</i> Gomont |
| 1092 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. spinulosum</i> var. <i>henriquesii</i> Sampaio |
| 1093 | GENUS: [Phacus] Dujardin <i>P. parvulus</i> Klebs |
| 1094 | GENUS: [Cosmarium] Corda <i>C. amoenum</i> (Bréb.) Ralfs |
| 1095 | GENUS: [Euglena] Ehrenberg <i>E. cantabrica</i> Pringsheim |
| 1096 | GENUS: [Gonatozygon] De Bary <i>G. pilosum</i> Wolle |
| 1097 | GENUS: [Microcoleus] Desmazières ex Gomont <i>M. lacustris</i> (Rabenh.) Farlov |
| 1098 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 1098-A | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 1099 | GENUS: [Arthrodesmus] Ehrenberg <i>A. impar</i> (Jacobs.) Grönblad |
| 1100 | GENUS: [Chlorogonium] Ehrenberg <i>C. elongatum</i> Dangeard |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1101 | GENUS: [Merismopedia] Meyen <i>M. glauca</i> (Ehrenb.) Nägeli |
| 1102 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. bidentatum</i> var. <i>speciosum</i> (Boldt) Schmidle |
| 1103 | GENUS: [Trachelomonas] Ehrenberg <i>T. bernardinensis</i> Vischer |
| 1104 | GENUS: [Gonatozygon] De Bary <i>G. brebissonii</i> De Bary |
| 1104-A | GENUS: [Gonatozygon] De Bary <i>G. brebissonii</i> De Bary |
| 1105 | GENUS: [Chlorogonium] Ehrenberg <i>C. fusiforme</i> Matwienko |
| 1106 | GENUS: [Anabaena] Bory <i>A. solitaria</i> var. <i>solitaria</i> fa. <i>planctonica</i> (Brunnthaler) Komárek |
| 1107 | GENUS: [Phacus] Dujardin <i>P. longicauda</i> var. <i>tortus</i> Lemmermann |
| 1108 | GENUS: [Phacus] Dujardin <i>P. longicauda</i> (Ehrenb.) Dujardin |
| 1110 | GENUS: [Cosmarium] Corda <i>C. ornatum</i> Ralfs |
| 1111 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 1112 | GENUS: [Elakatothrix] Wille <i>E. gelifacta</i> (Chod.) Hindák |
| 1113 | GENUS: [Staurastrum] Meyen <i>S. spongiosum</i> Brébisson |
| 1114 | GENUS: [Chlorobotrys] Bohlin <i>C. gloeothece</i> Pascher |
| 1115 | GENUS: [Ankistrodesmus] Corda <i>A. densus</i> Korchikoff |
| 1116 | GENUS: [Crucigenia] Morren <i>C. fenestrata</i> (Schmidle) Schmidle |
| 1117 | GENUS: [Closterium] Nitzsch <i>C. kuetzingii</i> Brébisson |
| 1118 | GENUS: [Oedogonium] Link <i>O. oblongum</i> Wittrock |
| 1119 | GENUS: [Sphaerellopsis] Korchikoff <i>S. lefevrei</i> Bourrelly |
| 1120 | GENUS: [Phacus] Dujardin <i>P. platyaulax</i> Pochmann |
| 1121 | GENUS: [Stephanosphaera] Cohn <i>S. pluvialis</i> Cohn |
| 1122 | GENUS: [Dimorphococcus] A. Braun <i>D. lunatus</i> A. Braun |
| 1123 | GENUS: [Oonephris] Fott <i>O. obesa</i> (W. West) Fott |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1124 | GENUS: [Volvox] (Linné) Ehrenberg <i>V. tertius</i> Meyer |
| 1125 | GENUS: [Volvox] (Linné) Ehrenberg <i>V. globator</i> Linné |
| 1126 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1127 | GENUS: [Pandorina] Bory <i>P. smithii</i> Chodat |
| 1128 | GENUS: [Closterium] Nitzsch <i>C. lunula</i> var. <i>giganteum</i> (Bern.) Playfair |
| 1129 | GENUS: [Closterium] Nitzsch <i>C. kuetzingii</i> Brébisson |
| 1130 | GENUS: [Closterium] Nitzsch <i>C. directum</i> W. Archer |
| 1131 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1132 | GENUS: [Closterium] Nitzsch <i>C. navicula</i> (Bréb.) Lütkemüller |
| 1133 | GENUS: [Closterium] Nitzsch <i>C. venus</i> Kützing ex Ralfs |
| 1134 | GENUS: [Enallax] Pascher <i>E. acutiformis</i> (Schröder) Hindák |
| 1135 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> (Smith) Bréb. |
| 1136 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> (Smith) Bréb. |
| 1137 | GENUS: [Phacus] Dujardin <i>P. anomalus</i> (Fritsch et Rich) Pochmann |
| 1138 | GENUS: [Phacus] Dujardin <i>P. hamatus</i> Pochmann |
| 1139 | GENUS: [Phacus] Dujardin <i>P. longicauda</i> var. <i>tortus</i> Lemmermann |
| 1140 | GENUS: [Phacus] Dujardin <i>P. moniliata</i> var. <i>suecica</i> Lemmermann |
| 1141 | GENUS: [Trebouxia] De Puymaly <i>T. incrustata</i> Ahmadjian ex Gartner |
| 1142 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1143 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> var. <i>orbicularis</i> fa. <i>communis</i> Popova |
| 1144 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1145 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1146 | GENUS: [Phacus] Dujardin <i>P. longicauda</i> var. <i>tortus</i> Lemmermann |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1147 | GENUS: [Spirogyra] Link <i>S. inflata</i> (Vaucher) Kützing |
| 1148 | GENUS: [Closterium] Nitzsch <i>C. idiosporum</i> var. <i>punctatum</i> (Skuja) Krieger |
| 1149 | GENUS: [Closterium] Nitzsch <i>C. juncidum</i> Ralfs |
| 1150 | GENUS: [Closterium] Nitzsch <i>C. juncidum</i> Ralfs |
| 1151 | GENUS: [Closterium] Nitzsch <i>C. acerosum</i> (Schrank) Ehrenberg |
| 1152 | GENUS: [Cosmarium] Corda <i>C. connatum</i> Brébisson |
| 1153 | GENUS: [Cosmarium] Corda <i>C. reniforme</i> (Ralfs) Archer |
| 1154 | GENUS: [Cosmarium] Corda <i>C. formosulum</i> Hoff |
| 1155 | GENUS: [Closterium] Nitzsch <i>C. acutum</i> var. <i>variabile</i> (Lemm.) Krieger |
| 1156 | GENUS: [Closterium] Nitzsch <i>C. pronum</i> Brébisson |
| 1157 | GENUS: [Pandorina] Bory <i>P. smithii</i> Chodat |
| 1158 | GENUS: [Euglena] Ehrenberg <i>E. stellata</i> Mainx |
| 1159 | GENUS: [Schizomeris] Kützing <i>S. leibleinii</i> Kützing |
| 1160 | GENUS: [Cosmarium] Corda <i>C. pseudonitidulum</i> var. <i>validum</i> W. et G.S.West |
| 1161 | GENUS: [Cosmarium] Corda <i>C. binum</i> Nordstedt |
| 1162 | GENUS: [Cosmarium] Corda <i>C. connatum</i> Brébisson |
| 1163 | GENUS: [Closterium] Nitzsch <i>C. praelongum</i> var. <i>brevius</i> (Nordst.) Krieger |
| 1164 | GENUS: [Closterium] Nitzsch <i>C. praelongum</i> var. <i>brevius</i> (Nordst.) Krieger |
| 1165 | GENUS: [Closterium] Nitzsch <i>C. cynthia</i> De Notaris |
| 1166 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1167 | GENUS: [Ulothrix] Kützing <i>U. tenuissima</i> Kützing |
| 1168 | GENUS: [Anabaena] Bory <i>A. flos-aquae</i> var. <i>treleasii</i> Bornet & Flahault |
| 1169 | GENUS: [Eudorina] Ehrenberg <i>E. elegans</i> Ehrenberg |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1170 | GENUS: [Eudorina] Ehrenberg <i>E. elegans</i> Ehrenberg |
| 1171 | GENUS: [Eudorina] Ehrenberg <i>E. elegans</i> Ehrenberg |
| 1172 | GENUS: [Eudorina] Ehrenberg <i>E. unicocca</i> G.M. Smith |
| 1173 | GENUS: [Eudorina] Ehrenberg <i>E. unicocca</i> G.M. Smith |
| 1174 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. trigibberum</i> W. et G.S.West |
| 1175 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. elegans</i> (Bréb.) Kützing ex Ralfs |
| 1176 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. verrucosum</i> Ehrenberg ex Ralfs |
| 1177 | GENUS: [Closterium] Nitzsch <i>C. incurvum</i> Brébisson |
| 1178 | GENUS: [Closterium] Nitzsch <i>C. parvulum</i> Nägeli |
| 1179 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 1180 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 1181 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 1182 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 1183 | GENUS: [Closterium] Nitzsch <i>C. intermedium</i> Ralfs |
| 1184 | GENUS: [Closterium] Nitzsch <i>C. limneticum</i> Lemmermann |
| 1185 | GENUS: [Closterium] Nitzsch <i>C. praelongum</i> var. <i>brevius</i> (Nordst.) Krieger |
| 1186 | GENUS: [Closterium] Nitzsch <i>C. lunula</i> (Müller) Nitzsch |
| 1187 | GENUS: [Closterium] Nitzsch <i>C. idiosporum</i> var. <i>punctatum</i> (Skuja) Krieger |
| 1188 | GENUS: [Closterium] Nitzsch <i>C. cornu</i> Ehrenberg |
| 1189 | GENUS: [Closterium] Nitzsch <i>C. cornu</i> Ehrenberg |
| 1190 | GENUS: [Crucigeniella] Lemmermann <i>C. pulchra</i> (W. et G.S. West) Komárek |
| 1191 | GENUS: [Crucigeniella] Lemmermann <i>C. pulchra</i> (W. et G.S. West) Komárek |
| 1192 | GENUS: [Closterium] Nitzsch <i>C. praelongum</i> Brébisson |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1193 | GENUS: [Closterium] Nitzsch <i>C. praelongum</i> Brébisson |
| 1194 | GENUS: [Closterium] Nitzsch <i>C. praelongum</i> Brébisson |
| 1195 | GENUS: [Closterium] Nitzsch <i>C. idiosporum</i> W. et G.S.West |
| 1196 | GENUS: [Chaetopeltis] Berthold <i>C. orbicularis</i> Berthold |
| 1197 | GENUS: [Crucigenia] Morren <i>C. tetrapedia</i> (Kirchn.) W. et G.S.West |
| 1198 | GENUS: [Gonatozygon] De Bary <i>G. brebissonii</i> De Bary |
| 1199 | GENUS: [Coelastrum] Nägeli <i>C. reticulatum</i> Dangeard |
| 1200 | GENUS: [Scenedesmus] Meyen <i>S. communis</i> Hegewald |
| 1201 | GENUS: [Tetradesmus] G. M. Smith <i>T. lunatus</i> Korchikoff |
| 1202 | GENUS: [Tetraedron] Kützing <i>T. minimum</i> (A. Braun) Hansgirg |
| 1203 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. contortum</i> (Thuret) Komárková-Legnerová |
| 1204 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. tortile</i> (W. et G. S. West) Komárková-Legnerová |
| 1205 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 1206 | GENUS: [Scenedesmus] Meyen <i>S. naegelii</i> Brébisson |
| 1207 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 1208 | GENUS: [Ankistrodesmus] Corda <i>A. gracilis</i> (Reinsch) Korchikoff |
| 1209 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. griffithii</i> (Berk.) Komárková-Legnerová |
| 1210 | GENUS: [Coenochloris] Korchikoff <i>C. mucosa</i> (Korch.) Hindák |
| 1211 | GENUS: [Characiochloris] Pascher <i>C. clathrata</i> Skuja |
| 1212 | GENUS: [Scenedesmus] Meyen <i>S. grahneisii</i> (Heynig) Fott |
| 1213 | GENUS: [Tetraedron] Kützing <i>T. minimum</i> (A. Braun) Hansgirg |
| 1214 | GENUS: [Micractinium] Fresenius <i>M. pusillum</i> Fresenius |
| 1215 | GENUS: [Scenedesmus] Meyen <i>S. opoliensis</i> P. Richter |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1216 | GENUS: [Treubaria] Bernard T. schmidlei (Schröd.) Fott et Kováčik |
| 1217 | GENUS: [Desmatractum] W. et G. S. West D. indutum (Geitler) Pascher |
| 1218 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 1219 | GENUS: [Monoraphidium] Komárková-Legnerová M. contortum (Thuret) Komárková-Legnerová |
| 1220 | GENUS: [Chlorella] Beijerinck C. reisiigii Watanabe |
| 1221 | GENUS: [Cosmarium] Corda C. regnellii var. pseudoregnellii (Messik.) Krieger et Gerloff |
| 1222 | GENUS: [Scherffelia] Pascher S. opisthostigma Skuja |
| 1223 | GENUS: [Tetrastrum] Chodat T. heteracanthum (Nordst.) Chodat |
| 1224 | GENUS: [Tetrastrum] Chodat T. komarekii Hindák |
| 1225 | GENUS: [Didymocystis] Korchikoff D. inermis (Fott) Fott |
| 1226 | GENUS: [Phacus] Dujardin P. smulkowskianus (Zakrys) Kusber |
| 1227 | GENUS: [Lepocinclis] Perty L. spirogyroides (Ehr.) Marin et Melkonian |
| 1228 | GENUS: [Euglena] Ehrenberg E. deses Ehrenberg |
| 1229 | GENUS: [Tetraedriella] Pascher T. tumidula (Reinsch) Krienitz et Heynig |
| 1230 | GENUS: [Scenedesmus] Meyen S. denticulatus Lagerheim |
| 1231 | GENUS: [Euglena] Ehrenberg E. agilis Carter |
| 1232 | GENUS: [Euglena] Ehrenberg E. agilis Carter |
| 1233 | GENUS: [Euglena] Ehrenberg E. agilis Carter |
| 1234 | GENUS: [Euglena] Ehrenberg E. geniculata Dujardin |
| 1235 | GENUS: [Euglena] Ehrenberg E. geniculata Dujardin |
| 1236 | GENUS: [Euglena] Ehrenberg E. gracilis Klebs |
| 1237 | GENUS: [Euglena] Ehrenberg E. gracilis Klebs |
| 1238 | GENUS: [Euglena] Ehrenberg E. gracilis Klebs |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1239 | GENUS: [Euglena] Ehrenberg <i>E. limnophila</i> Lemmermann |
| 1240 | GENUS: [Euglena] Ehrenberg <i>E. granulata</i> (Klebs) Schmitz |
| 1241 | GENUS: [Apatococcus] Brand <i>A. vulgaris</i> Brand em. Geitler |
| 1242 | GENUS: [Calothrix] Agardh <i>C. wembaerensis</i> Hieron et Schmidle |
| 1243 | GENUS: [Carteria] Diesing <i>C. inversa</i> (Korchikoff) Bourrelly |
| 1244 | GENUS: [Chroococcus] Nägeli <i>C. minutus</i> (Kütz.) Nägeli |
| 1245 | GENUS: [Closterium] Nitzsch <i>C. cornu</i> Ehrenberg |
| 1246 | GENUS: [Closterium] Nitzsch <i>C. cynthia</i> De Notaris |
| 1247 | GENUS: [Closterium] Nitzsch <i>C. leibleinii</i> Kützing |
| 1248 | GENUS: [Closterium] Nitzsch <i>C. leibleinii</i> Kützing |
| 1249 | GENUS: [Closterium] Nitzsch <i>C. limneticum</i> Lemmermann |
| 1250 | GENUS: [Closterium] Nitzsch <i>C. lunula</i> var. <i>giganteum</i> (Bern.) Playfair |
| 1251 | GENUS: [Closterium] Nitzsch <i>C. moniliferum</i> (Bory) Ehrenberg |
| 1252 | GENUS: [Closterium] Nitzsch <i>C. parvulum</i> Nägeli |
| 1253 | GENUS: [Scenedesmus] Meyen <i>S. acuminatus</i> (Lagerh.) Chodat |
| 1254 | GENUS: [Euglena] Ehrenberg <i>E. pseudostellata</i> Zakrys et Kosmala |
| 1255 | GENUS: [Euglena] Ehrenberg <i>E. pseudostellata</i> Zakrys et Kosmala |
| 1256 | GENUS: [Euglena] Ehrenberg <i>E. viridis</i> Ehrenberg |
| 1257 | GENUS: [Botryococcus] Kützing <i>B. braunii</i> Kützing |
| 1258 | GENUS: [Mallomonas] Perty <i>M. striata</i> var. <i>serrata</i> Harris et Bradley |
| 1259 | GENUS: [Synura] Ehrenberg <i>S. petersennii</i> Korchikoff |
| 1260 | GENUS: [Staurastrum] Meyen <i>S. tetracerum</i> Ralfs |
| 1261 | GENUS: [Scenedesmus] Meyen <i>S. brasiliensis</i> Bohlin |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1262 | GENUS: [Eremosphaera] De Bary <i>E. viridis</i> De Bary |
| 1263 | GENUS: [Euglena] Ehrenberg <i>E. sociabilis</i> Dangeard |
| 1264 | GENUS: [Euglena] Ehrenberg <i>E. sociabilis</i> Dangeard |
| 1265 | GENUS: [Euglena] Ehrenberg <i>E. sociabilis</i> Dangeard |
| 1266 | GENUS: [Euglena] Ehrenberg <i>E. sociabilis</i> Dangeard |
| 1267 | GENUS: [Euglena] Ehrenberg <i>E. sanguinea</i> Ehrenberg |
| 1268 | GENUS: [Euglena] Ehrenberg <i>E. sociabilis</i> Dangeard |
| 1269 | GENUS: [Euglena] Ehrenberg <i>E. sociabilis</i> Dangeard |
| 1270 | GENUS: [Lepocinclis] Perty <i>L. fusiformis</i> (Carter) Lemmermann |
| 1271 | GENUS: [Lepocinclis] Perty <i>L. steinii</i> Lemmermann |
| 1272 | GENUS: [Trachelomonas] Ehrenberg <i>T. hispida</i> (Perty) Stein |
| 1273 | GENUS: [Strombomonas] Deflandre <i>S. costata</i> Deflandre |
| 1274 | GENUS: [Strombomonas] Deflandre <i>S. acuminata</i> (Sckmarda) Deflandre |
| 1275 | GENUS: [Crucigenia] Morren <i>C. tetrapedia</i> (Kirchn.) W. et G.S.West |
| 1276 | GENUS: [Crucigenia] Morren <i>C. mucronata</i> (G.M. Smith) Komárek |
| 1277 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 1278 | GENUS: [Chloromonas] Gobi <i>C. mirabilis</i> Korchikoff |
| 1279 | GENUS: [Rhabdogloea] Schröder <i>R. smithii</i> (R. et F. Chodat) Komárek |
| 1280 | GENUS: [Pediastrum] Meyen <i>P. boryanum</i> var. <i>perforatum</i> (Racib.) Nitardy |
| 1281 | GENUS: [Lobosphaera] Reisigl <i>L. reniformis</i> (Watm.) Komárek et Fott |
| 1282 | GENUS: [Scenedesmus] Meyen <i>S. opoliensis</i> P. Richter |
| 1283 | GENUS: [Scenedesmus] Meyen <i>S. opoliensis</i> P. Richter |
| 1284 | GENUS: [Botryococcus] Kützing <i>B. fernandoi</i> Komárek et Marvan |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1285 | GENUS: [Chlorella] Beijerinck <i>C. reigelii</i> Watanabe |
| 1286 | GENUS: [Geminella] Turpin <i>G. minor</i> (Näg.) Heering |
| 1287 | GENUS: [Oedogonium] Link <i>O. crispum</i> (Hassal) Wittrock |
| 1288 | GENUS: [Chlorogonium] Ehrenberg <i>C. euchlorum</i> Ehrenberg |
| 1289 | GENUS: [Tribonema] Derbès et Solier <i>T. utriculosum</i> (Kütz.) Hazen |
| 1290 | GENUS: [Tribonema] Derbès et Solier <i>T. intermixtum</i> Pascher |
| 1291 | GENUS: [Tribonema] Derbès et Solier <i>T. regulare</i> Pascher |
| 1292 | GENUS: [Tribonema] Derbès et Solier <i>T. regulare</i> Pascher |
| 1293 | GENUS: [Microcoleus] Desmazières ex Gomont <i>M. vaginatus</i> (Vaucher) Gomont |
| 1295 | GENUS: [Monomorphina] Mereschkowsky <i>M. pyrum</i> (Ehrenberg) Mereschkowsky |
| 1296 | GENUS: [Phacus] Dujardin <i>P. longicauda</i> var. <i>tortus</i> Lemmermann |
| 1297 | GENUS: [Monomorphina] Mereschkowsky <i>M. pyrum</i> (Ehrenberg) Mereschkowsky |
| 1298 | GENUS: [Monomorphina] Mereschkowsky <i>M. pyrum</i> (Ehrenberg) Mereschkowsky |
| 1299 | GENUS: [Monomorphina] Mereschkowsky <i>M. pyrum</i> (Ehrenberg) Mereschkowsky |
| 1300 | GENUS: [Monomorphina] Mereschkowsky <i>M. pyrum</i> (Ehrenberg) Mereschkowsky |
| 1301 | GENUS: [Monomorphina] Mereschkowsky <i>M. pyrum</i> (Ehrenberg) Mereschkowsky |
| 1302 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1302-A | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1303 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1303-A | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1304 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1307 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |
| 1308 | GENUS: [Phacus] Dujardin <i>P. parvulus</i> Klebs |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1309 | GENUS: [Monomorphina] Mereschkowsky M. pyrum (Ehrenberg) Mereschkowsky |
| 1310 | GENUS: [Monomorphina] Mereschkowsky M. pyrum (Ehrenberg) Mereschkowsky |
| 1311 | GENUS: [Monomorphina] Mereschkowsky M. pyrum (Ehrenberg) Mereschkowsky |
| 1312 | GENUS: [Phacus] Dujardin P. skujae Skvortzov |
| 1313 | GENUS: [Monomorphina] Mereschkowsky M. pyrum (Ehrenberg) Mereschkowsky |
| 1314 | GENUS: [Sorastrum] Kützing S. spinulosum Nägeli |
| 1315 | GENUS: [Sorastrum] Kützing S. spinulosum Nägeli |
| 1316 | GENUS: [Dimorphococcus] A. Braun D. lunatus A. Braun |
| 1317 | GENUS: [Westella] De-Wildeman W. botryoides (W. West) De-Wildeman |
| 1318 | GENUS: [Coelosphaerium] Nägeli C. kuetzingianum Nägeli |
| 1319 | GENUS: [Ankistrodesmus] Corda A. bibraianus (Reinsch) Korchikoff |
| 1320 | GENUS: [Ankistrodesmus] Corda A. bibraianus (Reinsch) Korchikoff |
| 1321 | GENUS: [Tetraedron] Kützing T. minimum (A. Braun) Hansgirg |
| 1322 | GENUS: [Phacus] Dujardin P. orbicularis Hübner |
| 1323 | GENUS: [Trachelomonas] Ehrenberg T. armata var. steinii Lemmermann |
| 1324 | GENUS: [Ankistrodesmus] Corda A. spiralis (Turn.) Lemmermann |
| 1325 | GENUS: [Tetraedron] Kützing T. incus (Teil.) G. M. Smith |
| 1326 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 1327 | GENUS: [Pediastrum] Meyen P. integrum ? Meyen |
| 1328 | GENUS: [Pediastrum] Meyen P. boryanum var. longicorne Reinsch |
| 1329 | GENUS: [Ophiocytium] Nägeli O. capitatum Wolle |
| 1330 | GENUS: [Porphyridium] Nägeli P. aerugineum Geitler |
| 1331 | GENUS: [Pediastrum] Meyen P. duplex Meyen |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1332 | GENUS: [Porphyridium] Nägeli <i>P. aerugineum</i> Geitler |
| 1333 | GENUS: [Schizomeris] Kützing <i>S. leibleinii</i> Kützing |
| 1334 | GENUS: [Gonium] Müller <i>G. pectorale</i> Müller |
| 1335 | GENUS: [Calothrix] Agardh <i>C. wembaerensis</i> Hieron et Schmidle |
| 1336 | GENUS: [Phacus] Dujardin <i>P. inflexus</i> (Kiss.) Pochmann |
| 1337 | GENUS: [Phacus] Dujardin <i>P. segretii</i> Allorge et Lefèvre |
| 1338 | GENUS: [Phacus] Dujardin <i>P. agilis</i> var. <i>inversa</i> Bourrelly |
| 1339 | GENUS: [Phacus] Dujardin <i>P. oscillans</i> Klebs |
| 1340 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 1341 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 1342 | GENUS: [Chlorella] Beijerinck <i>C. saccharophila</i> (Krüger) Migula |
| 1343 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1344 | GENUS: [Pediastrum] Meyen <i>P. simplex</i> var. <i>sturmii</i> (Reinsch) Wolle |
| 1345 | GENUS: [Scenedesmus] Meyen <i>S. aculeolatus</i> Reinsch |
| 1346 | GENUS: [Scenedesmus] Meyen <i>S. acuminatus</i> (Lagerh.) Chodat |
| 1347 | GENUS: [Hyalotheca] Ehrenberg <i>H. mucosa</i> (Dillw.) Ehrenberg |
| 1348 | GENUS: [Chlorella] Beijerinck <i>C. ellipsoidea</i> Gerneck |
| 1349 | GENUS: [Paulschulzia] Skuja <i>P. pseudovolvox</i> (Schulz) Skuja |
| 1350 | GENUS: [Microspora] Thuret <i>M. tumidula</i> Hazen |
| 1351 | GENUS: [Ophiocytium] Nägeli <i>O. arbuscula</i> (A. Braun) Rabenhorst |
| 1352 | GENUS: [Euglena] Ehrenberg <i>E. tripteris</i> (Dujardin) Klebs |
| 1353 | GENUS: [Gonium] Müller <i>G. pectorale</i> Müller |
| 1354 | GENUS: [Pediastrum] Meyen <i>P. angulosum</i> (Ehrenb.) Meneghini |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1355 | GENUS: [Pediastrum] Meyen P. biradiatum var. glabrum (Racib.) Parra |
| 1356 | GENUS: [Pediastrum] Meyen P. simplex var. pseudoglabrum Parra |
| 1357 | GENUS: [Euglena] Ehrenberg E. anabaena Mainx |
| 1358 | GENUS: [Euglena] Ehrenberg E. mutabilis Schmitz |
| 1359 | GENUS: [Euglena] Ehrenberg E. limnophila Lemmermann |
| 1360 | GENUS: [Goniochloris] Geitler G. mutica (A. Braun) Fott |
| 1361 | GENUS: [Lagerheimia] Chodat L. ciliata (Lagerh.) Chodat |
| 1362 | GENUS: [Pediastrum] Meyen P. simplex var. pseudoglabrum ? Parra |
| 1363 | GENUS: [Pandorina] Bory P. morum (Müller) Bory |
| 1364 | GENUS: [Phacus] Dujardin P. similis Christen |
| 1365 | GENUS: [Phacus] Dujardin P. similis Christen |
| 1366 | GENUS: [Chroomonas] Hansgirg C. coerulea (Geitler) Skuja |
| 1367 | GENUS: [Phacus] Dujardin P. similis Christen |
| 1368 | GENUS: [Phacus] Dujardin P. agilis var. inversa Bourrelly |
| 1369 | GENUS: [Tetraedron] Kützing T. minimum (A. Braun) Hansgirg |
| 1370 | GENUS: [Cosmarium] Corda C. biretum (Bréb.) Ralfs |
| 1371 | GENUS: [Gonium] Müller G. pectorale Müller |
| 1372 | GENUS: [Tetraedriella] Pascher T. tumidula (Reinsch) Krienitz et Heynig |
| 1373 | GENUS: [Tetraedriella] Pascher T. tumidula (Reinsch) Krienitz et Heynig |
| 1374 | GENUS: [Tetraedriella] Pascher T. verrucosa (G.M. Smith) Krienitz et Heynig |
| 1375 | GENUS: [Tetraedriella] Pascher T. verrucosa (G.M. Smith) Krienitz et Heynig |
| 1376 | GENUS: [Spirulina] Turpin S. major Kützing |
| 1377 | GENUS: [Vaucheria] De Candolle V. sessilis (Vaucher) de Candolle |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1378 | GENUS: [Oscillatoria] Vaucher <i>O. bornetii</i> (Zukal) Forti |
| 1379 | GENUS: [Coelosphaerium] Nägeli <i>C. aerugineum</i> Lemmermann |
| 1380 | GENUS: [Scenedesmus] Meyen <i>S. quadrispina</i> Chodat |
| 1381 | GENUS: [Pleurotaenium] Nägeli <i>P. ehrenbergii</i> (Bréb.) De Bary |
| 1382 | GENUS: [Spirogyra] Link <i>S. quadrilaminata</i> Jao |
| 1383 | GENUS: [Cosmarium] Corda <i>C. vexatum</i> G.S. West |
| 1384 | GENUS: [Cosmarium] Corda <i>C. crenatum</i> Ralfs |
| 1385 | GENUS: [Cosmarium] Corda <i>C. vexatum</i> G.S. West |
| 1386 | GENUS: [Cosmarium] Corda <i>C. crenatum</i> Ralfs |
| 1387 | GENUS: [Cosmarium] Corda <i>C. caelatum</i> Ralfs |
| 1388 | GENUS: [Cosmarium] Corda <i>C. regnellii</i> var. <i>pseudoregnellii</i> (Messik.) Krieger et Gerloff |
| 1389 | GENUS: [Closterium] Nitzsch <i>C. navicula</i> (Bréb.) Lütkemüller |
| 1390 | GENUS: [Tetmemorus] Ralfs <i>T. laevis</i> var. <i>minutus</i> (De Bary) Krieger |
| 1391 | GENUS: [Mougeotia] C. A. Agardh <i>M. viridis</i> (Kütz.) Wittrock |
| 1392 | GENUS: [Closterium] Nitzsch <i>C. ehrenbergii</i> Meneghini |
| 1393 | GENUS: [Cosmarium] Corda <i>C. crenatum</i> Ralfs |
| 1394 | GENUS: [Cosmarium] Corda <i>C. pokornyanum</i> var. <i>taylorii</i> Grönblad |
| 1395 | GENUS: [Scotiellopsis] Vinatzer <i>S. terrestris</i> (Reisigl) Puncochárová et Kalina |
| 1396 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 1397 | GENUS: [Merismopedia] Meyen <i>M. glauca</i> (Ehrenb.) Nägeli |
| 1398 | GENUS: [Chlamydomonas] Ehrenberg <i>C. kleinii</i> Schmidle |
| 1399 | GENUS: [Spirogyra] Link <i>S. varians</i> (Hassal) Kützing |
| 1400 | GENUS: [Palmodictyon] Kützing <i>P. varium</i> (Näg.) Lemmermann |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1401 | GENUS: [Gloeotila] Kützing <i>G. planctonica</i> Balachonzew |
| 1402 | GENUS: [Pteromonas] Seligo <i>P. pseudoangulosa</i> Péterfi |
| 1403 | GENUS: [Sphaerocystis] Chodat <i>S. schroeteri</i> Chodat |
| 1404 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. subalpinum</i> Messikommer |
| 1405 | GENUS: [Cylindrocystis] Meneghini <i>C. brebissonii</i> Meneghini |
| 1406 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1407 | GENUS: [Actinotaenium] (Näg.) Teiling <i>A. mooreanum</i> (Arch.) Teiling |
| 1408 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. subalpinum</i> Messikommer |
| 1409 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. dubium</i> Nägeli |
| 1410 | GENUS: [Merismopedia] Meyen <i>M. tenuissima</i> Lemmermann |
| 1411 | GENUS: [Aphanochaete] A. Braun <i>A. magna</i> Godward |
| 1412 | GENUS: [Chaetopeltis] Berthold <i>C. orbicularis</i> Berthold |
| 1413 | GENUS: [Lepocinclis] Perty <i>L. spirogyroides</i> (Ehr.) Marin et Melkonian |
| 1414 | GENUS: [Lepocinclis] Perty <i>L. fusca</i> (Klebs) Kosmala et Zakrys |
| 1415 | GENUS: [Scenedesmus] Meyen <i>S. communis</i> Hegewald |
| 1416 | GENUS: [Chlorangiella] De-Toni <i>C. basiannulata</i> (Skuja) Silva |
| 1417 | GENUS: [Lobosphaera] Reisingl <i>L. reniformis</i> (Watm.) Komárek et Fott |
| 1418 | GENUS: [Cylindrospermum] Kützing <i>C. stagnale</i> (Kützing) Bornet et Flahault |
| 1419 | GENUS: [Tetrasporidium] Möbius <i>T. javanicum</i> Möbius |
| 1420 | GENUS: [Oscillatoria] Vaucher <i>O. mougeotii</i> (Kütz.) Forti |
| 1421 | GENUS: [Roya] W. et G. S. West <i>R. anglica</i> G. S. West |
| 1422 | GENUS: [Tetraedron] Kützing <i>T. minimum</i> (A. Braun) Hansgirg |
| 1423 | GENUS: [Pediastrum] Meyen <i>P. duplex</i> var. <i>duplex</i> Meyen |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1424 | GENUS: [Pediastrum] Meyen P. simplex var. simplex Meyen |
| 1425 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 1426 | GENUS: [Pediastrum] Meyen P. tetras (Ehrenb.) Ralfs |
| 1427 | GENUS: [Scenedesmus] Meyen S. arcuatus (Lemm.) Lemmermann |
| 1428 | GENUS: [Scenedesmus] Meyen S. denticulatus Lagerheim |
| 1429 | GENUS: [Pediastrum] Meyen P. tetras (Ehrenb.) Ralfs |
| 1430 | GENUS: [Chlorosphaeropsis] Vischer C. alveolata Herndon |
| 1431 | GENUS: [Scenedesmus] Meyen S. arcuatus (Lemm.) Lemmermann |
| 1432 | GENUS: [Scenedesmus] Meyen S. aculeolatus Reinsch |
| 1433 | GENUS: [Scenedesmus] Meyen S. tenuispina Chodat |
| 1434 | GENUS: [Scenedesmus] Meyen S. tenuispina Chodat |
| 1435 | GENUS: [Scenedesmus] Meyen S. brevispina (G. M. Smith) Chodat |
| 1436 | GENUS: [Scenedesmus] Meyen S. brasiliensis Bohlin |
| 1437 | GENUS: [Scenedesmus] Meyen S. asymmetricus (Schröd.) Chodat |
| 1438 | GENUS: [Scenedesmus] Meyen S. smithii Chodat |
| 1439 | GENUS: [Scenedesmus] Meyen S. spinosus Chodat |
| 1440 | GENUS: [Scenedesmus] Meyen S. bacillaris Gutwinski |
| 1441 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 1442 | GENUS: [Scenedesmus] Meyen S. acuminatus (Lagerh.) Chodat |
| 1443 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 1444 | GENUS: [Scenedesmus] Meyen S. arcuatus (Lemm.) Lemmermann |
| 1445 | GENUS: [Ophiocytium] Nägeli O. arbuscula (A. Braun) Rabenhorst |
| 1446 | GENUS: [Coelastrum] Nägeli C. pseudomicroporum Korchikoff |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1447 | GENUS: [Microthamnion] Nägeli M. kuetzingianum Nägeli |
| 1448 | GENUS: [Scenedesmus] Meyen S. asymmetricus (Schröd.) Chodat |
| 1449 | GENUS: [Oscillatoria] Vaucher O. splendida Greville |
| 1450 | GENUS: [Coelastrum] Nägeli C. microporum Nägeli |
| 1451 | GENUS: [Microchaete] Thuret M. tenera Thuret |
| 1452 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 1453 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 1454 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 1455 | GENUS: [Pediastrum] Meyen P. boryanum var. brevicorne fa. granulatum (Racib.) Parra |
| 1456 | GENUS: [Pediastrum] Meyen P. duplex var. gracillimum W. et G. S. West |
| 1457 | GENUS: [Pediastrum] Meyen P. duplex var. rugulosum Raciborski |
| 1458 | GENUS: [Pediastrum] Meyen P. duplex var. rugulosum Raciborski |
| 1459 | GENUS: [Pediastrum] Meyen P. duplex var. rugulosum Raciborski |
| 1460 | GENUS: [Pediastrum] Meyen P. duplex var. rugulosum Raciborski |
| 1461 | GENUS: [Pediastrum] Meyen P. duplex var. rugulosum Raciborski |
| 1462 | GENUS: [Pediastrum] Meyen P. duplex var. rugulosum Raciborski |
| 1463 | GENUS: [Pediastrum] Meyen P. integrum Nägeli |
| 1464 | GENUS: [Pediastrum] Meyen P. boryanum (Turp.) Meneghini |
| 1465 | GENUS: [Pediastrum] Meyen P. duplex var. rugulosum Raciborski |
| 1466 | GENUS: [Pediastrum] Meyen P. boryanum var. brevicorne fa. granulatum (Racib.) Parra |
| 1467 | GENUS: [Chroococcopsis] Geitler C. gigantea Geitler |
| 1468 | GENUS: [Scenedesmus] Meyen S. costatus Schmidle |
| 1469 | GENUS: [Merismopedia] Meyen M. glauca (Ehrenb.) Nägeli |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1470 | GENUS: [Podohedra] Düringer <i>P. bicaudata</i> Geitler |
| 1471 | GENUS: [Chlorella] Beijerinck <i>C. reisiigii</i> Watanabe |
| 1472 | GENUS: [Scotiellopsis] Vinatzer <i>S. terrestris</i> (Reisigl) Puncochárová et Kalina |
| 1473 | GENUS: [Chlorokybus] Geitler <i>C. atmophyticus</i> Geitler |
| 1474 | GENUS: [Geminella] Turpin <i>G. terricola</i> Boye-Petersen |
| 1475 | GENUS: [Desmococcus] Brand <i>D. vulgaris</i> (Nägeli) Brand |
| 1476 | GENUS: [Chlorhormidium] Fott <i>C. pseudostichococcum</i> (Heering) Fott |
| 1477 | GENUS: [Stichococcus] Nägeli <i>S. bacillaris</i> Nägeli |
| 1478 | GENUS: [Chroococcus] Nägeli <i>C. limneticus</i> Lemmermann |
| 1479 | GENUS: [Westella] De-Wildeman <i>W. botryoides</i> (W. West) De-Wildeman |
| 1480 | GENUS: [Chlorella] Beijerinck <i>C. ellipsoidea</i> Gerneck |
| 1481 | GENUS: [Cylindrocystis] Meneghini <i>C. brebissonii</i> Meneghini |
| 1482 | GENUS: [Pleurocapsa] Thuret <i>P. minor</i> Hansgirg |
| 1483 | GENUS: [Pleurocapsa] Thuret <i>P. minor</i> Hansgirg |
| 1484 | GENUS: [Pediastrum] Meyen <i>P. duplex</i> var. <i>gracillimum</i> W. et G. S. West |
| 1485 | GENUS: [Scenedesmus] Meyen <i>S. subspicatus</i> Chodat |
| 1486 | GENUS: [Nephrochlamys] Korchikoff <i>N. subsolitaria</i> (G. S. West) Korchikoff |
| 1487 | GENUS: [Pseudochlorothecium] Korchikoff <i>P. mucigenum</i> Korchikoff |
| 1488 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. elegans</i> (Bréb.) Kützing ex Ralfs |
| 1489 | GENUS: [Dictyosphaerium] Nägeli <i>D. elegans</i> Bachmann |
| 1490 | GENUS: [Eremosphaera] De Bary <i>E. viridis</i> De Bary |
| 1491 | GENUS: [Closterium] Nitzsch <i>C. kuetzingii</i> Brébisson |
| 1492 | GENUS: [Closterium] Nitzsch <i>C. calosporum</i> Wittrock |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1493 | GENUS: [Cosmarium] Corda <i>C. elegantissimum</i> Lundell |
| 1494 | GENUS: [Teilingia] Bourrelly <i>T. granulata</i> (Roy et Bisset) Bourrelly |
| 1495 | GENUS: [Gonium] Müller <i>G. pectorale</i> Müller |
| 1496 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1497 | GENUS: [Tetrastrum] Chodat <i>T. komarekii</i> Hindák |
| 1498 | GENUS: [Spirotaenia] Brébisson <i>S. condensata</i> Brébisson |
| 1499 | GENUS: [Tetrallantos] Teiling <i>T. lagerheimii</i> Teiling |
| 1500 | GENUS: [Gloeotila] Kützing <i>G. spiralis</i> Chodat |
| 1501 | GENUS: [Crucigenia] Morren <i>C. mucronata</i> (G.M. Smith) Komárek |
| 1502 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> (Smith) Bréb. |
| 1503 | GENUS: [Spirotaenia] Brébisson <i>S. obscura</i> Ralfs |
| 1504 | GENUS: [Trachelomonas] Ehrenberg <i>T. bernardinensis</i> Vischer |
| 1505 | GENUS: [Ophiocytium] Nägeli <i>O. maius</i> Nägeli |
| 1506 | GENUS: [Stigonema] Agardh <i>S. ocellatum</i> (Dillw.) Thuret |
| 1507 | GENUS: [Closterium] Nitzsch <i>C. acutum</i> var. <i>acutum</i> - |
| 1508 | GENUS: [Dispora] Printz <i>D. speciosa</i> Korchikoff |
| 1509 | GENUS: [Gonatozygon] De Bary <i>G. brebissonii</i> var. <i>minutum</i> (W. West) W. et G.S. West |
| 1510 | GENUS: [Pleurotaenium] Nägeli <i>P. ehrenbergii</i> (Bréb.) De Bary |
| 1511 | GENUS: [Onychonema] Wallich <i>O. laeve</i> Nordstedt |
| 1512 | GENUS: [Dispora] Printz <i>D. crucigenioides</i> Printz |
| 1513 | GENUS: [Scenedesmus] Meyen <i>S. ovalternus</i> Brébisson |
| 1514 | GENUS: [Ophiocytium] Nägeli <i>O. mucronatum</i> (A. Braun) Rabenhorst |
| 1515 | GENUS: [Ophiocytium] Nägeli <i>O. arbuscula</i> (A. Braun) Rabenhorst |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1516 | GENUS: [Phaeoplaca] Chodat <i>P. thallosa</i> Chodat |
| 1517 | GENUS: [Ophiocytium] Nägeli <i>O. parvulum</i> (Perty) A. Braun |
| 1518 | GENUS: [Ankistrodesmus] Corda <i>A. falcatus</i> (Corda) Ralfs |
| 1519 | GENUS: [Dispora] Printz <i>D. speciosa</i> Korchikoff |
| 1520 | GENUS: [Oonephris] Fott <i>O. obesa</i> (W. West) Fott |
| 1521 | GENUS: [Willea] Schmidle <i>W. wilhelmii</i> (Fott) Komárek |
| 1522 | GENUS: [Glaucocystis] Itzigshon <i>G. nostochinearum</i> Itzigsohn |
| 1523 | GENUS: [Palmodictyon] Kützing <i>P. lobatum</i> Korchikoff |
| 1524 | GENUS: [Eremosphaera] De Bary <i>E. gigas</i> (Arch.) Fott et Kalina |
| 1525 | GENUS: [Cylindrocystis] Meneghini <i>C. brebissonii</i> Meneghini |
| 1526 | GENUS: [Cylindrocystis] Meneghini <i>C. crassa</i> De Bary |
| 1527 | GENUS: [Closterium] Nitzsch <i>C. costatum</i> Corda ex Ralfs |
| 1528 | GENUS: [Closterium] Nitzsch <i>C. navicula</i> (Bréb.) Lütkemüller |
| 1529 | GENUS: [Closterium] Nitzsch <i>C. pusillum</i> Hantzsch |
| 1530 | GENUS: [Closterium] Nitzsch <i>C. pusillum</i> Hantzsch |
| 1531 | GENUS: [Closterium] Nitzsch <i>C. cornu</i> Ehrenberg |
| 1532 | GENUS: [Closterium] Nitzsch <i>C. pronum</i> Brébisson |
| 1533 | GENUS: [Closterium] Nitzsch <i>C. cynthia</i> De Notaris |
| 1534 | GENUS: [Genicularia] De Bary <i>G. elegans</i> W. et G. S. West |
| 1535 | GENUS: [Oedogonium] Link <i>O. oblongum</i> Wittrock |
| 1536 | GENUS: [Gloeotila] Kützing <i>G. planctonica</i> Balachonzew |
| 1537 | GENUS: [Tetmemorus] Ralfs <i>T. granulatus</i> (Bréb.) Ralfs |
| 1538 | GENUS: [Coelastropsis] Fott et Kalina <i>C. costata</i> (Korch.) Fott et Kalina |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1539 | GENUS: [Ophiocytium] Nägeli <i>O. ilkae</i> (Istvanffi) Heering |
| 1540 | GENUS: [Chlamydomonas] Ehrenberg <i>C. pumilioniformis</i> Péterfi |
| 1540-A | GENUS: [Chlamydomonas] Ehrenberg <i>C. pumilioniformis</i> Péterfi |
| 1541 | GENUS: [Gloeomonas] Klebs <i>G. tubulosa</i> (Pascher et Jahoda) Ettl |
| 1542 | GENUS: [Crucigenia] Morren <i>C. tetrapedia</i> (Kirchn.) W. et G.S.West |
| 1543 | GENUS: [Dispora] Printz <i>D. speciosa</i> Korchikoff |
| 1544 | GENUS: [Kirchneriella] Schmidle <i>K. irregularis</i> (Smith) Korshikov |
| 1545 | GENUS: [Quadrigula] Printz <i>Q. sabulosa</i> Hindák |
| 1546 | GENUS: [Scenedesmus] Meyen <i>S. obtusus</i> var. <i>obtusos</i> fa. <i>alternans</i> (Reinsch) Compere |
| 1547 | GENUS: [Westella] De-Wildeman <i>W. botryoides</i> (W. West) De-Wildeman |
| 1548 | GENUS: [Aphanochaete] A. Braun <i>A. repens</i> A. Braun |
| 1549 | GENUS: [Closteriospira] Reverdin <i>C. lemanensis</i> Reverdin |
| 1550 | GENUS: [Cosmarium] Corda <i>C. thwaitesii</i> Ralfs |
| 1551 | GENUS: [Chlorokybus] Geitler <i>C. atmophyticus</i> Geitler |
| 1552 | GENUS: [Closterium] Nitzsch <i>C. cynthia</i> De Notaris |
| 1553 | GENUS: [Oedogonium] Link <i>O. pusillum</i> Kirchner |
| 1554 | GENUS: [Chlamydomonas] Ehrenberg <i>C. upsaliensis</i> Skuja |
| 1555 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1556 | GENUS: [Chlorangiella] De-Toni <i>C. basiannulata</i> (Skuja) Silva |
| 1557 | GENUS: [Palmodictyon] Kützing <i>P. varium</i> (Näg.) Lemmermann |
| 1558 | GENUS: [Ankistrodesmus] Corda <i>A. spiralis</i> (Turn.) Lemmermann |
| 1559 | GENUS: [Cosmarium] Corda <i>C. decedens</i> (Reinsch) Raciborski |
| 1560 | GENUS: [Ankistrodesmus] Corda <i>A. gracilis</i> (Reinsch) Korchikoff |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1561 | GENUS: [Ankistrodesmus] Corda A. spiralis (Turn.) Lemmermann |
| 1562 | GENUS: [Crucigenia] Morren C. tetrapedia (Kirchn.) W. et G.S.West |
| 1563 | GENUS: [Lobosphaera] Reisingl L. reniformis (Watm.) Komárek et Fott |
| 1564 | GENUS: [Fusola] Snow F. viridis Snow |
| 1565 | GENUS: [Desmidium] Agardh D. baileyi (Ralfs) Nordstedt |
| 1566 | GENUS: [Desmidium] Agardh D. swartzii var. quadrangulatum (Ralfs) Roy & Bisset |
| 1567 | GENUS: [Staurastrum] Meyen S. tetracerum Ralfs |
| 1568 | GENUS: [Micrasterias] Agardh ex Ralfs M. radiosa var. ornata Nordstedt |
| 1569 | GENUS: [Micrasterias] Agardh ex Ralfs M. rotata (Grev.) Ralfs ex Ralfs |
| 1570 | GENUS: [Micrasterias] Agardh ex Ralfs M. thomasiana var. notata (Nordst.) Grönblad |
| 1571 | GENUS: [Staurastrum] Meyen S. brachiatum Ralfs |
| 1572 | GENUS: [Closterium] Nitzsch C. dianaeh Ehrenberg |
| 1573 | GENUS: [Closterium] Nitzsch C. ehrenbergii Meneghini |
| 1574 | GENUS: [Tetmemorus] Ralfs T. laevis var. laevis - |
| 1575 | GENUS: [Desmidium] Agardh D. swartzii var. quadrangulatum (Ralfs) Roy & Bisset |
| 1576 | GENUS: [Protosiphon] Klebs P. botryoides (Kütz.) Klebs |
| 1577 | GENUS: [Gonium] Müller G. pectorale Müller |
| 1578 | GENUS: [Staurodesmus] Teiling S. triangularis (Lagerh.) Teiling |
| 1579 | GENUS: [Staurodesmus] Teiling S. glaber (Ehrenb.) Teiling |
| 1580 | GENUS: [Gonatozygon] De Bary G. brebissonii var. minutum (W. West) W. et G.S. West |
| 1581 | GENUS: [Cylindrocystis] Meneghini C. brebissonii Meneghini |
| 1582 | GENUS: [Gonatozygon] De Bary G. monotaenium De Bary |
| 1582-A | GENUS: [Gonatozygon] De Bary G. monotaenium De Bary |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1583 | GENUS: [Gonatozygon] De Bary G. kinahanii (Arch.) Rabenhorst |
| 1584 | GENUS: [Spirotaenia] Brébisson S. erythrocephala Itzigsohn |
| 1585 | GENUS: [Roya] W. et G. S. West R. anglica G. S. West |
| 1586 | GENUS: [Closterium] Nitzsch C. juncidum Ralfs |
| 1587 | GENUS: [Closterium] Nitzsch C. intermedium Ralfs |
| 1587-A | GENUS: [Closterium] Nitzsch C. intermedium Ralfs |
| 1588 | GENUS: [Closterium] Nitzsch C. incurvum Brébisson |
| 1589 | GENUS: [Closterium] Nitzsch C. incurvum Brébisson |
| 1590 | GENUS: [Cosmarium] Corda C. angulosum Brébisson |
| 1591 | GENUS: [Staurodesmus] Teiling S. triangularis (Lagerh.) Teiling |
| 1592 | GENUS: [Cosmarium] Corda C. crenatum Ralfs |
| 1593 | GENUS: [Cosmarium] Corda C. granatum Brébisson |
| 1594 | GENUS: [Cosmarium] Corda C. granatum Brébisson |
| 1595 | GENUS: [Cosmarium] Corda C. granatum Brébisson |
| 1596 | GENUS: [Paulschulzia] Skuja P. pseudovolvox (Schulz) Skuja |
| 1597 | GENUS: [Cosmarium] Corda C. regnellii var. pseudoregnellii (Messik.) Krieger et Gerloff |
| 1598 | GENUS: [Cosmarium] Corda C. regnellii var. pseudoregnellii (Messik.) Krieger et Gerloff |
| 1599 | GENUS: [Desmidium] Agardh D. swartzii Agardh |
| 1600 | GENUS: [Onychonema] Wallich O. filiformis (Ehr.) Roy et Bisset |
| 1602 | GENUS: [Coleochaete] Brébisson C. scutata Brébisson |
| 1603 | GENUS: [Xanthidium] Ehrenberg X. brebissonii Ralfs |
| 1604 | GENUS: [Hyalotheca] Ehrenberg H. mucosa (Dillw.) Ehrenberg |
| 1604-A | GENUS: [Hyalotheca] Ehrenberg H. mucosa (Dillw.) Ehrenberg |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1605 | GENUS: [Hyalotheca] Ehrenberg H. dissiliens (Smith) Bréb. |
| 1607 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. digitus (Ehrenb.) Itzigsohn et Rothe |
| 1608 | GENUS: [Penium] Brébisson P. margaritaceum (Ehrenb.) Brébisson |
| 1609 | GENUS: [Sphaerosozma] Corda S. aubertianum W. West |
| 1610 | GENUS: [Sphaerosozma] Corda S. aubertianum W. West |
| 1611 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. verrucosum Ehrenberg ex Ralfs |
| 1612 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. verrucosum Ehrenberg ex Ralfs |
| 1613 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. verrucosum Ehrenberg ex Ralfs |
| 1614 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. verrucosum Ehrenberg ex Ralfs |
| 1615 | GENUS: [Sphaerosozma] Corda S. aubertianum W. West |
| 1616 | GENUS: [Staurastrum] Meyen S. tohopekaligense Wolle |
| 1617 | GENUS: [Staurastrum] Meyen S. tohopekaligense Wolle |
| 1618 | GENUS: [Protosiphon] Klebs P. botryoides (Kütz.) Klebs |
| 1619 | GENUS: [Chaetopeltis] Berthold C. orbicularis Berthold |
| 1620 | GENUS: [Microthamnion] Nägeli M. kuetzingianum Nägeli |
| 1621 | GENUS: [Microthamnion] Nägeli M. strictissimum Rabenhorst |
| 1622 | GENUS: [Geminella] Turpin G. interrupta (Turpin) Lagerheim |
| 1623 | GENUS: [Pediastrum] Meyen P. tetras (Ehrenb.) Ralfs |
| 1624 | GENUS: [Pseudocharacium] Korchikoff P. obtusum (A. Br.) Petrá-Hesse |
| 1625 | GENUS: [Microchaete] Thuret M. tenera Thuret |
| 1625-A | GENUS: [Microchaete] Thuret M. tenera Thuret |
| 1626 | GENUS: [Porphyridium] Nägeli P. aerugineum Geitler |
| 1627 | GENUS: [Porphyridium] Nägeli P. aerugineum Geitler |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1628 | GENUS: [Porphyridium] Nägeli <i>P. aerugineum</i> Geitler |
| 1629 | GENUS: [Porphyridium] Nägeli <i>P. aerugineum</i> Geitler |
| 1630 | GENUS: [Phaeothamnion] Lagerheim <i>P. polychrysis</i> Pascher |
| 1631 | GENUS: [Crucigeniella] Lemmermann <i>C. pulchra</i> (W. et G.S. West) Komárek |
| 1632 | GENUS: [Enallax] Pascher <i>E. acutiformis</i> (Schröder) Hindák |
| 1633 | GENUS: [Golenkinia] Chodat <i>G. radiata</i> Chodat |
| 1634 | GENUS: [Chaetopeltis] Berthold <i>C. orbicularis</i> Berthold |
| 1635 | GENUS: [Scenedesmus] Meyen <i>S. asymmetricus</i> (Schröd.) Chodat |
| 1637 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. dubium</i> Nägeli |
| 1638 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. subalpinum</i> Messikommer |
| 1639 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. denticulatum</i> Gay |
| 1640 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. gayanum</i> De Toni |
| 1641 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. dubium</i> Nägeli |
| 1642 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. elegans</i> (Bréb.) Kützing ex Ralfs |
| 1644 | GENUS: [Cylindrospermum] Kützing <i>C. stagnale</i> (Kützing) Bornet et Flahault |
| 1645 | GENUS: [Pseudocharacium] Korchikoff <i>P. acuminatum</i> Korchikoff |
| 1646 | GENUS: [Lagerheimia] Chodat <i>L. quadriseta</i> (Lemm.) G. M. Smith |
| 1647 | GENUS: [Staurodesmus] Teiling <i>S. triangularis</i> (Lagerh.) Teiling |
| 1648 | GENUS: [Teilingia] Bourrelly <i>T. granulata</i> (Roy et Bisset) Bourrelly |
| 1649 | GENUS: [Scenedesmus] Meyen <i>S. granulatus</i> W. et G.S. West |
| 1650 | GENUS: [Pediastrum] Meyen <i>P. tetras</i> (Ehrenb.) Ralfs |
| 1651 | GENUS: [Pectodictyon] Taft <i>P. cubicum</i> Taft |
| 1652 | GENUS: [Chlamydomonas] Ehrenberg <i>C. botryopara</i> Rodhe et Skuja |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1653 | GENUS: [Staurastrum] Meyen <i>S. tohopekaligense</i> Wolle |
| 1654 | GENUS: [Oonephris] Fott <i>O. obesa</i> (W. West) Fott |
| 1655 | GENUS: [Oonephris] Fott <i>O. obesa</i> (W. West) Fott |
| 1656 | GENUS: [Oonephris] Fott <i>O. obesa</i> (W. West) Fott |
| 1657 | GENUS: [Cosmarium] Corda <i>C. crenatum</i> Ralfs |
| 1658 | GENUS: [Apiocystis] Nägeli <i>A. brauniana</i> Nägeli |
| 1659 | GENUS: [Coelastrum] Nägeli <i>C. morus</i> W. et G. S. West |
| 1660 | GENUS: [Scenedesmus] Meyen <i>S. aculeolatus</i> Reinsch |
| 1661 | GENUS: [Onychonema] Wallich <i>O. laeve</i> Nordstedt |
| 1662 | GENUS: [Palmodictyon] Kützing <i>P. lobatum</i> Korchikoff |
| 1663 | GENUS: [Enallax] Pascher <i>E. acutiformis</i> (Schröder) Hindák |
| 1664 | GENUS: [Cosmarium] Corda <i>C. commissurale</i> (Bréb.) Ralfs |
| 1665 | GENUS: [Closterium] Nitzsch <i>C. acutum</i> var. <i>acutum</i> - |
| 1666 | GENUS: [Zygnema] Agardh <i>Z. collinsianum</i> Transeau |
| 1667 | GENUS: [Mougeotia] C. A. Agardh <i>M. ventricosa</i> (Wittrock) Collins |
| 1668 | GENUS: [Spirogyra] Link <i>S. fennica</i> Cedercreutz |
| 1669 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. verrucosum</i> Ehrenberg ex Ralfs |
| 1670 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. humerosum</i> Ralfs |
| 1671 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. subhexalobum</i> W. et G.S. West |
| 1672 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. thomasiana</i> Archer |
| 1673 | GENUS: [Tetmemorus] Ralfs <i>T. granulatus</i> (Bréb.) Ralfs |
| 1674 | GENUS: [Teilingia] Bourrelly <i>T. granulata</i> (Roy et Bisset) Bourrelly |
| 1674-A | GENUS: [Teilingia] Bourrelly <i>T. granulata</i> (Roy et Bisset) Bourrelly |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1675 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 1676 | GENUS: [Pediastrum] Meyen P. duplex var. gracillimum W. et G. S. West |
| 1677 | GENUS: [Trentepohlia] Martius T. lagenifera (Hildenbrand) Wille |
| 1678 | GENUS: [Cosmocladium] Brébisson C. constrictum Archer |
| 1679 | GENUS: [Coelosphaerium] Nägeli C. kuetzingianum Nägeli |
| 1680 | GENUS: [Trentepohlia] Martius T. lagenifera (Hildenbrand) Wille |
| 1681 | GENUS: [Schizochlamys] A. Braun S. gelatinosa A. Braun |
| 1682 | GENUS: [Hapalosiphon] Nägeli H. hibernicus W. et G. S. West |
| 1683 | GENUS: [Chamaesiphon] A. Braun et Grunow C. amethystinus ? (Rostafinski) Lemmermann |
| 1684 | GENUS: [Eucapsis] Clements et Schantz E. minor (Skuja) Elenkin |
| 1685 | GENUS: [Oedogonium] Link O. areschougii Wittrock |
| 1686 | GENUS: [Oedogonium] Link O. areschougii Wittrock |
| 1686-A | GENUS: [Oedogonium] Link O. areschougii Wittrock |
| 1687 | GENUS: [Oedogonium] Link O. acrosporum de Bary |
| 1688 | GENUS: [Oedogonium] Link O. excentriporum (Jao) Tiffany |
| 1689 | GENUS: [Oedogonium] Link O. ciliatum (Hassal) Pringsheim |
| 1690 | GENUS: [Oedogonium] Link O. areschougii Wittrock |
| 1691 | GENUS: [Asterococcus] Scherffel A. superbus (Cienk.) Scherffel |
| 1692 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 1693 | GENUS: [Scenedesmus] Meyen S. spinosus Chodat |
| 1694 | GENUS: [Closterium] Nitzsch C. acutum var. linea (Perty) W. & G.S. West |
| 1695 | GENUS: [Cosmarium] Corda C. obliquum var. taticum (Gutw.) Krieger & Gerloff |
| 1696 | GENUS: [Tetraselmis] Stein T. subcordiformis (Wille) Butcher |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1697 | GENUS: [Cosmarium] Corda <i>C. decedens</i> (Reinsch) Raciborski |
| 1698 | GENUS: [Penium] Brébisson <i>P. margaritaceum</i> (Ehrenb.) Brébisson |
| 1699 | GENUS: [Mallomonas] Perty <i>M. calceolus</i> Bradley |
| 1701 | GENUS: [Mallomonas] Perty <i>M. papillosa</i> Harris & Bradley |
| 1702 | GENUS: [Mallomonas] Perty <i>M. papillosa</i> Harris & Bradley |
| 1703 | GENUS: [Mallomonas] Perty <i>M. lelymene</i> Harris & Bradley |
| 1704 | GENUS: [Synura] Ehrenberg <i>S. petersennii</i> Korchikoff |
| 1705 | GENUS: [Synura] Ehrenberg <i>S. petersennii</i> Korchikoff |
| 1706 | GENUS: [Synura] Ehrenberg <i>S. petersennii</i> Korchikoff |
| 1707 | GENUS: [Synura] Ehrenberg <i>S. petersennii</i> Korchikoff |
| 1708 | GENUS: [Synura] Ehrenberg <i>S. curtispina</i> (J.B. Petersen & J.B. Hansen) B. Asmund |
| 1708-A | GENUS: [Synura] Ehrenberg <i>S. curtispina</i> (J.B. Petersen & J.B. Hansen) B. Asmund |
| 1709 | GENUS: [Synura] Ehrenberg <i>S. curtispina</i> (J.B. Petersen & J.B. Hansen) B. Asmund |
| 1711 | GENUS: [Strombomonas] Deflandre <i>S. verrucosa</i> (Dad.) Deflandre |
| 1712 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. radiosa</i> var. <i>ornata</i> Nordstedt |
| 1713 | GENUS: [Basichlamys] Skuja <i>B. sacculifera</i> (Scherffel) Skuja |
| 1714 | GENUS: [Gonium] Müller <i>G. pectorale</i> Müller |
| 1715 | GENUS: [Pleurotaenium] Nägeli <i>P. ehrenbergii</i> (Bréb.) De Bary |
| 1716 | GENUS: [Micrasterias] Agardh ex Ralfs <i>M. papillifera</i> Brébisson |
| 1717 | GENUS: [Pseudodictyosphaerium] Hindák <i>P. fluviatile</i> (Hindák) Hindák |
| 1718 | GENUS: [Dictyosphaerium] Nägeli <i>D. ehrenbergianum</i> Nägeli |
| 1719 | GENUS: [Dictyosphaerium] Nägeli <i>D. pulchellum</i> Wood |
| 1720 | GENUS: [Chrysocapsa] Pascher <i>C. planctonica</i> Pascher |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1721 | GENUS: [Schroederia] Lemmermann <i>S. planctonica</i> (Skuja) Philipose |
| 1722 | GENUS: [Lobocystis] Thompson <i>L. dichotoma</i> var. <i>mucosa</i> Bourrelly |
| 1723 | GENUS: [Staurastrum] Meyen <i>S. tetracerum</i> Ralfs |
| 1724 | GENUS: [Eudorina] Ehrenberg <i>E. elegans</i> Ehrenberg |
| 1725 | GENUS: [Plectonema] Thuret <i>P. edaphicum</i> (Elenkin) Vulina |
| 1726 | GENUS: [Cylindrocystis] Meneghini <i>C. crassa</i> De Bary |
| 1727 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> (Smith) Bréb. |
| 1728 | GENUS: [Chaetopeltis] Berthold <i>C. orbicularis</i> Berthold |
| 1729 | GENUS: [Spirogyra] Link <i>S. semiornata</i> Jao |
| 1730 | GENUS: [Coelastrella] Chodat <i>C. striolata</i> Chodat |
| 1731 | GENUS: [Cosmarium] Corda <i>C. elegantissimum</i> Lundell |
| 1732 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 1733 | GENUS: [Closteriopsis] Lemmermann <i>C. acicularis</i> (G.M. Smith) Belcher & Swale |
| 1734 | GENUS: [Ankistrodesmus] Corda <i>A. fusiformis</i> Corda |
| 1735 | GENUS: [Ankistrodesmus] Corda <i>A. fusiformis</i> Corda |
| 1736 | GENUS: [Lobosphaera] Reisinger <i>L. reniformis</i> (Watm.) Komárek et Fott |
| 1737 | GENUS: [Geminella] Turpin <i>G. minor</i> (Näg.) Heering |
| 1738 | GENUS: [Gloeocapsa] Kützing <i>G. alpina</i> Naegeli |
| 1739 | GENUS: [Staurastrum] Meyen <i>S. pyramidatum</i> W. West |
| 1739-A | GENUS: [Staurastrum] Meyen <i>S. pyramidatum</i> W. West |
| 1740 | GENUS: [Eudorina] Ehrenberg <i>E. elegans</i> Ehrenberg |
| 1741 | GENUS: [Cosmarium] Corda <i>C. holmiense</i> Lundell |
| 1742 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. sublobatum</i> var. <i>dissimile</i> ? (Nordst.) W. et G. S. West |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1743 | GENUS: [Carteria] Diesing <i>C. crucifera</i> Korschikoff |
| 1744 | GENUS: [Paulschulzia] Skuja <i>P. pseudovolvox</i> (Schulz) Skuja |
| 1745 | GENUS: [Crucigenia] Morren <i>C. tetrapedia</i> (Kirchn.) W. et G.S.West |
| 1746 | GENUS: [Volvox] (Linné) Ehrenberg <i>V. aureus</i> Ehrenberg |
| 1747 | GENUS: [Geminella] Turpin <i>G. minor</i> (Näg.) Heering |
| 1748 | GENUS: [Pandorina] Bory <i>P. morum</i> (Müller) Bory |
| 1749 | GENUS: [Eudorina] Ehrenberg <i>E. elegans</i> Ehrenberg |
| 1750 | GENUS: [Schizomeris] Kützing <i>S. leibleinii</i> Kützing |
| 1751 | GENUS: [Scenedesmus] Meyen <i>S. subspicatus</i> Chodat |
| 1752 | GENUS: [Pseudanabaena] Lauterborn <i>P. galeata</i> Böcher |
| 1753 | GENUS: [Phacus] Dujardin <i>P. acuminatus</i> Stokes |
| 1754 | GENUS: [Phacus] Dujardin <i>P. acuminatus</i> Stokes |
| 1755 | GENUS: [Phacus] Dujardin <i>P. acuminatus</i> Stokes |
| 1756 | GENUS: [Phacus] Dujardin <i>P. caudatus</i> Hübner |
| 1757 | GENUS: [Phacus] Dujardin <i>P. caudatus</i> Hübner |
| 1758 | GENUS: [Phacus] Dujardin <i>P. raciborskii</i> Dreżepolski |
| 1759 | GENUS: [Phacus] Dujardin <i>P. caudatus</i> Hübner |
| 1760 | GENUS: [Pedinomonas] Korschikoff <i>P. minor</i> Korschikoff |
| 1761 | GENUS: [Chlamydomonas] Ehrenberg <i>C. botryopara</i> Rodhe et Skuja |
| 1762 | GENUS: [Phacus] Dujardin <i>P. agilis</i> Skuja |
| 1763 | GENUS: [Merismopedia] Meyen <i>M. punctata</i> Meyen |
| 1764 | GENUS: [Phacus] Dujardin <i>P. stokesii</i> Lemmermann |
| 1765 | GENUS: [Phacus] Dujardin <i>P. stokesii</i> Lemmermann |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1766 | GENUS: [Carteria] Diesing <i>C. inversa</i> (Korchikoff) Bourrelly |
| 1767 | GENUS: [Porphyridium] Nägeli <i>P. sordidum</i> Geitler |
| 1768 | GENUS: [Chlamydomonas] Ehrenberg <i>C. perpusilla</i> Gerloff |
| 1769 | GENUS: [Spirotaenia] Brébisson <i>S. obscura</i> Ralfs |
| 1770 | GENUS: [Tetraedron] Kützing <i>T. pentaedricum</i> W. et G.S. West |
| 1771 | GENUS: [Golenkiniopsis] Korchikoff <i>G. parvula</i> (Voronich) Korchikoff |
| 1772 | GENUS: [Scenedesmus] Meyen <i>S. arcuatus</i> (Lemm.) Lemmermann |
| 1773 | GENUS: [Scenedesmus] Meyen <i>S. pannonicus</i> Hortobágyi |
| 1774 | GENUS: [Ankistrodesmus] Corda <i>A. bibraianus</i> (Reinsch) Korchikoff |
| 1775 | GENUS: [Lepocinclis] Perty <i>L. steinii</i> Lemmermann |
| 1776 | GENUS: [Trentepohlia] Martius <i>T. lagenifera</i> (Hildenbrand) Wille |
| 1777 | GENUS: [Chlorogonium] Ehrenberg <i>C. kasakii</i> H. Nozaki in H. Nozaki, N. Ohta, E. Morita, & M.M. Watanabe |
| 1778 | GENUS: [Trachelomonas] Ehrenberg <i>T. volvocina</i> Ehrenberg |
| 1779 | GENUS: [Closterium] Nitzsch <i>C. striolatum</i> Ehrenberg |
| 1780 | GENUS: [Chroococcus] Nägeli <i>C. giganteus</i> W. West |
| 1781 | GENUS: [Chlorella] Beijerinck <i>C. reisiigii</i> Watanabe |
| 1782 | GENUS: [Lobosphaera] Reisiigl <i>L. reniformis</i> (Watm.) Komárek et Fott |
| 1783 | GENUS: [Chlamydomonas] Ehrenberg <i>C. kleinii</i> Schmidle |
| 1784 | GENUS: [Tetrastrum] Chodat <i>T. alpinum</i> (Schmidle) Schmidle |
| 1785 | GENUS: [Cosmarium] Corda <i>C. laeve</i> Rabenhorst |
| 1786 | GENUS: [Cosmarium] Corda <i>C. laeve</i> Rabenhorst |
| 1787 | GENUS: [Cosmarium] Corda <i>C. regnellii</i> var. <i>pseudoregnellii</i> (Messik.) Krieger et Gerloff |
| 1789 | GENUS: [Chamaesiphon] A. Braun et Grunow <i>C. polymorphus</i> Geitler |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1790 | GENUS: [Mesostigma] Lauterborn <i>M. viride</i> Lauterborn |
| 1791 | GENUS: [Chlamydomonas] Ehrenberg <i>C. pseudopertusa</i> Ettl |
| 1792 | GENUS: [Dictyochloropsis] Geitler <i>D. splendida</i> Geitler |
| 1793 | GENUS: [Carteria] Diesing <i>C. crucifera</i> Korchikoff |
| 1794 | GENUS: [Carteria] Diesing <i>C. inversa</i> (Korchikoff) Bourrelly |
| 1795 | GENUS: [Chlamydomonas] Ehrenberg <i>C. monadina</i> Stein |
| 1796 | GENUS: [Dictyosphaerium] Nägeli <i>D. ehrenbergianum</i> Nägeli |
| 1796-A | GENUS: [Dictyosphaerium] Nägeli <i>D. ehrenbergianum</i> Nägeli |
| 1797 | GENUS: [Paulschulzia] Skuja <i>P. pseudovolvox</i> (Schulz) Skuja |
| 1798 | GENUS: [Eremosphaera] De Bary <i>E. gigas</i> (Arch.) Fott et Kalina |
| 1799 | GENUS: [Cosmarium] Corda <i>C. cyclicum</i> Lundell |
| 1801 | GENUS: [Cosmarium] Corda <i>C. galeritum</i> Nordstedt |
| 1802 | GENUS: [Pleurotaenium] Nägeli <i>P. ehrenbergii</i> (Bréb.) De Bary |
| 1803 | GENUS: [Penium] Brébisson <i>P. margaritaceum</i> (Ehrenb.) Brébisson |
| 1804 | GENUS: [Cosmarium] Corda <i>C. granatum</i> Brébisson |
| 1805 | GENUS: [Cosmarium] Corda <i>C. notabile</i> De Bary |
| 1806 | GENUS: [Cosmarium] Corda <i>C. notabile</i> De Bary |
| 1807 | GENUS: [Cosmarium] Corda <i>C. notabile</i> De Bary |
| 1808 | GENUS: [Cosmarium] Corda <i>C. notabile</i> De Bary |
| 1809 | GENUS: [Cosmarium] Corda <i>C. speciosum</i> Lundell |
| 1810 | GENUS: [Cosmarium] Corda <i>C. margaritiferum</i> Meneghini |
| 1810-A | GENUS: [Cosmarium] Corda <i>C. margaritiferum</i> Meneghini |
| 1811 | GENUS: [Cosmarium] Corda <i>C. subcrenatum</i> Hantzsch |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1812 | GENUS: [Cosmarium] Corda <i>C. notabile</i> De Bary |
| 1813 | GENUS: [Cosmarium] Corda <i>C. rectangulare</i> Grunow |
| 1814 | GENUS: [Gonatozygon] De Bary <i>G. monotaenium</i> De Bary |
| 1815 | GENUS: [Cosmarium] Corda <i>C. tinctum</i> Ralfs |
| 1816 | GENUS: [Apatococcus] Brand <i>A. vulgaris</i> Brand em. Geitler |
| 1817 | GENUS: [Microthamnion] Nägeli <i>M. kuetzingianum</i> Nägeli |
| 1818 | GENUS: [Dictyosphaerium] Nägeli <i>D. botryella</i> Komárek & Perman |
| 1819 | GENUS: [Eremosphaera] De Bary <i>E. gigas</i> (Arch.) Fott et Kalina |
| 1820 | GENUS: [Glaucocystis] Itzigshon <i>G. nostochinearum</i> Itzigsohn |
| 1821 | GENUS: [Trebouxia] De Puymaly <i>T. incrustata</i> Ahmadjian ex Gartner |
| 1822 | GENUS: [Pteromonas] Seligo <i>P. aequiciliata</i> (Gicklhorn) Bourrelly |
| 1823 | GENUS: [Binuclearia] Wittrock <i>B. tectorum</i> (Kütz.) Beger |
| 1824 | GENUS: [Chaetopeltis] Berthold <i>C. orbicularis</i> Berthold |
| 1825 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. spinulosum</i> var. <i>henriquesii</i> Sampaio |
| 1826 | GENUS: [Hyalotheca] Ehrenberg <i>H. dissiliens</i> (Smith) Bréb. |
| 1827 | GENUS: [Staurastrum] Meyen <i>S. margaritaceum</i> (Ehrenb.) Meneghini |
| 1828 | GENUS: [Botryosphaerella] Silva <i>B. sudetica</i> (Lemm.) Silva |
| 1829 | GENUS: [Tetmemorus] Ralfs <i>T. laevis</i> var. <i>minutus</i> (De Bary) Krieger |
| 1830 | GENUS: [Oedogonium] Link <i>O. broterianum</i> Lacerda |
| 1831 | GENUS: [Quadrigula] Printz <i>Q. sabulosa</i> Hindák |
| 1832 | GENUS: [Hydrodictyon] Roth <i>H. reticulatum</i> (L.) Lagerheim |
| 1833 | GENUS: [Hydrodictyon] Roth <i>H. reticulatum</i> (L.) Lagerheim |
| 1834 | GENUS: [Hydrodictyon] Roth <i>H. reticulatum</i> (L.) Lagerheim |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1835 | GENUS: [Bulbochaete] Agardh B. sp. - |
| 1836 | GENUS: [Characiopsis] Borzi C. pyriformis (A. Braun) Borzi |
| 1837 | GENUS: [Characiopsis] Borzi C. acuta (A. Braun) Borzi |
| 1838 | GENUS: [Characiopsis] Borzi C. longipes (Rabenh.) Borzi |
| 1839 | GENUS: [Characiopsis] Borzi C. longipes (Rabenh.) Borzi |
| 1840 | GENUS: [Chloromonas] Gobi C. lunulatifomis (Péterfi) Gerloff et Ettl |
| 1841 | GENUS: [Cladophora] Kützing C. sp. - |
| 1842 | GENUS: [Euglena] Ehrenberg E. acus Ehrenberg |
| 1843 | GENUS: [Cosmarium] Corda C. biretum (Bréb.) Ralfs |
| 1844 | GENUS: [Cosmarium] Corda C. crenatum Ralfs |
| 1845 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. verrucosum Ehrenberg ex Ralfs |
| 1846 | GENUS: [Scenedesmus] Meyen S. naegelii Brébisson |
| 1847 | GENUS: [Cryptomonas] Ehrenberg C. pyrenoidifera Geitler |
| 1848 | GENUS: [Aphanochaete] A. Braun A. repens A. Braun |
| 1849 | GENUS: [Coleochaete] Brébisson C. scutata Brébisson |
| 1850 | GENUS: [Cryptomonas] Ehrenberg C. pyrenoidifera Geitler |
| 1851 | GENUS: [Rhizoclonium] Kützing R. sp. - |
| 1852 | GENUS: [Goniochloris] Geitler G. sculpta ? Geitler |
| 1853 | GENUS: [Goniochloris] Geitler G. sculpta Geitler |
| 1854 | GENUS: [Goniochloris] Geitler G. tripus Pascher |
| 1855 | GENUS: [Goniochloris] Geitler G. tripus Pascher |
| 1856 | GENUS: [Goniochloris] Geitler G. tripus Pascher |
| 1857 | GENUS: [Goniochloris] Geitler G. smithii (Bourrelly) Fott |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1858 | GENUS: [Goniochloris] Geitler G. smithii (Bourrelly) Fott |
| 1859 | GENUS: [Goniochloris] Geitler G. smithii (Bourrelly) Fott |
| 1860 | GENUS: [Pseudostaurastrum] (Hansgirg) Chodat P. limneticum (Borge) Couté & Rousseli |
| 1861 | GENUS: [Pseudostaurastrum] (Hansgirg) Chodat P. limneticum (Borge) Couté & Rousseli |
| 1862 | GENUS: [Oocystis] Nägeli O. solitaria Wittrock |
| 1863 | GENUS: [Palmodictyon] Kützing P. varium (Näg.) Lemmermann |
| 1864 | GENUS: [Palmodictyon] Kützing P. lobatum Korchikoff |
| 1865 | GENUS: [Coelastrum] Nägeli C. reticulatum Dangeard |
| 1866 | GENUS: [Echinocoleum] Jao et Lee E. elegans Jao et Lee |
| 1867 | GENUS: [Lobomonas] Dangeard L. sp. - |
| 1868 | GENUS: [Tribonema] Derbès et Solier T. viride Pascher |
| 1869 | GENUS: [Hyalotheca] Ehrenberg H. mucosa (Dillw.) Ehrenberg |
| 1870 | GENUS: [Geminella] Turpin G. minor (Näg.) Heering |
| 1871 | GENUS: [Chlamydomonas] Ehrenberg C. parallestriata Korchikoff |
| 1872 | GENUS: [Microcoleus] Desmazières ex Gomont M. vaginatus (Vaucher) Gomont |
| 1873 | GENUS: [Scenedesmus] Meyen S. armatus var. subalternans (G.M. Smith) Hegewald |
| 1874 | GENUS: [Crucigeniella] Lemmermann C. rectangularis (Näg.) Komárek |
| 1875 | GENUS: [Staurastrum] Meyen S. bibrachiatum - |
| 1876 | GENUS: [Closterium] Nitzsch C. acerosum (Schrank) Ehrenberg |
| 1877 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. digitus var. lamellosum (Bréb. ex Kütz.) Grönblad |
| 1878 | GENUS: [Cosmarium] Corda C. humile (Gay) Nordst. in De Tony |
| 1879 | GENUS: [Cosmarium] Corda C. humile (Gay) Nordst. in De Tony |
| 1880 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. digitus var. lamellosum (Bréb. ex Kütz.) Grönblad |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1881 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. digitus var. lamellosum (Bréb. ex Kütz.) Grönblad |
| 1882 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. digitus var. lamellosum (Bréb. ex Kütz.) Grönblad |
| 1883 | GENUS: [Oscillatoria] Vaucher O. princeps Vaucher |
| 1884 | GENUS: [Cosmarium] Corda C. botrytis var. tumidum Wolle |
| 1885 | GENUS: [Cosmarium] Corda C. furcatospermum W. et G.S. West |
| 1886 | GENUS: [Cosmarium] Corda C. norimbergense Reinsch |
| 1887 | GENUS: [Cosmarium] Corda C. pachydermum Lundell |
| 1888 | GENUS: [Cosmarium] Corda C. pachydermum var. aethiopicum W. et G.S. West |
| 1889 | GENUS: [Cosmarium] Corda C. anceps Lundell |
| 1890 | GENUS: [Cosmarium] Corda C. holmiense Lundell |
| 1891 | GENUS: [Cosmarium] Corda C. reniforme (Ralfs) Archer |
| 1892 | GENUS: [Cosmarium] Corda C. reniforme var. apertum W. et G.S. West |
| 1893 | GENUS: [Cosmarium] Corda C. reniforme var. apertum W. et G.S. West |
| 1894 | GENUS: [Cosmarium] Corda C. speciosum var. simplex Nordstedt |
| 1895 | GENUS: [Cosmarium] Corda C. subcucumis Schmidle |
| 1896 | GENUS: [Cosmarium] Corda C. binum Nordstedt |
| 1897 | GENUS: [Cosmarium] Corda C. botrytis Menegh. ex Ralfs |
| 1898 | GENUS: [Cosmarium] Corda C. botrytis ? Menegh. ex Ralfs |
| 1898-A | GENUS: [Cosmarium] Corda C. botrytis ? Menegh. ex Ralfs |
| 1898-B | GENUS: [Cosmarium] Corda C. botrytis ? Menegh. ex Ralfs |
| 1899 | GENUS: [Cosmarium] Corda C. ochthodes Nordstedt |
| 1900 | GENUS: [Cosmarium] Corda C. botrytis Menegh. ex Ralfs |
| 1901 | GENUS: [Cosmarium] Corda C. quadrum Lundell |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1902 | GENUS: [Staurodesmus] Teiling <i>S. cuspidatus</i> (Bréb.) Teiling |
| 1903 | GENUS: [Staurastrum] Meyen <i>S. echinatum</i> - |
| 1904 | GENUS: [Staurastrum] Meyen <i>S. gemelliparum</i> Nordstedt |
| 1905 | GENUS: [Staurastrum] Meyen <i>S. tohopekaligense</i> Wolle |
| 1906 | GENUS: [Staurastrum] Meyen <i>S. hantzchii</i> - |
| 1907 | GENUS: [Staurastrum] Meyen <i>S. brachycerum</i> Brébisson |
| 1908 | GENUS: [Staurastrum] Meyen <i>S. brachycerum</i> Brébisson |
| 1909 | GENUS: [Staurastrum] Meyen <i>S. spiniferum</i> var. <i>quadratum</i> - |
| 1909-A | GENUS: [Staurastrum] Meyen <i>S. spiniferum</i> var. <i>quadratum</i> - |
| 1910 | GENUS: [Staurastrum] Meyen <i>S. ornatum</i> var. <i>asperum</i> - |
| 1911 | GENUS: [Gonatozygon] De Bary <i>G. brebissonii</i> De Bary |
| 1912 | GENUS: [Staurastrum] Meyen <i>S. orbiculare</i> Ralfs |
| 1913 | GENUS: [Staurastrum] Meyen <i>S. asperum</i> - |
| 1914 | GENUS: [Staurastrum] Meyen <i>S. teliferum</i> Ralfs |
| 1915 | GENUS: [Staurastrum] Meyen <i>S. teliferum</i> Ralfs |
| 1915-A | GENUS: [Staurastrum] Meyen <i>S. teliferum</i> Ralfs |
| 1916 | GENUS: [Staurastrum] Meyen <i>S. teliferum</i> Ralfs |
| 1917 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. dubium</i> Nägeli |
| 1917-A | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. dubium</i> Nägeli |
| 1917-B | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. dubium</i> Nägeli |
| 1918 | GENUS: [Penium] Brébisson <i>P. cylindrus</i> (Ehrenb.) Brébisson |
| 1919 | GENUS: [Cosmarium] Corda <i>C. rectangulare</i> var. <i>subrectangulare</i> - |
| 1920 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. griffithii</i> (Berk.) Komárková-Legnerová |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1921 | GENUS: [Staurodesmus] Teiling S. spencerianus ? (Mask.) Teiling |
| 1922 | GENUS: [Vaucheria] De Candolle V. pachyderma Walz |
| 1923 | GENUS: [Vaucheria] De Candolle V. sessilis (Vaucher) de Candolle |
| 1924 | GENUS: [Gonatozygon] De Bary G. pilosum Wolle |
| 1925 | GENUS: [Spirogyra] Link S. tenuissima (Hassall) Kützing |
| 1926 | GENUS: [Gonatozygon] De Bary G. monotaenium De Bary |
| 1927 | GENUS: [Eudorina] Ehrenberg E. sp. - |
| 1928 | GENUS: [Euglena] Ehrenberg E. tripteris (Dujardin) Klebs |
| 1929 | GENUS: [Cosmarium] Corda C. sp. - |
| 1930 | GENUS: [Staurastrum] Meyen S. asperum - |
| 1931 | GENUS: [Cosmarium] Corda C. holmiense Lundell |
| 1932 | GENUS: [Glaucocystis] Itzigshon G. nostochinearum Itzigsohn |
| 1933 | GENUS: [Staurastrum] Meyen S. brachiatum Ralfs |
| 1934 | GENUS: [Hyalotheca] Ehrenberg H. dissiliens (Smith) Bréb. |
| 1935 | GENUS: [Phacus] Dujardin P. curvicauda Svirenko |
| 1936 | GENUS: [Closterium] Nitzsch C. costatum Corda ex Ralfs |
| 1937 | GENUS: [Pandorina] Bory P. morum (Müller) Bory |
| 1938 | GENUS: [Staurodesmus] Teiling S. dejectus (Bréb.) Teiling |
| 1939 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. elegans (Bréb.) Kützing ex Ralfs |
| 1940 | GENUS: [Euastrum] Ehrenberg ex Ralfs E. dubium Nägeli |
| 1941 | GENUS: [Cylindrocystis] Meneghini C. brebissonii var. minor W. West & G. S. West |
| 1942 | GENUS: [Scenedesmus] Meyen S. pannonicus Hortobágyi |
| 1943 | GENUS: [Staurastrum] Meyen S. brachiatum Ralfs |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1944 | GENUS: [Stylosphaeridium] Geitler & Gimesi S. epiphyticum (Korshikov) Korshikov |
| 1945 | GENUS: [Quadrigula] Printz Q. closterioides (Bohlin) Printz |
| 1946 | GENUS: [Staurastrum] Meyen S. varians Raciborski |
| 1946-A | GENUS: [Staurastrum] Meyen S. varians Raciborski |
| 1948 | GENUS: [Staurastrum] Meyen S. punctulatum Brébisson |
| 1948-A | GENUS: [Staurastrum] Meyen S. punctulatum Brébisson |
| 1949 | GENUS: [Staurastrum] Meyen S. punctulatum Brébisson |
| 1950 | GENUS: [Staurastrum] Meyen S. dispar Brébisson |
| 1951 | GENUS: [Staurastrum] Meyen S. dispar Brébisson |
| 1952 | GENUS: [Staurastrum] Meyen S. striolatum (Näg.) Archer |
| 1953 | GENUS: [Staurastrum] Meyen S. proboscideum (Bréb.) Archer |
| 1954 | GENUS: [Pleurotaenium] Nägeli P. ehrenbergii (Bréb.) De Bary |
| 1955 | GENUS: [Closterium] Nitzsch C. ehrenbergii Meneghini |
| 1957 | GENUS: [Staurastrum] Meyen S. sp. - |
| 1958 | GENUS: [Staurastrum] Meyen S. ionatum var. perpendiculatum RL Grönblad |
| 1959 | GENUS: [Phaeoschizochlamys] Lemmermann P. mucosa Lemmermann |
| 1959-A | GENUS: [Phaeoschizochlamys] Lemmermann P. mucosa Lemmermann |
| 1960 | GENUS: [Actinastrum] Lagerheim A. hantzschii Lagerh. |
| 1961 | GENUS: [Actinastrum] Lagerheim A. hantzschii Lagerh. |
| 1962 | GENUS: [Actinastrum] Lagerheim A. hantzschii Lagerh. |
| 1963 | GENUS: [Staurastrum] Meyen S. hirsutum (Ehrenb.) Brébisson |
| 1964 | GENUS: [Staurastrum] Meyen S. hirsutum (Ehrenb.) Brébisson |
| 1964-A | GENUS: [Staurastrum] Meyen S. hirsutum (Ehrenb.) Brébisson |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 1965 | GENUS: [Staurastrum] Meyen S. subavicula (West) West & G.S. West |
| 1966 | GENUS: [Strombomonas] Deflandre S. fluviatilis Lemmermann Hedwigia |
| 1967 | GENUS: [Staurastrum] Meyen S. pseudosebaldi Wille |
| 1968 | GENUS: [Staurastrum] Meyen S. pseudosebaldi Wille |
| 1969 | GENUS: [Staurastrum] Meyen S. pseudosebaldi Wille |
| 1969-A | GENUS: [Staurastrum] Meyen S. pseudosebaldi Wille |
| 1970 | GENUS: [Staurastrum] Meyen S. brebissonii Archer |
| 1972 | GENUS: [Dictyosphaerium] Nägeli D. pulchellum Wood |
| 1973 | GENUS: [Staurastrum] Meyen S. acarides Nordstedt |
| 1974 | GENUS: [Staurastrum] Meyen S. acarides Nordstedt |
| 1975 | GENUS: [Staurastrum] Meyen S. acarides Nordstedt |
| 1976 | GENUS: [Staurastrum] Meyen S. acarides Nordstedt |
| 1976-A | GENUS: [Staurastrum] Meyen S. acarides Nordstedt |
| 1976-B | GENUS: [Staurastrum] Meyen S. acarides Nordstedt |
| 1977 | GENUS: [Dictyosphaerium] Nägeli D. tetrachotomum Printz |
| 1978 | GENUS: [Dictyosphaerium] Nägeli D. ehrenbergianum Nägeli |
| 1979 | GENUS: [Staurastrum] Meyen S. ionatum var. perpendiculatum RL Grönblad |
| 1980 | GENUS: [Cylindrocystis] Meneghini C. crassa De Bary |
| 1981 | GENUS: [Kirchneriella] Schmidle K. contorta (Schmidle) Bohlin |
| 1982 | GENUS: [Coelastrum] Nägeli C. reticulatum Dangeard |
| 1983 | GENUS: [Staurastrum] Meyen S. pyramidatum W. West |
| 1983-A | GENUS: [Staurastrum] Meyen S. pyramidatum W. West |
| 1985 | GENUS: [Staurastrum] Meyen S. pyramidatum W. West |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 1986 | GENUS: [Actinastrum] Lagerheim A. hantzschii Lagerh. |
| 1987 | GENUS: [Dictyosphaerium] Nägeli D. ehrenbergianum Nägeli |
| 1988 | GENUS: [Dictyosphaerium] Nägeli D. tetrachotomum Printz |
| 1989 | GENUS: [Scenedesmus] Meyen S. opoliensis P. Richter |
| 1990 | GENUS: [Staurastrum] Meyen S. sp. - |
| 1991 | GENUS: [Staurastrum] Meyen S. punctulatum Brébisson |
| 1992 | GENUS: [Staurastrum] Meyen S. punctulatum Brébisson |
| 1993 | GENUS: [Staurastrum] Meyen S. sp. - |
| 1994 | GENUS: [Staurastrum] Meyen S. sp. - |
| 1995 | GENUS: [Staurastrum] Meyen S. hirsutum (Ehrenb.) Brébisson |
| 1995-A | GENUS: [Staurastrum] Meyen S. hirsutum (Ehrenb.) Brébisson |
| 1996 | GENUS: [Trochiscia] Kützing T. aciculifera (Lagerh.) Hansg. |
| 1997 | GENUS: [Trochiscia] Kützing T. hystrix (Reinsch) Hansgirg |
| 1998 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 1999 | GENUS: [Podohedra] Düringer P. bicaudata Geitler |
| 2000 | GENUS: [Podohedra] Düringer P. longipes Düringer |
| 2001 | GENUS: [Audouinella] Bory A. sp. |
| 2002 | GENUS: [Audouinella] Bory A. sp. |
| 2003 | GENUS: [Euglena] Ehrenberg E. deses Ehrenberg |
| 2004 | GENUS: [Spirotaenia] Brébisson S. obscura Ralfs |
| 2005 | GENUS: [Spirotaenia] Brébisson S. sp. - |
| 2006 | GENUS: [Euglena] Ehrenberg E. deses Ehrenberg |
| 2007 | GENUS: [Hydrianum] Rabenhorst H. diogenes (Jane) Fott |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2008 | GENUS: [Hydrianum] Rabenhorst <i>H. lageniforme</i> Korshikov |
| 2010 | GENUS: [Oedogonium] Link <i>O. undulatum</i> A. Braun |
| 2011 | GENUS: [Cyanothece] Komárek <i>C. aeruginosa</i> (Nägeli) Komárek |
| 2012 | GENUS: [Woronichinia] Elenkin <i>W. tenera</i> (Skuja) Komárek & Hindák |
| 2013 | GENUS: [Coelastropsis] Fott et Kalina <i>C. costata</i> (Korch.) Fott et Kalina |
| 2014 | GENUS: [Characium] A. Braun <i>C. acuminatum</i> A. Braun ex. Kützing |
| 2015 | GENUS: [Characium] A. Braun <i>C. conicum</i> Korshikov |
| 2016 | GENUS: [Characium] A. Braun <i>C. ornithocephalum</i> Braun |
| 2017 | GENUS: [Characium] A. Braun <i>C. brunthaleri</i> Printz |
| 2018 | GENUS: [Characium] A. Braun <i>C. starrii</i> Fott |
| 2019 | GENUS: [Crucigenia] Morren <i>C. tetrapedia</i> (Kirchn.) W. et G.S.West |
| 2020 | GENUS: [Schizochlamyde] Korshikov <i>S. delicatula</i> (G. S. West) Korshikov |
| 2021 | GENUS: [Tetraedriella] Pascher <i>T. regularis</i> (Kütz.) Fott |
| 2022 | GENUS: [Calothrix] Agardh <i>C. sp. -</i> |
| 2023 | GENUS: [Chlorolobion] Korchikoff <i>C. braunii</i> (Näg.) Komárek |
| 2024 | GENUS: [Calothrix] Agardh <i>C. sp. -</i> |
| 2026 | GENUS: [Pseudostaurastrum] (Hansgirg) Chodat <i>P. enorme</i> (Ralfs) R. Chodat |
| 2027 | GENUS: [Pseudostaurastrum] (Hansgirg) Chodat <i>P. sp. -</i> |
| 2028 | GENUS: [Pseudostaurastrum] (Hansgirg) Chodat <i>P. constrictum</i> (G. M. Smith) Capdevielle |
| 2029 | GENUS: [Dioxys] Pascher <i>D. sp. -</i> |
| 2030 | GENUS: [Microchaete] Thuret <i>M. tenera</i> Thuret |
| 2031 | GENUS: [Hydrianum] Rabenhorst <i>H. clava</i> (Herm.) Rabenhorst |
| 2032 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2033 | GENUS: [Scenedesmus] Meyen <i>S. quadrispina</i> Chodat |
| 2034 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 2035 | GENUS: [Scenedesmus] Meyen <i>S. spinosus</i> Chodat |
| 2036 | GENUS: [Scenedesmus] Meyen <i>S. longispina</i> R. Chodat |
| 2037 | GENUS: [Scenedesmus] Meyen <i>S. breviaculeatus</i> R. Chodat |
| 2038 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> var. <i>longispina</i> (Chod.) Hegewald et Hindák |
| 2039 | GENUS: [Scenedesmus] Meyen <i>S. intermedius</i> R. Chodat |
| 2040 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 2041 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 2042 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> var. <i>brevicaudatus</i> (Peterfi) Hegewald |
| 2043 | GENUS: [Scenedesmus] Meyen <i>S. tenuispina</i> Chodat |
| 2044 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 2045 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 2046 | GENUS: [Scenedesmus] Meyen <i>S. naegelii</i> Brébisson |
| 2047 | GENUS: [Scenedesmus] Meyen <i>S. brasiliensis</i> Bohlin |
| 2048 | GENUS: [Scenedesmus] Meyen <i>S. communis</i> Hegewald |
| 2049 | GENUS: [Scenedesmus] Meyen <i>S. aculeolatus</i> Reinsch |
| 2050 | GENUS: [Scenedesmus] Meyen <i>S. serratus</i> (Corda) Bohlin |
| 2051 | GENUS: [Scenedesmus] Meyen <i>S. armatus</i> Chodat |
| 2052 | GENUS: [Scenedesmus] Meyen <i>S. breviaculeatus</i> R. Chodat |
| 2054 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 2055 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 2056 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2057 | GENUS: [Scenedesmus] Meyen S. armatus var. brevicaudatus (Peterfi) Hegewald |
| 2058 | GENUS: [Scenedesmus] Meyen S. armatus Chodat |
| 2059 | GENUS: [Scenedesmus] Meyen S. aculeolatus Reinsch |
| 2060 | GENUS: [Scenedesmus] Meyen S. armatus var. bicaudatus (Guglielmetti) R. Chodat |
| 2061 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 2062 | GENUS: [Tetrastrum] Chodat T. alpinum (Schmidle) Schmidle |
| 2063 | GENUS: [Scenedesmus] Meyen S. armatus Chodat |
| 2064 | GENUS: [Coleochlamys] Korchikoff C. oleifera (Schussnig) Fott |
| 2065 | GENUS: [Scenedesmus] Meyen S. intermedius R. Chodat |
| 2066 | GENUS: [Scenedesmus] Meyen S. grahneisii (Heynig) Fott |
| 2067 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 2068 | GENUS: [Scenedesmus] Meyen S. armatus Chodat |
| 2069 | GENUS: [Scenedesmus] Meyen S. tenuispina Chodat |
| 2070 | GENUS: [Hydrianum] Rabenhorst H. sp. - |
| 2071 | GENUS: [Anabaena] Bory A. solicola ? Kondrat'eva |
| 2072 | GENUS: [Anabaena] Bory A. oscillarioides ? Bory |
| 2072-A | GENUS: [Anabaena] Bory A. oscillarioides ? Bory |
| 2073 | GENUS: [Anabaena] Bory A. variabilis Kützing |
| 2074 | GENUS: [Anabaena] Bory A. sphaerica Bornet et Flahault |
| 2075 | GENUS: [Anabaena] Bory A. cylindrica Lemmermann |
| 2076 | GENUS: [Anabaena] Bory A. sp. - |
| 2077 | GENUS: [Anabaena] Bory A. sphaerica Bornet et Flahault |
| 2078 | GENUS: [Anabaena] Bory A. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2079 | GENUS: [Anabaena] Bory A. sp. - |
| 2080 | GENUS: [Anabaena] Bory A. sp. - |
| 2081 | GENUS: [Anabaena] Bory A. variabilis Kützing |
| 2082 | GENUS: [Hydrocoryne] H. Schwabe ex Bornet & Flahault H. sp. - |
| 2083 | GENUS: [Anabaena] Bory A. variabilis Kützing |
| 2084 | GENUS: [Anabaena] Bory A. cylindrica Lemmermann |
| 2085 | GENUS: [Anabaena] Bory A. verrucosa ? J.B. Petersen |
| 2086 | GENUS: [Anabaena] Bory A. oscillarioides ? Bory |
| 2087 | GENUS: [Anabaena] Bory A. verrucosa J.B. Petersen |
| 2088 | GENUS: [Anabaena] Bory A. sphaerica Bornet et Flahault |
| 2089 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2090 | GENUS: [Gloeocapsa] Kützing G. bituminosa ? (Meneghini) Kützing |
| 2091 | GENUS: [Aphanothece] Nägeli A. pallida ? (Kützing) Rabenhorst |
| 2092 | GENUS: [Aphanothece] Nägeli A. stagnina (Spreng.) A. Braun |
| 2093 | GENUS: [Aphanothece] Nägeli A. sp. - |
| 2094 | GENUS: [Scenedesmus] Meyen S. obtusus Meyen |
| 2095 | GENUS: [Scenedesmus] Meyen S. pannonicus Hortobágyi |
| 2096 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 2097 | GENUS: [Scenedesmus] Meyen S. communis Hegewald |
| 2098 | GENUS: [Scenedesmus] Meyen S. armatus Chodat |
| 2099 | GENUS: [Microchaete] Thuret M. tenera var. major Möbius |
| 2100 | GENUS: [Anabaena] Bory A. sphaerica Bornet et Flahault |
| 2101 | GENUS: [Calothrix] Agardh C. weberi Schmidle |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2101-A | GENUS: [Calothrix] Agardh C. weberi Schmidle |
| 2102 | GENUS: [Calothrix] Agardh C. sp. - |
| 2103 | GENUS: [Calothrix] Agardh C. sp. - |
| 2104 | GENUS: [Calothrix] Agardh C. sp. - |
| 2105 | GENUS: [Calothrix] Agardh C. sp. - |
| 2106 | GENUS: [Calothrix] Agardh C. sp. - |
| 2107 | GENUS: [Calothrix] Agardh C. sp. - |
| 2108 | GENUS: [Calothrix] Agardh C. sp. - |
| 2109 | GENUS: [Scenedesmus] Meyen S. spinosus Chodat |
| 2110 | GENUS: [Scenedesmus] Meyen S. spinosus Chodat |
| 2111 | GENUS: [Scenedesmus] Meyen S. armatus Chodat |
| 2112 | GENUS: [Scenedesmus] Meyen S. intermedius R. Chodat |
| 2113 | GENUS: [Scenedesmus] Meyen S. breviaculeatus R. Chodat |
| 2114 | GENUS: [Scenedesmus] Meyen S. dispar (Bréb.) Rabenhorst |
| 2115 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 2116 | GENUS: [Cylindrospermum] Kützing C. alatosporum F. E. Fritsch |
| 2117 | GENUS: [Ecballocystis] K.H. Bohlin E. pulvinata Bohlin |
| 2118 | GENUS: [Oocystis] Nägeli O. parva W. et G. S. West |
| 2119 | GENUS: [Calothrix] Agardh C. wembaerensis Hieron et Schmidle |
| 2120 | GENUS: [Calothrix] Agardh C. sp. - |
| 2121 | GENUS: [Calothrix] Agardh C. sp. - |
| 2122 | GENUS: [Calothrix] Agardh C. sp. - |
| 2123 | GENUS: [Calothrix] Agardh C. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2124 | GENUS: [Calothrix] Agardh C. sp. - |
| 2125 | GENUS: [Calothrix] Agardh C. sp. - |
| 2126 | GENUS: [Calothrix] Agardh C. sp. - |
| 2127 | GENUS: [Calothrix] Agardh C. wembaerensis Hieron et Schmidle |
| 2128 | GENUS: [Calothrix] Agardh C. sp. - |
| 2129 | GENUS: [Chlorosphaeropsis] Vischer C. alveolata Herndon |
| 2130 | GENUS: [Calothrix] Agardh C. sp. - |
| 2131 | GENUS: [Calothrix] Agardh C. sp. - |
| 2132 | GENUS: [Calothrix] Agardh C. sp. - |
| 2133 | GENUS: [Calothrix] Agardh C. parietina (Nägeli) Thuret |
| 2134 | GENUS: [Calothrix] Agardh C. weberi Schmidle |
| 2135 | GENUS: [Calothrix] Agardh C. sp. - |
| 2136 | GENUS: [Calothrix] Agardh C. sp. - |
| 2137 | GENUS: [Chlorogloea] Wille C. purpurea ? Geitler |
| 2138 | GENUS: [Chroococcus] Nägeli C. turgidus var. subnudus Hansgirg |
| 2139 | GENUS: [Gloeocapsa] Kützing G. sp. - |
| 2140 | GENUS: [Chroococcus] Nägeli C. turgidus var. subnudus Hansgirg |
| 2141 | GENUS: [Chroococcus] Nägeli C. minutus (Kütz.) Nägeli |
| 2142 | GENUS: [Scenedesmus] Meyen S. naegelii Brébisson |
| 2143 | GENUS: [Scenedesmus] Meyen S. maximus (W. et G.S. West) Chodat |
| 2144 | GENUS: [Botrydiopsis] Borzi B. sp. - |
| 2145 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 2146 | GENUS: [Chroococcus] Nägeli C. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2147 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 2148 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 2149 | GENUS: [Cylindrospermum] Kützing C. majus Kützing |
| 2150 | GENUS: [Cylindrospermum] Kützing C. stagnale (Kützing) Bornet et Flahault |
| 2151 | GENUS: [Gloeocapsa] Kützing G. novacekii Komárek & Anagnostidis |
| 2152 | GENUS: [Gloeothece] Nägeli G. tepidariorum (A. Braun) Lagerheim |
| 2153 | GENUS: [Fischerella] (Bornet et Flahault) Gomont F. sp. - |
| 2154 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 2155 | GENUS: [Calothrix] Agardh C. sp. - |
| 2156 | GENUS: [Gloeocapsa] Kützing G. sp. - |
| 2157 | GENUS: [Schizothrix] Kützing S. sp. - |
| 2158 | GENUS: [Coleochlamys] Korchikoff C. oleifera (Schussnig) Fott |
| 2159 | GENUS: [Lyngbya] Agardh L. major Meneghini |
| 2160 | GENUS: [Microchaete] Thuret M. sp. - |
| 2161 | GENUS: [Microchaete] Thuret M. tenera Thuret |
| 2162 | GENUS: [Characiochloris] Pascher C. sp. - |
| 2163 | GENUS: [Characiochloris] Pascher C. sp. - |
| 2164 | GENUS: [Characiochloris] Pascher C. sp. - |
| 2165 | GENUS: [Cosmarium] Corda C. obliquum var. corribensiforme Messikommer |
| 2166 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2167 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2168 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. ellipsosporum ? Rabenhorst |
| 2169 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2170 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2171 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2172 | GENUS: [Phormidium] Kützing P. sp. - |
| 2173 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2174 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2175 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2176 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2177 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2178 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2179 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2180 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2181 | GENUS: [Scenedesmus] Meyen S. tibiscensis Uherkovich |
| 2182 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2183 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2184 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2185 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2186 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2187 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2188 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2189 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2190 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2191 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2192 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2193 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2194 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2195 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. gelatinosum Schousboe |
| 2196 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2197 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2198 | GENUS: [Radiosphaera] Snow R. sp. - |
| 2199 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2200 | GENUS: [Radiococcus] Schmidle R. planktonicus Lund |
| 2201 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2202 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2203 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2204 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2205 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2206 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2207 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2208 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2209 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2210 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2212 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2213 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2214 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2215 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2216 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2217 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. microscopicum Carmichael |
| 2218 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2219 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2220 | GENUS: [Oscillatoria] Vaucher O. amoena ? (Kützing) Gomont |
| 2221 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2222 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2223 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2224 | GENUS: [Oscillatoria] Vaucher O. splendida Greville |
| 2225 | GENUS: [Oscillatoria] Vaucher O. mougeotii (Kütz.) Forti |
| 2226 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2227 | GENUS: [Phormidium] Kützing P. autumnale (Agardh) Gomont |
| 2228 | GENUS: [Phormidium] Kützing P. coutinhoi J. Sampaio |
| 2229 | GENUS: [Phormidium] Kützing P. sp. - |
| 2230 | GENUS: [Phormidium] Kützing P. sp. - |
| 2231 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2232 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2233 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2234 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2235 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2236 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2237 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2238 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2239 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2240 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2241 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2242 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2243 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2244 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2245 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2246 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2247 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2248 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2249 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2250 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2251 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2252 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2253 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2254 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2255 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2256 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2257 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2258 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2259 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2260 | GENUS: [Westella] De-Wildeman W. botryoides (W. West) De-Wildeman |
| 2261 | GENUS: [Phormidium] Kützing P. sp. - |
| 2262 | GENUS: [Phormidium] Kützing P. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2263 | GENUS: [Phormidium] Kützing P. sp. - |
| 2264 | GENUS: [Phormidium] Kützing P. subfuscum (Agardh) Kützing |
| 2265 | GENUS: [Phormidium] Kützing P. sp. - |
| 2266 | GENUS: [Phormidium] Kützing P. ambiguum Gomont |
| 2267 | GENUS: [Phormidium] Kützing P. sp. - |
| 2268 | GENUS: [Phormidium] Kützing P. sp. - |
| 2269 | GENUS: [Phormidium] Kützing P. sp. - |
| 2270 | GENUS: [Phormidium] Kützing P. sp. - |
| 2271 | GENUS: [Phormidium] Kützing P. laminosum (C. Agardh) Gomont |
| 2272 | GENUS: [Phormidium] Kützing P. sp. - |
| 2273 | GENUS: [Plectonema] Thuret P. boryanum Gomont |
| 2274 | GENUS: [Plectonema] Thuret P. sp. - |
| 2275 | GENUS: [Phormidium] Kützing P. sp. - |
| 2276 | GENUS: [Plectonema] Thuret P. boryanum Gomont |
| 2277 | GENUS: [Plectonema] Thuret P. edaphicum (Elenkin) Vulina |
| 2278 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 2278-A | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 2280 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 2281 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 2282 | GENUS: [Scytonema] Agardh S. sp. - |
| 2283 | GENUS: [Scytonema] Agardh S. schmidtii Gomont |
| 2285 | GENUS: [Scytonema] Agardh S. obscurum Hansgirg |
| 2286 | GENUS: [Scytonema] Agardh S. obscurum Hansgirg |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2287 | GENUS: [Scytonema] Agardh S. sp. - |
| 2288 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2289 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2290 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2291 | GENUS: [Scytonema] Agardh S. sp. - |
| 2292 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2293 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2294 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2295 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2296 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2297 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2298 | GENUS: [Colacium] Ehrenberg C. vesiculosum Ehrenberg |
| 2299 | GENUS: [Protosiphon] Klebs P. sp. - |
| 2300 | GENUS: [Botrydiopsis] Borzi B. arhiza Borzi |
| 2301 | GENUS: [Botrydiopsis] Borzi B. sp. - |
| 2302 | GENUS: [Botrydiopsis] Borzi B. sp. - |
| 2303 | GENUS: [Calothrix] Agardh C. sp. - |
| 2304 | GENUS: [Ophiocytium] Nägeli O. gracilipes (A. Braun) Rabenhorst |
| 2305 | GENUS: [Ophiocytium] Nägeli O. maius Nägeli |
| 2306 | GENUS: [Heterothrix] Pascher H. debilis Vischer |
| 2307 | GENUS: [Heterothrix] Pascher H. sp. - |
| 2308 | GENUS: [Heterothrix] Pascher H. sp. - |
| 2309 | GENUS: [Heterothrix] Pascher H. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2310 | GENUS: [Ophiocytium] Nägeli O. sp. - |
| 2311 | GENUS: [Ophiocytium] Nägeli O. sp. - |
| 2312 | GENUS: [Ophiocytium] Nägeli O. maius Nägeli |
| 2313 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2314 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2315 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2316 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2317 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2318 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2319 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2320 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2321 | GENUS: [Vaucheria] De Candolle V. repens A.H. Hassall |
| 2322 | GENUS: [Vaucheria] De Candolle V. sp. - |
| 2323 | GENUS: [Vaucheria] De Candolle V. sessilis (Vaucher) de Candolle |
| 2324 | GENUS: [Vaucheria] De Candolle V. sp. - |
| 2325 | GENUS: [Vaucheria] De Candolle V. repens A.H. Hassall |
| 2326 | GENUS: [Characium] A. Braun C. acuminatum A. Braun ex. Kützing |
| 2327 | GENUS: [Characium] A. Braun C. cucurbitinum Jao |
| 2328 | GENUS: [Aphanocapsa] Nägeli A. muscicola ? (Meneghini) Wille |
| 2329 | GENUS: [Aphanothece] Nägeli A. castagnei ? (Bréb.) Rabenhorst |
| 2330 | GENUS: [Aphanothece] Nägeli A. sp. - |
| 2331 | GENUS: [Aphanothece] Nägeli A. sp. - |
| 2332 | GENUS: [Oscillatoria] Vaucher O. acutissima ? Kufferath |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2333 | GENUS: [Oscillatoria] Vaucher O. amoena (Kützing) Gomont |
| 2334 | GENUS: [Oscillatoria] Vaucher O. amoena (Kützing) Gomont |
| 2335 | GENUS: [Oscillatoria] Vaucher O. amoena (Kützing) Gomont |
| 2336 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2337 | GENUS: [Oscillatoria] Vaucher O. amoena (Kützing) Gomont |
| 2338 | GENUS: [Oscillatoria] Vaucher O. mougeotii (Kütz.) Forti |
| 2339 | GENUS: [Phormidium] Kützing P. sp. - |
| 2340 | GENUS: [Plectonema] Thuret P. boryanum Gomont |
| 2341 | GENUS: [Plectonema] Thuret P. schmidlei Limanowska |
| 2342 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 2343 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 2344 | GENUS: [Colacium] Ehrenberg C. sp. - |
| 2345 | GENUS: [Colacium] Ehrenberg C. vesiculosum Ehrenberg |
| 2346 | GENUS: [Euglena] Ehrenberg E. viridis Ehrenberg |
| 2347 | GENUS: [Euglena] Ehrenberg E. sp. - |
| 2348 | GENUS: [Euglena] Ehrenberg E. mutabilis ? Schmitz |
| 2348-A | GENUS: [Euglena] Ehrenberg E. mutabilis ? Schmitz |
| 2348-B | GENUS: [Euglena] Ehrenberg E. mutabilis ? Schmitz |
| 2349 | GENUS: [Euglena] Ehrenberg E. sp. - |
| 2350 | GENUS: [Euglena] Ehrenberg E. agilis Carter |
| 2351 | GENUS: [Euglena] Ehrenberg E. agilis Carter |
| 2352 | GENUS: [Euglena] Ehrenberg E. stellata Mainx |
| 2353 | GENUS: [Euglena] Ehrenberg E. agilis Carter |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2354 | GENUS: [Euglena] Ehrenberg <i>E. agilis</i> Carter |
| 2355 | GENUS: [Euglena] Ehrenberg <i>E. mutabilis</i> Schmitz |
| 2356 | GENUS: [Euglena] Ehrenberg <i>E. sp. -</i> |
| 2356-A | GENUS: [Euglena] Ehrenberg <i>E. sp. -</i> |
| 2357 | GENUS: [Euglena] Ehrenberg <i>E. limnophila</i> var. <i>minor</i> H. Kufferath |
| 2358 | GENUS: [Euglena] Ehrenberg <i>E. limnophila</i> Lemmermann |
| 2359 | GENUS: [Euglena] Ehrenberg <i>E. mutabilis</i> Schmitz |
| 2360 | GENUS: [Euglena] Ehrenberg <i>E. sp. -</i> |
| 2361 | GENUS: [Euglena] Ehrenberg <i>E. limnophila</i> Lemmermann |
| 2362 | GENUS: [Euglena] Ehrenberg <i>E. deses</i> Ehrenberg |
| 2363 | GENUS: [Euglena] Ehrenberg <i>E. mutabilis</i> Schmitz |
| 2364 | GENUS: [Euglena] Ehrenberg <i>E. agilis</i> Carter |
| 2365 | GENUS: [Euglena] Ehrenberg <i>E. gracilis</i> Klebs |
| 2366 | GENUS: [Euglena] Ehrenberg <i>E. mutabilis</i> Schmitz |
| 2367 | GENUS: [Euglena] Ehrenberg <i>E. geniculata</i> Dujardin |
| 2368 | GENUS: [Euglena] Ehrenberg <i>E. mutabilis</i> Schmitz |
| 2369 | GENUS: [Euglena] Ehrenberg <i>E. agilis</i> Carter |
| 2370 | GENUS: [Euglena] Ehrenberg <i>E. sp. -</i> |
| 2371 | GENUS: [Lepocinclis] Perty <i>L. sp. -</i> |
| 2371-A | GENUS: [Lepocinclis] Perty <i>L. sp. -</i> |
| 2372 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> var. <i>orbicularis</i> fa. <i>communis</i> Popova |
| 2373 | GENUS: [Phacus] Dujardin <i>P. inflexus</i> (Kiss.) Pochmann |
| 2374 | GENUS: [Phacus] Dujardin <i>P. orbicularis</i> Hübner |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2375 | GENUS: [Monomorphina] Mereschkowsky M. pyrum ? (Ehrenberg) Mereschkowsky |
| 2376 | GENUS: [Phacus] Dujardin P. platyaulax Pochmann |
| 2377 | GENUS: [Phacus] Dujardin P. pusillus ? Lemmermann |
| 2378 | GENUS: [Phacus] Dujardin P. cylindraceus Popowa |
| 2379 | GENUS: [Phacus] Dujardin P. orbicularis var. orbicularis fa. cingeri (Roll) Safonowa |
| 2380 | GENUS: [Monomorphina] Mereschkowsky M. aenigmatica ? (Drezepolski) Nudelman et Triemer |
| 2381 | GENUS: [Phacus] Dujardin P. pusillus Lemmermann |
| 2382 | GENUS: [Monomorphina] Mereschkowsky M. aenigmatica ? (Drezepolski) Nudelman et Triemer |
| 2383 | GENUS: [Monomorphina] Mereschkowsky M. pyrum ? (Ehrenberg) Mereschkowsky |
| 2384 | GENUS: [Monomorphina] Mereschkowsky M. pyrum ? (Ehrenberg) Mereschkowsky |
| 2385 | GENUS: [Phacus] Dujardin P. orbicularis var. orbicularis fa. cingeri (Roll) Safonowa |
| 2386 | GENUS: [Monomorphina] Mereschkowsky M. aenigmatica ? (Drezepolski) Nudelman et Triemer |
| 2387 | GENUS: [Phacus] Dujardin P. orbicularis Hübner |
| 2388 | GENUS: [Phacus] Dujardin P. trypanon Pochmann |
| 2389 | GENUS: [Phacus] Dujardin P. pusillus Lemmermann |
| 2390 | GENUS: [Trachelomonas] Ehrenberg T. sp. - |
| 2391 | GENUS: [Trachelomonas] Ehrenberg T. sp. - |
| 2392 | GENUS: [Trachelomonas] Ehrenberg T. sp. - |
| 2393 | GENUS: [Botrydium] Wallroth B. cystosum Vischer |
| 2394 | GENUS: [Bumilleriopsis] Printz B. megacystis Skuja |
| 2395 | GENUS: [Tribonema] Derbès et Solier T. regulare Pascher |
| 2396 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2397 | GENUS: [Tribonema] Derbès et Solier T. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2398 | GENUS: [Tribonema] Derbès et Solier T. sp. - |
| 2399 | GENUS: [Vaucheria] De Candolle V. geminata (Vaucher) De Candolle |
| 2400 | GENUS: [Apistonema] Pascher A. sp. - |
| 2401 | GENUS: [Apistonema] Pascher A. sp. - |
| 2402 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2403 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2404 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2405 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2406 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2407 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2408 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2409 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2410 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2411 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2412 | GENUS: [Phaeoschizochlamys] Lemmermann P. delicatula (West) Bourrelly |
| 2413 | GENUS: [Anabaena] Bory A. sphaerica Bornet et Flahault |
| 2414 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2415 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2416 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. paludosum Kützing |
| 2417 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2418 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2419 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2420 | GENUS: [Lyngbya] Agardh L. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2421 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2422 | GENUS: [Phormidium] Kützing P. sp. ? |
| 2423 | GENUS: [Characiopsis] Borzi C. minuta (A. Braun) Borzi |
| 2423-A | GENUS: [Characiopsis] Borzi C. minuta (A. Braun) Borzi |
| 2424 | GENUS: [Characiopsis] Borzi C. aquilonaris ? Skuja |
| 2424-A | GENUS: [Characiopsis] Borzi C. aquilonaris ? Skuja |
| 2424-B | GENUS: [Characiopsis] Borzi C. aquilonaris ? Skuja |
| 2425 | GENUS: [Characiopsis] Borzi C. minuta (A. Braun) Borzi |
| 2426 | GENUS: [Characiopsis] Borzi C. minima Pascher |
| 2427 | GENUS: [Characiopsis] Borzi C. minutissima ? Pascher |
| 2427-A | GENUS: [Characiopsis] Borzi C. minutissima ? Pascher |
| 2428 | GENUS: [Characiopsis] Borzi C. sp. |
| 2429 | GENUS: [Characiopsis] Borzi C. minuta ? (A. Braun) Borzi |
| 2429-A | GENUS: [Characiopsis] Borzi C. minuta ? (A. Braun) Borzi |
| 2430 | GENUS: [Characiopsis] Borzi C. sp. |
| 2431 | GENUS: [Characiopsis] Borzi C. sp. |
| 2433 | GENUS: [Characiopsis] Borzi C. pernana Pascher |
| 2434 | GENUS: [Characiopsis] Borzi C. cedercreutzii Pascher |
| 2435 | GENUS: [Characiopsis] Borzi C. cedercreutzii Pascher |
| 2436 | GENUS: [Characiopsis] Borzi C. cedercreutzii Pascher |
| 2437 | GENUS: [Characiopsis] Borzi C. anabaenae Pascher |
| 2438 | GENUS: [Characiopsis] Borzi C. longipes (Rabenh.) Borzi |
| 2438-A | GENUS: [Characiopsis] Borzi C. longipes (Rabenh.) Borzi |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2438-B | GENUS: [Characiopsis] Borzi <i>C. longipes</i> (Rabenh.) Borzi |
| 2439 | GENUS: [Characiopsis] Borzi <i>C. sp.</i> |
| 2440 | GENUS: [Characiopsis] Borzi <i>C. sp.</i> |
| 2440-A | GENUS: [Characiopsis] Borzi <i>C. sp.</i> |
| 2441 | GENUS: [Pseudostaurastrum] (Hansgirg) Chodat <i>P. hastatum</i> (Reinsch) Chodat |
| 2442 | GENUS: [Phormidium] Kützing <i>P. luridum</i> (Kützing) Gomont |
| 2443 | GENUS: [Phormidium] Kützing <i>P. sp. -</i> |
| 2444 | GENUS: [Tolypothrix] Kützing <i>T. tenuis</i> Kützing |
| 2445 | GENUS: [Tolypothrix] Kützing <i>T. rupestris</i> Wolle |
| 2446 | GENUS: [Tetrademus] G. M. Smith <i>T. wisconsinensis</i> G.M. Smith |
| 2447 | GENUS: [Closteriopsis] Lemmermann <i>C. acicularis</i> (G.M. Smith) Belcher & Swale |
| 2448 | GENUS: [Tetrastrum] Chodat <i>T. hortobagyii</i> Hajdu |
| 2449 | GENUS: [Scytonema] Agardh <i>S. sp. -</i> |
| 2450 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. sp. -</i> |
| 2451 | GENUS: [Plectonema] Thuret <i>P. boryanum</i> Gomont |
| 2452 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. sp. -</i> |
| 2453 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault <i>N. sp. -</i> |
| 2454 | GENUS: [Tolypothrix] Kützing <i>T. sp. -</i> |
| 2455 | GENUS: [Tribonema] Derbès et Solier <i>T. sp. -</i> |
| 2456 | GENUS: [Tribonema] Derbès et Solier <i>T. sp. -</i> |
| 2457 | GENUS: [Euglena] Ehrenberg <i>E. sp. -</i> |
| 2458 | GENUS: [Oedogonium] Link <i>O. sp. -</i> |
| 2459 | GENUS: [Oedogonium] Link <i>O. sp. -</i> |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2460 | GENUS: [Oedogonium] Link O. sp. - |
| 2461 | GENUS: [Oedogonium] Link O. sp. - |
| 2462 | GENUS: [Oedogonium] Link O. sp. - |
| 2463 | GENUS: [Oedogonium] Link O. vaucherii ? (Le Clerc) A. Braun |
| 2464 | GENUS: [Oedogonium] Link O. sp. - |
| 2465 | GENUS: [Oedogonium] Link O. sp. - |
| 2466 | GENUS: [Oedogonium] Link O. itzigsohnii var. minus W. West |
| 2467 | GENUS: [Oedogonium] Link O. sp. - |
| 2468 | GENUS: [Oedogonium] Link O. sp. - |
| 2469 | GENUS: [Oedogonium] Link O. sp. - |
| 2470 | GENUS: [Oedogonium] Link O. sp. - |
| 2471 | GENUS: [Oedogonium] Link O. sp. - |
| 2472 | GENUS: [Oedogonium] Link O. sp. - |
| 2473 | GENUS: [Oedogonium] Link O. suecicum Wittrock |
| 2474 | GENUS: [Oedogonium] Link O. sp. - |
| 2475 | GENUS: [Oedogonium] Link O. sp. - |
| 2476 | GENUS: [Oedogonium] Link O. sp. - |
| 2477 | GENUS: [Oedogonium] Link O. sp. - |
| 2478 | GENUS: [Oedogonium] Link O. sp. - |
| 2479 | GENUS: [Oedogonium] Link O. sp. - |
| 2480 | GENUS: [Oedogonium] Link O. sp. - |
| 2481 | GENUS: [Oedogonium] Link O. sp. - |
| 2482 | GENUS: [Oedogonium] Link O. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2483 | GENUS: [Oedogonium] Link O. sp. - |
| 2484 | GENUS: [Oedogonium] Link O. sp. - |
| 2485 | GENUS: [Oedogonium] Link O. sp. - |
| 2486 | GENUS: [Oedogonium] Link O. sp. - |
| 2487 | GENUS: [Oedogonium] Link O. sp. - |
| 2488 | GENUS: [Oedogonium] Link O. sp. - |
| 2489 | GENUS: [Oedogonium] Link O. sp. - |
| 2490 | GENUS: [Oedogonium] Link O. sp. - |
| 2491 | GENUS: [Oedogonium] Link O. sp. - |
| 2492 | GENUS: [Oedogonium] Link O. crispum (Hassal) Wittrock |
| 2493 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 2494 | GENUS: [Ankistrodesmus] Corda A. densus Korchikoff |
| 2495 | GENUS: [Kirchneriella] Schmidle K. irregularis (Smith) Korshikov |
| 2496 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |
| 2497 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |
| 2498 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2499 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2500 | GENUS: [Kirchneriella] Schmidle K. contorta (Schmidle) Bohlin |
| 2501 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2502 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2503 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2504 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2505 | GENUS: [Kirchneriella] Schmidle K. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2506 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2507 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2508 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2509 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2510 | GENUS: [Gloeocapsa] Kützing G. sp. - |
| 2511 | GENUS: [Nostochopsis] Wood ex Bornet et Flahault N. sp. - |
| 2512 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2513 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2514 | GENUS: [Ankistrodesmus] Corda A. subtilis Hindák |
| 2515 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2516 | GENUS: [Scenedesmus] Meyen S. pleiomorphus Hindák |
| 2517 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 2518 | GENUS: [Ankistrodesmus] Corda A. sp. - |
| 2519 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2520 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2521 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2522 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2523 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2524 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2525 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2526 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2527 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 2528 | GENUS: [Spirogyra] Link S. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2529 | GENUS: [Spirogyra] Link S. sp. - |
| 2530 | GENUS: [Spirogyra] Link S. sp. - |
| 2531 | GENUS: [Spirogyra] Link S. sp. - |
| 2532 | GENUS: [Spirogyra] Link S. sp. - |
| 2533 | GENUS: [Spirogyra] Link S. sp. - |
| 2534 | GENUS: [Spirogyra] Link S. sp. - |
| 2535 | GENUS: [Spirogyra] Link S. sp. - |
| 2536 | GENUS: [Spirogyra] Link S. sp. - |
| 2537 | GENUS: [Spirogyra] Link S. sp. - |
| 2538 | GENUS: [Spirogyra] Link S. sp. - |
| 2539 | GENUS: [Spirogyra] Link S. sp. - |
| 2540 | GENUS: [Spirogyra] Link S. sp. - |
| 2541 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2542 | GENUS: [Zygnema] Agardh Z. frigidum Taft |
| 2543 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2544 | GENUS: [Zygnema] Agardh Z. collinsianum Transeau |
| 2545 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2546 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2547 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2548 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2549 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2550 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2551 | GENUS: [Zygnema] Agardh Z. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2552 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2553 | GENUS: [Zygnema] Agardh Z. sp. - |
| 2554 | GENUS: [Oedogonium] Link O. sp. - |
| 2555 | GENUS: [Botryococcus] Kützing B. braunii Kützing |
| 2556 | GENUS: [Botryococcus] Kützing B. braunii Kützing |
| 2557 | GENUS: [Botryococcus] Kützing B. braunii Kützing |
| 2558 | GENUS: [Nephrocytium] Nägeli N. sp. - |
| 2559 | GENUS: [Nephrocytium] Nägeli N. sp. - |
| 2560 | GENUS: [Nephrocytium] Nägeli N. sp. - |
| 2561 | GENUS: [Nephrocytium] Nägeli N. sp. - |
| 2562 | GENUS: [Nephrocytium] Nägeli N. sp. - |
| 2563 | GENUS: [Plectonema] Thuret P. sp. - |
| 2564 | GENUS: [Calothrix] Agardh C. sp. - |
| 2565 | GENUS: [Chlorolobion] Korchikoff C. braunii (Näg.) Komárek |
| 2566 | GENUS: [Chlorolobion] Korchikoff C. braunii (Näg.) Komárek |
| 2567 | GENUS: [Chlorolobion] Korchikoff C. braunii (Näg.) Komárek |
| 2568 | GENUS: [Coelastrum] Nägeli C. sphaericum Nägeli |
| 2569 | GENUS: [Coelastrum] Nägeli C. reticulatum Dangeard |
| 2570 | GENUS: [Coelastrum] Nägeli C. sphaericum Nägeli |
| 2571 | GENUS: [Coelastrum] Nägeli C. pseudomicroporum Korchikoff |
| 2572 | GENUS: [Coelastrum] Nägeli C. morus W. et G. S. West |
| 2573 | GENUS: [Coelastrum] Nägeli C. sp. - |
| 2574 | GENUS: [Coelastrum] Nägeli C. astroideum De Notaris |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2575 | GENUS: [Coelastrum] Nägeli <i>C. microporum</i> Nägeli |
| 2576 | GENUS: [Coelastrum] Nägeli <i>C. pseudomicroporum</i> Korchikoff |
| 2577 | GENUS: [Phormidium] Kützing <i>P. fragile</i> (Meneghini) Gomont |
| 2578 | GENUS: [Oscillatoria] Vaucher <i>O. pseudacutissima</i> Geitler |
| 2579 | GENUS: [Lobococcus] Reisiğl <i>L. macronucleatus</i> (Deason) Bourrelly |
| 2580 | GENUS: [Lobococcus] Reisiğl <i>L. macronucleatus</i> (Deason) Bourrelly |
| 2581 | GENUS: [Scenedesmus] Meyen <i>S. obliquus</i> (Turp.) Kützing |
| 2582 | GENUS: [Micractinium] Fresenius <i>M. sp. -</i> |
| 2583 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. komarkovae</i> Nygaard |
| 2584 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. subclavatum</i> Nygaard |
| 2585 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. sp. -</i> |
| 2586 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. sp. -</i> |
| 2587 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. komarkovae</i> Nygaard |
| 2588 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. dybowskii</i> (Wolosz.) Hindak & Komárková-Legnerová |
| 2589 | GENUS: [Monoraphidium] Komárková-Legnerová <i>M. komarkovae</i> Nygaard |
| 2590 | GENUS: [Oocystis] Nägeli <i>O. tainoensis</i> Komarek |
| 2591 | GENUS: [Oocystis] Nägeli <i>O. sp. -</i> |
| 2592 | GENUS: [Oocystis] Nägeli <i>O. marssonii</i> Lemmermann |
| 2593 | GENUS: [Oocystis] Nägeli <i>O. solitaria</i> Wittrock |
| 2594 | GENUS: [Oocystis] Nägeli <i>O. sp. -</i> |
| 2595 | GENUS: [Oocystis] Nägeli <i>O. sp. -</i> |
| 2596 | GENUS: [Oocystis] Nägeli <i>O. sp. -</i> |
| 2597 | GENUS: [Oocystis] Nägeli <i>O. sp. -</i> |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2598 | GENUS: [Oocystis] Nägeli O. sp. - |
| 2599 | GENUS: [Oocystis] Nägeli O. sp. - |
| 2600 | GENUS: [Oocystis] Nägeli O. lacustris Chodat |
| 2601 | GENUS: [Oocystis] Nägeli O. solitaria Wittrock |
| 2602 | GENUS: [Oocystis] Nägeli O. lacustris Chodat |
| 2603 | GENUS: [Oocystis] Nägeli O. solitaria Wittrock |
| 2604 | GENUS: [Oocystis] Nägeli O. lacustris Chodat |
| 2605 | GENUS: [Oocystis] Nägeli O. lacustris Chodat |
| 2606 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 2607 | GENUS: [Tetradesmus] G. M. Smith T. lunatus Korchikoff |
| 2608 | GENUS: [Tetradesmus] G. M. Smith T. lunatus Korchikoff |
| 2609 | GENUS: [Tetraedron] Kützing T. caudatum (Corda) Hansgirg |
| 2610 | GENUS: [Tetraedron] Kützing T. minimum var. scrobiculatum Lagerheim |
| 2611 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2612 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2613 | GENUS: [Spirogyra] Link S. sp. - |
| 2614 | GENUS: [Cylindrocapsa] Reinsch C. geminella ? (Wolle) Wolle |
| 2615 | GENUS: [Cylindrocapsa] Reinsch C. sp. - |
| 2616 | GENUS: [Cylindrocapsa] Reinsch C. sp. - |
| 2617 | GENUS: [Tetracystis] R.M. Brown & H.C. Bold T. sp. - |
| 2618 | GENUS: [Tetracystis] R.M. Brown & H.C. Bold T. sp. - |
| 2619 | GENUS: [Tetracystis] R.M. Brown & H.C. Bold T. sp. - |
| 2620 | GENUS: [Tetracystis] R.M. Brown & H.C. Bold T. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2621 | GENUS: [Trebouxia] De Puymaly T. crenulata Archibald |
| 2622 | GENUS: [Trebouxia] De Puymaly T. sp. - |
| 2623 | GENUS: [Trebouxia] De Puymaly T. sp. - |
| 2624 | GENUS: [Trebouxia] De Puymaly T. sp. - |
| 2625 | GENUS: [Trebouxia] De Puymaly T. sp. - |
| 2627 | GENUS: [Geminella] Turpin G. interrupta (Turpin) Lagerheim |
| 2628 | GENUS: [Geminella] Turpin G. terricola Boye-Petersen |
| 2629 | GENUS: [Geminella] Turpin G. sp. - |
| 2630 | GENUS: [Geminella] Turpin G. terricola Boye-Petersen |
| 2631 | GENUS: [Gloeotila] Kützing G. pelagica (Nygaard) Skuja |
| 2632 | GENUS: [Oocystis] Nägeli O. parva W. et G. S. West |
| 2633 | GENUS: [Coleochaete] Brébisson C. pulvinata A. Braun |
| 2634 | GENUS: [Coleochaete] Brébisson C. sp. - |
| 2635 | GENUS: [Coleochaete] Brébisson C. sp. - |
| 2636 | GENUS: [Coleochaete] Brébisson C. sp. - |
| 2637 | GENUS: [Chlorhormidium] Fott C. sp. - |
| 2638 | GENUS: [Chlorhormidium] Fott C. sp. - |
| 2639 | GENUS: [Chlorhormidium] Fott C. sp. - |
| 2640 | GENUS: [Chlorhormidium] Fott C. pseudostichococcum (Heering) Fott |
| 2641 | GENUS: [Chlorhormidium] Fott C. sp. - |
| 2642 | GENUS: [Stichococcus] Nägeli S. sp. - |
| 2643 | GENUS: [Stichococcus] Nägeli S. sp. - |
| 2644 | GENUS: [Chlorhormidium] Fott C. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2645 | GENUS: [Chlorhormidium] Fott C. sp. - |
| 2646 | GENUS: [Chlorhormidium] Fott C. sp. - |
| 2647 | GENUS: [Chaetosphaeridium] (Nordst.) Klebahn C. sp. - |
| 2648 | GENUS: [Chaetosphaeridium] (Nordst.) Klebahn C. sp. - |
| 2649 | GENUS: [Chaetosphaeridium] (Nordst.) Klebahn C. sp. - |
| 2650 | GENUS: [Chaetosphaeridium] (Nordst.) Klebahn C. sp. - |
| 2651 | GENUS: [Uronema] Lagerheim U. sp. - |
| 2652 | GENUS: [Uronema] Lagerheim U. confervicola Lagerheim |
| 2653 | GENUS: [Uronema] Lagerheim U. sp. - |
| 2654 | GENUS: [Draparnaldia] Bory D. sp. - |
| 2655 | GENUS: [Leptosira] Borzi L. obovata Vischer |
| 2656 | GENUS: [Microthamnion] Nägeli M. sp. - |
| 2657 | GENUS: [Microthamnion] Nägeli M. strictissimum Rabenhorst |
| 2658 | GENUS: [Microthamnion] Nägeli M. strictissimum Rabenhorst |
| 2659 | GENUS: [Microthamnion] Nägeli M. sp. - |
| 2660 | GENUS: [Microthamnion] Nägeli M. sp. - |
| 2661 | GENUS: [Coleochaete] Brébisson C. sp. - |
| 2662 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2663 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2664 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2665 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2667 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2667-A | GENUS: [Stigeoclonium] Kützing S. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2668 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2669 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2670 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2671 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2672 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2673 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2674 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2675 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2676 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2677 | GENUS: [Stigeoclonium] Kützing S. sp. - |
| 2678 | GENUS: [Phormidium] Kützing P. fragile (Meneghini) Gomont |
| 2679 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 2680 | GENUS: [Cladophora] Kützing C. sp. - |
| 2681 | GENUS: [Chlorolobion] Korchikoff C. lunulatum Hindák |
| 2682 | GENUS: [Scenedesmus] Meyen S. serratus (Corda) Bohlin |
| 2683 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 2684 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 2685 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 2686 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 2687 | GENUS: [Eremosphaera] De Bary E. gigas (Arch.) Fott et Kalina |
| 2688 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 2689 | GENUS: [Geminella] Turpin G. terricola ? |
| 2690 | GENUS: [Coelastrum] Nägeli C. polychordum (Korshikov) F. Hindák |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2691 | GENUS: [Coelastrum] Nägeli C. polychordum (Korshikov) F. Hindák |
| 2692 | GENUS: [Coelastrum] Nägeli C. polychordum (Korshikov) F. Hindák |
| 2693 | GENUS: [Coelastrum] Nägeli C. pseudomicroporum Korchikoff |
| 2694 | GENUS: [Rhizoclonium] Kützing R. sp. - |
| 2695 | GENUS: [Apatococcus] Brand A. sp. - |
| 2696 | GENUS: [Cylindrocystis] Meneghini C. sp. - |
| 2697 | GENUS: [Cylindrocystis] Meneghini C. anomala Taft |
| 2698 | GENUS: [Cylindrocystis] Meneghini C. sp. - |
| 2699 | GENUS: [Cylindrocystis] Meneghini C. brebissonii var. minor W. West & G. S. West |
| 2700 | GENUS: [Cylindrocystis] Meneghini C. sp. - |
| 2701 | GENUS: [Cylindrocystis] Meneghini C. sp. - |
| 2702 | GENUS: [Mesotaenium] Nägeli M. caldariorum (Lagerh.) Hansgirg |
| 2703 | GENUS: [Mesotaenium] Nägeli M. endlicherianum Nägeli |
| 2704 | GENUS: [Mesotaenium] Nägeli M. sp. - |
| 2705 | GENUS: [Mesotaenium] Nägeli M. sp. - |
| 2706 | GENUS: [Mesotaenium] Nägeli M. sp. - |
| 2707 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. sp. - |
| 2708 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. sp. - |
| 2709 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. sp. - |
| 2710 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. sp. - |
| 2711 | GENUS: [Netrium] (Nägeli) Itzigsohn et Rothe N. sp. - |
| 2712 | GENUS: [Anabaena] Bory A. cylindrica Lemmermann |
| 2713 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2714 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2715 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2716 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2717 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2718 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2719 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2720 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2721 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2722 | GENUS: [Actinotaenium] (Näg.) Teiling A. sp. - |
| 2723 | GENUS: [Closterium] Nitzsch C. acerosum (Schrank) Ehrenberg |
| 2724 | GENUS: [Closterium] Nitzsch C. acerosum (Schrank) Ehrenberg |
| 2725 | GENUS: [Closterium] Nitzsch C. acerosum (Schrank) Ehrenberg |
| 2726 | GENUS: [Closterium] Nitzsch C. moniliferum (Bory) Ehrenberg |
| 2727 | GENUS: [Closterium] Nitzsch C. pronum Brébisson |
| 2728 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2729 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2730 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2731 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2732 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2733 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2734 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2735 | GENUS: [Closterium] Nitzsch C. sp. - |
| 2736 | GENUS: [Lagerheimia] Chodat L. subsalsa Lemmermann |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2737 | GENUS: [Chlorhormidium] Fott C. flaccidum (Kütz.) Fott |
| 2738 | GENUS: [Oscillatoria] Vaucher O. pseudacutissima Geitler |
| 2739 | GENUS: [Trichosarcina] Nichols et Bold T. polymorpha ? Nichols et Bold |
| 2740 | GENUS: [Oocystis] Nägeli O. panduriformis West & West |
| 2741 | GENUS: [Scenedesmus] Meyen S. spinosus Chodat |
| 2742 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2743 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 2744 | GENUS: [Cosmarium] Corda C. sp. - |
| 2745 | GENUS: [Cosmarium] Corda C. sp. - |
| 2746 | GENUS: [Cosmarium] Corda C. sp. - |
| 2747 | GENUS: [Cosmarium] Corda C. sp. - |
| 2748 | GENUS: [Cosmarium] Corda C. sportella Brébisson |
| 2749 | GENUS: [Cosmarium] Corda C. sportella var. subnudun W. et G.S. West |
| 2750 | GENUS: [Cosmarium] Corda C. sp. - |
| 2751 | GENUS: [Cosmarium] Corda C. sp. - |
| 2752 | GENUS: [Cosmarium] Corda C. sp. - |
| 2753 | GENUS: [Geminella] Turpin G. sp. - |
| 2754 | GENUS: [Spirogyra] Link S. sp. - |
| 2755 | GENUS: [Oocystidium] O. Korshikov O. ovale O. Korshikov |
| 2756 | GENUS: [Oocystis] Nägeli O. marssonii Lemmermann |
| 2757 | GENUS: [Plectonema] Thuret P. edaphicum (Elenkin) Vulina |
| 2759 | GENUS: [Carteria] Diesing C. crucifera Korchikoff |
| 2760 | GENUS: [Chlamydomonas] Ehrenberg C. globosa J.W. Snow |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2761 | GENUS: [Chlamydomonas] Ehrenberg <i>C. varians</i> J.W.G. Lund |
| 2762 | GENUS: [Sphaerello cystis] Ettl <i>S. stellata</i> Ettl |
| 2763 | GENUS: [Paulschulzia] Skuja <i>P. pseudovolvox</i> (Schulz) Skuja |
| 2764 | GENUS: [Echinocoleum] Jao et Lee <i>E. elegans</i> Jao et Lee |
| 2765 | GENUS: [Scenedesmus] Meyen <i>S. naegelii</i> Brébisson |
| 2766 | GENUS: [Aphanothece] Nägeli <i>A. caldarium</i> ? P. Richter |
| 2767 | GENUS: [Scenedesmus] Meyen <i>S. ellipsoideus</i> R. Chodat |
| 2768 | GENUS: [Cosmarium] Corda <i>C. obtusatum</i> Schmidle |
| 2769 | GENUS: [Cosmarium] Corda <i>C. punctulatum</i> Brebisson |
| 2770 | GENUS: [Cosmarium] Corda <i>C. punctulatum</i> Brebisson |
| 2771 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2772 | GENUS: [Cosmarium] Corda <i>C. punctulatum</i> Brebisson |
| 2773 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2774 | GENUS: [Scenedesmus] Meyen <i>S. pannonicus</i> Hortobágyi |
| 2775 | GENUS: [Euglena] Ehrenberg <i>E. sp. -</i> |
| 2776 | GENUS: [Gloeococcus] A. Braun <i>G. sp. -</i> |
| 2777 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2778 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2779 | GENUS: [Cosmarium] Corda <i>C. laeve</i> Rabenhorst |
| 2780 | GENUS: [Cosmarium] Corda <i>C. laeve</i> Rabenhorst |
| 2781 | GENUS: [Cosmarium] Corda <i>C. laeve</i> Rabenhorst |
| 2782 | GENUS: [Cosmarium] Corda <i>C. laeve</i> Rabenhorst |
| 2783 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2784 | GENUS: [Cosmarium] Corda C. laeve Rabenhorst |
| 2785 | GENUS: [Cosmarium] Corda C. laeve Rabenhorst |
| 2786 | GENUS: [Cosmarium] Corda C. laeve Rabenhorst |
| 2787 | GENUS: [Cosmarium] Corda C. sinostegos Schaarschmidt |
| 2788 | GENUS: [Cosmarium] Corda C. regnellii var. minimum Eichler & Gutwinski |
| 2789 | GENUS: [Cosmarium] Corda C. phaseolus Brebisson |
| 2790 | GENUS: [Cosmarium] Corda C. regnellii Wille |
| 2791 | GENUS: [Cosmarium] Corda C. sp. - |
| 2792 | GENUS: [Cosmarium] Corda C. regnellii var. pseudoregnellii (Messik.) Krieger et Gerloff |
| 2793 | GENUS: [Cosmarium] Corda C. variolatum Lundell |
| 2794 | GENUS: [Cosmarium] Corda C. sp. - |
| 2795 | GENUS: [Cosmarium] Corda C. impressulum Elfving |
| 2796 | GENUS: [Cosmarium] Corda C. impressulum Elfving |
| 2797 | GENUS: [Cosmarium] Corda C. impressulum Elfving |
| 2798 | GENUS: [Cosmarium] Corda C. sp. - |
| 2799 | GENUS: [Cosmarium] Corda C. sp. - |
| 2800 | GENUS: [Cosmarium] Corda C. quadratum Ralfs |
| 2801 | GENUS: [Cosmarium] Corda C. quadratum Ralfs |
| 2802 | GENUS: [Cosmarium] Corda C. lundellii var. ellipticum West & West |
| 2803 | GENUS: [Volvox] (Linné) Ehrenberg V. aureus Ehrenberg |
| 2804 | GENUS: [Cosmarium] Corda C. sp. - |
| 2805 | GENUS: [Cosmarium] Corda C. anceps var. minimum Gutwinski |
| 2806 | GENUS: [Characiopsis] Borzi C. sp. |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2807 | GENUS: [Chlorococcum] Meneghini C. sp. |
| 2808 | GENUS: [Botryococcus] Kützing B. terribilis J. Komárek & P. Marvan |
| 2809 | GENUS: [Cosmarium] Corda C. garrolense Roy & Bisset |
| 2810 | GENUS: [Cosmarium] Corda C. plicatum P. Reinsch |
| 2811 | GENUS: [Cosmarium] Corda C. punctulatum var. subpunctulatum (Nordstedt) Börgesen |
| 2812 | GENUS: [Cosmarium] Corda C. sportella Brébisson |
| 2813 | GENUS: [Cosmarium] Corda C. subgranatum (Nordst.) Lütkemüller |
| 2814 | GENUS: [Cosmarium] Corda C. sportella Brébisson |
| 2815 | GENUS: [Cosmarium] Corda C. subcrenatum Hantzsch |
| 2816 | GENUS: [Cosmarium] Corda C. subgranatum (Nordst.) Lütkemüller |
| 2817 | GENUS: [Cosmarium] Corda C. quadrum Lundell |
| 2818 | GENUS: [Cosmarium] Corda C. sportella Brébisson |
| 2819 | GENUS: [Cosmarium] Corda C. formosulum Hoff |
| 2820 | GENUS: [Cosmarium] Corda C. botrytis Menegh. ex Ralfs |
| 2821 | GENUS: [Cosmarium] Corda C. praemorsum Brebisson |
| 2822 | GENUS: [Cosmarium] Corda C. praemorsum Brebisson |
| 2823 | GENUS: [Cosmarium] Corda C. praemorsum Brebisson |
| 2824 | GENUS: [Cosmarium] Corda C. subprotumidum Nordstedt |
| 2825 | GENUS: [Cosmarium] Corda C. obtusatum Schmidle |
| 2826 | GENUS: [Cosmarium] Corda C. obtusatum Schmidle |
| 2827 | GENUS: [Cosmarium] Corda C. sp. - |
| 2828 | GENUS: [Cosmarium] Corda C. vexatum G.S. West |
| 2829 | GENUS: [Cosmarium] Corda C. vexatum G.S. West |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2830 | GENUS: [Cosmarium] Corda <i>C. vogesiacum</i> Lemmermann |
| 2831 | GENUS: [Cosmarium] Corda <i>C. punctulatum</i> Brebisson |
| 2832 | GENUS: [Cosmarium] Corda <i>C. vexatum</i> G.S. West |
| 2833 | GENUS: [Cosmarium] Corda <i>C. vexatum</i> G.S. West |
| 2834 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2835 | GENUS: [Cosmarium] Corda <i>C. laeve</i> var. <i>octangulare</i> (Wille) West & West |
| 2836 | GENUS: [Coelastrum] Nägeli <i>C. morus</i> W. et G. S. West |
| 2837 | GENUS: [Cosmarium] Corda <i>C. quadratum</i> Ralfs |
| 2838 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2839 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2840 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2841 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2842 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2843 | GENUS: [Cosmarium] Corda <i>C. reniforme</i> var. <i>apertum</i> W. et G.S. West |
| 2844 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2845 | GENUS: [Cosmarium] Corda <i>C. thwaitesii</i> var. <i>penioides</i> Klebs |
| 2846 | GENUS: [Cosmarium] Corda <i>C. subcucumis</i> Schmidle |
| 2847 | GENUS: [Cosmarium] Corda <i>C. depressum</i> (Näg.) Lundell |
| 2848 | GENUS: [Cosmarium] Corda <i>C. vexatum</i> G.S. West |
| 2849 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2850 | GENUS: [Cosmarium] Corda <i>C. praemorsum</i> Brebisson |
| 2851 | GENUS: [Cosmarium] Corda <i>C. subprotumidum</i> Nordstedt |
| 2852 | GENUS: [Cosmarium] Corda <i>C. subcrenatum</i> Hantzsch |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2853 | GENUS: [Cosmarium] Corda <i>C. elegantissimum</i> Lundell |
| 2854 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2855 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2856 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2857 | GENUS: [Cosmarium] Corda <i>C. notabile</i> De Bary |
| 2858 | GENUS: [Cosmarium] Corda <i>C. notabile</i> var. <i>benedictum</i> (Ducellier) Krieger & Gerloff |
| 2859 | GENUS: [Cosmarium] Corda <i>C. punctulatum</i> Brebisson |
| 2860 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2861 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2862 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2863 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2864 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2865 | GENUS: [Cosmarium] Corda <i>C. sp. -</i> |
| 2866 | GENUS: [Cosmocladium] Brébisson <i>C. sp. -</i> |
| 2867 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. sp. -</i> |
| 2868 | GENUS: [Euastrum] Ehrenberg ex Ralfs <i>E. binale</i> var. <i>gutwinskii</i> ? (Schm.) Homfeld |
| 2869 | GENUS: [Pleurotaenium] Nägeli <i>P. trabecula</i> (Ehrenb.) Nägeli |
| 2870 | GENUS: [Pleurotaenium] Nägeli <i>P. trabecula</i> (Ehrenb.) Nägeli |
| 2871 | GENUS: [Pleurotaenium] Nägeli <i>P. sp. -</i> |
| 2872 | GENUS: [Pleurotaenium] Nägeli <i>P. sp. -</i> |
| 2873 | GENUS: [Pleurotaenium] Nägeli <i>P. trabecula</i> (Ehrenb.) Nägeli |
| 2874 | GENUS: [Pleurotaenium] Nägeli <i>P. trabecula</i> (Ehrenb.) Nägeli |
| 2875 | GENUS: [Pleurotaenium] Nägeli <i>P. repandum</i> (Wolle) Krieger |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2876 | GENUS: [Pleurotaenium] Nägeli P. sp. - |
| 2877 | GENUS: [Pleurotaenium] Nägeli P. repandum (Wolle) Krieger |
| 2879 | GENUS: [Spondylosium] Brébisson S. planum (Wolle) W. et G.S.West |
| 2880 | GENUS: [Staurodesmus] Teiling S. dejectus (Bréb.) Teiling |
| 2881 | GENUS: [Staurodesmus] Teiling S. incus var. incus fa. minor ? |
| 2882 | GENUS: [Staurodesmus] Teiling S. spencerianus (Mask.) Teiling |
| 2883 | GENUS: [Staurodesmus] Teiling S. mucronatus (Ralfs) Croasdale |
| 2884 | GENUS: [Staurodesmus] Teiling S. dejectus (Bréb.) Teiling |
| 2885 | GENUS: [Staurodesmus] Teiling S. triangularis (Lagerh.) Teiling |
| 2886 | GENUS: [Staurodesmus] Teiling S. dejectus var. apiculatus (Bréb.) Teiling |
| 2887 | GENUS: [Staurodesmus] Teiling S. omearii (Archer) Thom. |
| 2888 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 2889 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 2890 | GENUS: [Glaucocystis] Itzigshon G. nostochinearum Itzigsohn |
| 2891 | GENUS: [Pediastrum] Meyen P. integrum Nägeli |
| 2892 | GENUS: [Anabaena] Bory A. sp. - |
| 2893 | GENUS: [Calothrix] Agardh C. sp. - |
| 2894 | GENUS: [Synura] Ehrenberg S. sp. |
| 2895 | GENUS: [Staurastrum] Meyen S. sp. - |
| 2896 | GENUS: [Staurastrum] Meyen S. boreale West & G.S. West |
| 2897 | GENUS: [Staurastrum] Meyen S. punctulatum Brébisson |
| 2898 | GENUS: [Staurastrum] Meyen S. sp. - |
| 2899 | GENUS: [Staurastrum] Meyen S. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2900 | GENUS: [Chlorolobion] Korchikoff <i>C. braunii</i> (Näg.) Komárek |
| 2901 | GENUS: [Staurastrum] Meyen <i>S. sp.</i> - |
| 2902 | GENUS: [Staurastrum] Meyen <i>S. boreale</i> ? West & G.S. West |
| 2902-A | GENUS: [Staurastrum] Meyen <i>S. boreale</i> ? West & G.S. West |
| 2902-B | GENUS: [Staurastrum] Meyen <i>S. boreale</i> ? West & G.S. West |
| 2903 | GENUS: [Staurastrum] Meyen <i>S. boreale</i> West & G.S. West |
| 2904 | GENUS: [Staurastrum] Meyen <i>S. boreale</i> West & G.S. West |
| 2905 | GENUS: [Staurastrum] Meyen <i>S. polymorphum</i> L.A. Brébisson |
| 2906 | GENUS: [Staurastrum] Meyen <i>S. subavicularia</i> ? (West) West & G.S. West |
| 2907 | GENUS: [Staurastrum] Meyen <i>S. subavicularia</i> (West) West & G.S. West |
| 2908 | GENUS: [Staurastrum] Meyen <i>S. subavicularia</i> (West) West & G.S. West |
| 2909 | GENUS: [Staurastrum] Meyen <i>S. subavicularia</i> ? (West) West & G.S. West |
| 2910 | GENUS: [Sphaerello cystis] Ettl <i>S. stellata</i> Ettl |
| 2911 | GENUS: [Coenochloris] Korchikoff <i>C. planctonica</i> (W. West & G. S. West) Hindák |
| 2912 | GENUS: [Chlorella] Beijerinck <i>C. vulgaris</i> Beijerinck |
| 2913 | GENUS: [Chlorella] Beijerinck <i>C. sp.</i> - |
| 2914 | GENUS: [Chlorella] Beijerinck <i>C. vulgaris</i> Beijerinck |
| 2915 | GENUS: [Chlorella] Beijerinck <i>C. kessleri</i> Fott & Nováková |
| 2916 | GENUS: [Chlorella] Beijerinck <i>C. vulgaris</i> Beijerinck |
| 2917 | GENUS: [Chlorella] Beijerinck <i>C. kessleri</i> Fott & Nováková |
| 2918 | GENUS: [Chlorella] Beijerinck <i>C. kessleri</i> Fott & Nováková |
| 2919 | GENUS: [Chlorella] Beijerinck <i>C. vulgaris</i> var. <i>viridis</i> Chodat |
| 2920 | GENUS: [Chlorella] Beijerinck <i>C. emersonii</i> Shihira et Krauss |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2921 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2922 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2923 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2924 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2925 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2926 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2927 | GENUS: [Chlorella] Beijerinck C. sp. - |
| 2928 | GENUS: [Chlorella] Beijerinck C. kessleri Fott & Nováková |
| 2929 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2930 | GENUS: [Chlorococcum] Meneghini C. minutum Starr |
| 2931 | GENUS: [Chlorella] Beijerinck C. fusca Shihira et Krauss |
| 2932 | GENUS: [Chlorella] Beijerinck C. minutissima Fott et Nováková |
| 2933 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 2934 | GENUS: [Chlorosaccus] Luther C. sp. - |
| 2935 | GENUS: [Chlorosaccus] Luther C. sp. - |
| 2936 | GENUS: [Heterococcus] Chodat H. sp. - |
| 2937 | GENUS: [Heterothrix] Pascher H. sp. - |
| 2938 | GENUS: [Monodopsis] D. J. Hibberd M. unipapilla (H.Reisigl) L. M. A.Santos |
| 2939 | GENUS: [Chlamydomonas] Ehrenberg C. typica Deason & Bold |
| 2940 | GENUS: [Chlamydomonas] Ehrenberg C. parallestriata Korchikoff |
| 2941 | GENUS: [Chlamydomonas] Ehrenberg C. debaryana Goroschankin |
| 2942 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 2943 | GENUS: [Kirchneriella] Schmidle K. sp. ? |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2944 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 2945 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |
| 2946 | GENUS: [Kirchneriella] Schmidle K. aperta Teiling |
| 2947 | GENUS: [Lobosphaera] Reisingl L. reniformis (Watm.) Komárek et Fott |
| 2948 | GENUS: [Lobosphaera] Reisingl L. reniformis (Watm.) Komárek et Fott |
| 2949 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |
| 2950 | GENUS: [Chlamydomonas] Ehrenberg C. moewusii J.H. Gerloff |
| 2951 | GENUS: [Scenedesmus] Meyen S. intermedius R. Chodat |
| 2952 | GENUS: [Oocystis] Nägeli O. parva W. et G. S. West |
| 2953 | GENUS: [Oocystis] Nägeli O. bispora Komárek |
| 2954 | GENUS: [Ophiocytium] Nägeli O. parvulum (Perty) A. Braun |
| 2957 | GENUS: [Oocystis] Nägeli O. parva W. et G. S. West |
| 2958 | GENUS: [Chlamydomonas] Ehrenberg C. stellata O. Dill |
| 2959 | GENUS: [Chlamydomonas] Ehrenberg C. sp. - |
| 2960 | GENUS: [Chlamydomonas] Ehrenberg C. sp. - |
| 2961 | GENUS: [Phormidium] Kützing P. fragile (Meneghini) Gomont |
| 2962 | GENUS: [Geminella] Turpin G. minor (Näg.) Heering |
| 2964 | GENUS: [Micractinium] Fresenius M. sp. - |
| 2965 | GENUS: [Micractinium] Fresenius M. sp. - |
| 2966 | GENUS: [Chlorhormidium] Fott C. flaccidum (Kütz.) Fott |
| 2967 | GENUS: [Myrmecia] Printz M. biatorellae Boye-Petersen |
| 2968 | GENUS: [Chlorangiella] De-Toni C. basiannulata (Skuja) Silva |
| 2969 | GENUS: [Stylosphaeridium] Geitler & Gimesi S. chlorangielloides Fott |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 2970 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2971 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 2972 | GENUS: [Coelastrum] Nägeli C. microporum Nägeli |
| 2973 | GENUS: [Nephrocytium] Nägeli N. sp. - |
| 2974 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 2975 | GENUS: [Tetradesmus] G. M. Smith T. sp. - |
| 2976 | GENUS: [Calothrix] Agardh C. sp. - |
| 2977 | GENUS: [Pediastrum] Meyen P. boryanum var. brevicorne fa. granulatum (Racib.) Parra |
| 2978 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 2979 | GENUS: [Binuclearia] Wittrock B. tectorum (Kütz.) Beger |
| 2980 | GENUS: [Scenedesmus] Meyen S. brasiliensis Bohlin |
| 2981 | GENUS: [Teilingia] Bourrelly T. granulata (Roy et Bisset) Bourrelly |
| 2982 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 2983 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 2984 | GENUS: [Scenedesmus] Meyen S. grahneisii (Heynig) Fott |
| 2985 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 2986 | GENUS: [Bracteacoccus] Tereg B. sp. - |
| 2987 | GENUS: [Coelastropsis] Fott et Kalina C. sp. - |
| 2988 | GENUS: [Coelastrum] Nägeli C. reticulatum Dangeard |
| 2989 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 2990 | GENUS: [Scenedesmus] Meyen S. communis Hegewald |
| 2991 | GENUS: [Bracteacoccus] Tereg B. sp. - |
| 2991-A | GENUS: [Bracteacoccus] Tereg B. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 2991-B | GENUS: [Bracteacoccus] Tereg B. sp. - |
| 2993 | GENUS: [Tetracystis] R.M. Brown & H.C. Bold T. sp. - |
| 2994 | GENUS: [Vaucheria] De Candolle V. sp. - |
| 2995 | GENUS: [Staurastrum] Meyen S. sp. - |
| 2996 | GENUS: [Aphanothece] Nägeli A. pallida ? (Kützing) Rabenhorst |
| 2997 | GENUS: [Staurastrum] Meyen S. teliferum Ralfs |
| 2998 | GENUS: [Staurastrum] Meyen S. longiradiatum West & G.S. West |
| 2999 | GENUS: [Staurastrum] Meyen S. submanfeldtii West & G.S. West |
| 3000 | GENUS: [Staurastrum] Meyen S. longiradiatum West & G.S. West |
| 3001 | GENUS: [Chlamydomonas] Ehrenberg C. sp. - |
| 3002 | GENUS: [Scenedesmus] Meyen S. serratus (Corda) Bohlin |
| 3003 | GENUS: [Staurastrum] Meyen S. submanfeldtii West & G.S. West |
| 3004 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3005 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3006 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3007 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3008 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3009 | GENUS: [Staurastrum] Meyen S. submanfeldtii West & G.S. West |
| 3010 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3011 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3012 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3013 | GENUS: [Staurastrum] Meyen S. crenulatum (C.W. Nägeli) G.B. Delponte |
| 3014 | GENUS: [Staurastrum] Meyen S. polymorphum L.A. Brébisson |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 3015 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3016 | GENUS: [Staurastrum] Meyen S. bicoronatum var. alpinum (W. Schmidle) J. Lütkemüller |
| 3017 | GENUS: [Staurastrum] Meyen S. submanfeldtii West & G.S. West |
| 3018 | GENUS: [Staurastrum] Meyen S. sebaldi ? Reinsch |
| 3018-A | GENUS: [Staurastrum] Meyen S. sebaldi ? Reinsch |
| 3018-B | GENUS: [Staurastrum] Meyen S. sebaldi ? Reinsch |
| 3019 | GENUS: [Staurastrum] Meyen S. manfeldtii var. parvum E. Messikommer |
| 3020 | GENUS: [Staurastrum] Meyen S. sebaldi var. ornatum Nordstedt |
| 3021 | GENUS: [Staurastrum] Meyen S. paxilliferum G.S. West |
| 3022 | GENUS: [Staurastrum] Meyen S. crenulatum (C.W. Nägeli) G.B. Delponte |
| 3023 | GENUS: [Staurastrum] Meyen S. sebaldi var. ornatum Nordstedt |
| 3024 | GENUS: [Staurastrum] Meyen S. crenulatum (C.W. Nägeli) G.B. Delponte |
| 3025 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3026 | GENUS: [Staurastrum] Meyen S. hirsutum (Ehrenb.) Brébisson |
| 3027 | GENUS: [Staurastrum] Meyen S. pyramidatum W. West |
| 3028 | GENUS: [Staurastrum] Meyen S. punctulatum Brébisson |
| 3029 | GENUS: [Staurastrum] Meyen S. hirsutum (Ehrenb.) Brébisson |
| 3030 | GENUS: [Staurastrum] Meyen S. pseudosebaldi Wille |
| 3030-A | GENUS: [Staurastrum] Meyen S. pseudosebaldi Wille |
| 3031 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3032 | GENUS: [Staurastrum] Meyen S. chaetoceras (J.L.B. Schröder) G.M. Smith |
| 3033 | GENUS: [Staurastrum] Meyen S. chaetoceras (J.L.B. Schröder) G.M. Smith |
| 3034 | GENUS: [Staurastrum] Meyen S. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3035 | GENUS: [Staurastrum] Meyen S. manfeldtii var. parvum E. Messikommer |
| 3036 | GENUS: [Scytonema] Agardh S. sp. - |
| 3037 | GENUS: [Staurastrum] Meyen S. senarium (Ehrenb.) Ralfs |
| 3038 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 3039 | GENUS: [Staurastrum] Meyen S. chaetoceras (J.L.B. Schröder) G.M. Smith |
| 3040 | GENUS: [Staurastrum] Meyen S. chaetoceras (J.L.B. Schröder) G.M. Smith |
| 3041 | GENUS: [Micractinium] Fresenius M. sp. - |
| 3042 | GENUS: [Staurastrum] Meyen S. chaetoceras (J.L.B. Schröder) G.M. Smith |
| 3043 | GENUS: [Staurastrum] Meyen S. chaetoceras (J.L.B. Schröder) G.M. Smith |
| 3044 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3045 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3046 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3047 | GENUS: [Staurastrum] Meyen S. chaetoceras (J.L.B. Schröder) G.M. Smith |
| 3048 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3050 | GENUS: [Staurastrum] Meyen S. polymorphum L.A. Brébisson |
| 3051 | GENUS: [Calothrix] Agardh C. sp. - |
| 3052 | GENUS: [Scenedesmus] Meyen S. naegelii Brébisson |
| 3053 | GENUS: [Sphaerello cystis] Ettl S. stellata Ettl |
| 3054 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 3055 | GENUS: [Staurodesmus] Teiling S. brevispina (Bréb.) Croasdale |
| 3056 | GENUS: [Pseudanabaena] Lauterborn P. galeata Böcher |
| 3057 | GENUS: [Microchaete] Thuret M. violacea Frémy |
| 3058 | GENUS: [Chlamydocapsa] Fott C. maxima (Mainx) Ettl et Gärtner |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 3059 | GENUS: [Tetracystis] R.M. Brown & H.C. Bold T. illinoisensis Brown & Bold |
| 3060 | GENUS: [Scytonema] Agardh S. crispum (Agardh) Bornet |
| 3061 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 3062 | GENUS: [Cosmarium] Corda C. subcucumis Schmidle |
| 3063 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3064 | GENUS: [Cosmarium] Corda C. sp. - |
| 3064-A | GENUS: [Cosmarium] Corda C. sp. - |
| 3065 | GENUS: [Scenedesmus] Meyen S. brasiliensis Bohlin |
| 3066 | GENUS: [Chlorosphaeropsis] Vischer C. sp. - |
| 3067 | GENUS: [Geminella] Turpin G. minor (Näg.) Heering |
| 3068 | GENUS: [Sphaerello cystis] Ettl S. sp. - |
| 3069 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3070 | GENUS: [Oedogonium] Link O. sp. - |
| 3071 | GENUS: [Chlorella] Beijerinck C. minutissima Fott et Nováková |
| 3072 | GENUS: [Chlorosaccus] Luther C. sp. - |
| 3073 | GENUS: [Trichosarcina] Nichols et Bold T. sp. - |
| 3074 | GENUS: [Aphanothece] Nägeli A. pallida ? (Kützing) Rabenhorst |
| 3075 | GENUS: [Oocystis] Nägeli O. bispora Komárek |
| 3076 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |
| 3077 | GENUS: [Chlorosphaeropsis] Vischer C. alveolata Herndon |
| 3078 | GENUS: [Pediastrum] Meyen P. integrum ? Meyen |
| 3079 | GENUS: [Plectonema] Thuret P. sp. - |
| 3080 | GENUS: [Plectonema] Thuret P. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3081 | GENUS: [Pseudanabaena] Lauterborn P. galeata ? Lauterborn |
| 3082 | GENUS: [Chlamydocapsa] Fott C. planctonica (West & G.S.West) Fott |
| 3083 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3084 | GENUS: [Scytonema] Agardh S. crispum (Agardh) Borneo |
| 3085 | GENUS: [Trachelomonas] Ehrenberg T. hispida (Perty) Stein |
| 3086 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 3087 | GENUS: [Trachelomonas] Ehrenberg T. sp. - |
| 3088 | GENUS: [Trachelomonas] Ehrenberg T. sp. - |
| 3089 | GENUS: [Trachelomonas] Ehrenberg T. sp. - |
| 3090 | GENUS: [Trachelomonas] Ehrenberg T. armata var. echinata (A.M. Cunha) T.G. Popova |
| 3091 | GENUS: [Ankistrodesmus] Corda A. falcatus (Corda) Ralfs |
| 3092 | GENUS: [Monoraphidium] Komárková-Legnerová M. griffithii (Berk.) Komárková-Legnerová |
| 3093 | GENUS: [Mallomonas] Perty M. sp. - |
| 3093-A | GENUS: [Mallomonas] Perty M. sp. - |
| 3094 | GENUS: [Mallomonas] Perty M. sp. - |
| 3095 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 3096 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 3097 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 3098 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 3099 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 3100 | GENUS: [Phaeoschizochlamys] Lemmermann P. sp. - |
| 3101 | GENUS: [Chlamydomonas] Ehrenberg C. sp. - |
| 3102 | GENUS: [Chrysocapsa] Pascher C. planctonica Pascher |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3103 | GENUS: [Oscillatoria] Vaucher O. pseudacutissima Geitler |
| 3104 | GENUS: [Tolypothrix] Kützing T. fasciculata (C. Agardh) J. E. Gray |
| 3105 | GENUS: [Microcoleus] Desmazières ex Gomont M. sociatus W. West & G.S. West |
| 3106 | GENUS: [Tolypothrix] Kützing T. byssoidea (Berk.) Kirchner |
| 3107 | GENUS: [Plectonema] Thuret P. battersii Gomont |
| 3108 | GENUS: [Eudorina] Ehrenberg E. sp. - |
| 3109 | GENUS: [Eudorina] Ehrenberg E. sp. - |
| 3110 | GENUS: [Pandorina] Bory P. morum (Müller) Bory |
| 3111 | GENUS: [Pandorina] Bory P. morum (Müller) Bory |
| 3112 | GENUS: [Pandorina] Bory P. smithii Chodat |
| 3113 | GENUS: [Gonium] Müller G. sociale ? (Dujardin) Warming |
| 3114 | GENUS: [Gonium] Müller G. pectorale Müller |
| 3115 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. linckia (Roth) Bornet |
| 3116 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. piscinale Kützing |
| 3117 | GENUS: [Characium] A. Braun C. starrii Fott |
| 3118 | GENUS: [Characium] A. Braun C. acuminatum A. Braun ex. Kützing |
| 3119 | GENUS: [Characium] A. Braun C. sp. - |
| 3120 | GENUS: [Cosmarium] Corda C. quadrum Lundell |
| 3121 | GENUS: [Scenedesmus] Meyen S. acuminatus (Lagerh.) Chodat |
| 3122 | GENUS: [Geminella] Turpin G. interrupta (Turpin) Lagerheim |
| 3123 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3124 | GENUS: [Phormidium] Kützing P. sp. - |
| 3125 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3126 | GENUS: [Scenedesmus] Meyen S. tenuispina Chodat |
| 3127 | GENUS: [Kirchneriella] Schmidle K. roselata F. Hindák |
| 3128 | GENUS: [Dictyosphaerium] Nägeli D. sp. - |
| 3129 | GENUS: [Aphanocapsa] Nägeli A. parietina ? (Nägeli) Nägeli |
| 3130 | GENUS: [Ankistrodesmus] Corda A. fusiformis Corda |
| 3131 | GENUS: [Phormidium] Kützing P. setchelianum Gomont |
| 3132 | GENUS: [Cosmarium] Corda C. sp. - |
| 3133 | GENUS: [Cosmarium] Corda C. sp. - |
| 3134 | GENUS: [Cosmarium] Corda C. sp. - |
| 3135 | GENUS: [Cosmarium] Corda C. sp. - |
| 3136 | GENUS: [Cosmarium] Corda C. corbula (Brebisson) Brebisson |
| 3137 | GENUS: [Botryococcus] Kützing B. sp. - |
| 3138 | GENUS: [Oocystidium] O. Korshikov O. ovale O. Korshikov |
| 3139 | GENUS: [Geminella] Turpin G. interrupta (Turpin) Lagerheim |
| 3140 | GENUS: [Aphanothece] Nägeli A. sp. - |
| 3141 | GENUS: [Scytonema] Agardh S. obscurum Hansgirg |
| 3142 | GENUS: [Dictyococcus] Gerneck D. sp. - |
| 3143 | GENUS: [Chlorococcum] Meneghini C. sp. |
| 3144 | GENUS: [Kirchneriella] Schmidle K. sp. - |
| 3145 | GENUS: [Oocystis] Nägeli O. sp. - |
| 3146 | GENUS: [Oocystis] Nägeli O. marssonii Lemmermann |
| 3147 | GENUS: [Scenedesmus] Meyen S. tenuispina Chodat |
| 3148 | GENUS: [Kirchneriella] Schmidle K. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3149 | GENUS: [Chlorella] Beijerinck C. miniata (Kützing) Oltmanns |
| 3150 | GENUS: [Chlorella] Beijerinck C. protothecoides Krüger |
| 3151 | GENUS: [Chlorella] Beijerinck C. sp. - |
| 3152 | GENUS: [Cylindrospermum] Kützing C. sp. |
| 3153 | GENUS: [Oscillatoria] Vaucher O. sp. - |
| 3154 | GENUS: [Chlorella] Beijerinck C. sp. - |
| 3155 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 3156 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3157 | GENUS: [Chlorella] Beijerinck C. minutissima Fott et Nováková |
| 3158 | GENUS: [Audouinella] Bory A. sp. |
| 3159 | GENUS: [Pediastrum] Meyen P. boryanum (Turp.) Meneghini |
| 3160 | GENUS: [Chlorella] Beijerinck C. reisiigii Watanabe |
| 3161 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 3162 | GENUS: [Chlorella] Beijerinck C. emersonii Shihira et Krauss |
| 3163 | GENUS: [Chlorella] Beijerinck C. sp. - |
| 3164 | GENUS: [Chlamydomonas] Ehrenberg C. sp. - |
| 3165 | GENUS: [Chlorella] Beijerinck C. sp. - |
| 3166 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3167 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 3168 | GENUS: [Merismopedia] Meyen M. sp. |
| 3170 | GENUS: [Spirogyra] Link S. sp. - |
| 3171 | GENUS: [Monoraphidium] Komárková-Legnerová M. minutum (Näg.) Komárková-Legnerová |
| 3173 | GENUS: [Scenedesmus] Meyen S. smithii Chodat |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 3174 | GENUS: [Oedogonium] Link O. sp. - |
| 3175 | GENUS: [Ochromonas] H. Meyer O. sp. - |
| 3177 | GENUS: [Characiopsis] Borzi C. sp. |
| 3181 | GENUS: [Characiopsis] Borzi C. sp. |
| 3184 | GENUS: [Chlamydomonas] Ehrenberg C. sp. - |
| 3185 | GENUS: [Pseudococcomyxa] Korchikoff P. adhaerens Korchikoff |
| 3187 | GENUS: [Pseudococcomyxa] Korchikoff P. adhaerens Korchikoff |
| 3189 | GENUS: [Chlorella] Beijerinck C. sp. - |
| 3190 | GENUS: [Kentrosphaera] Borzi K. lemnae M. Puncochárová |
| 3191 | GENUS: [Quadrigula] Printz Q. sabulosa Hindák |
| 3192 | GENUS: [Chlorolobion] Korchikoff C. lunulatum Hindák |
| 3193 | GENUS: [Cosmarium] Corda C. crenatum Ralfs |
| 3194 | GENUS: [Crucigeniella] Lemmermann C. rectangularis (Näg.) Komárek |
| 3195 | GENUS: [Chlorella] Beijerinck C. vulgaris Beijerinck |
| 3196 | GENUS: [Ankistrodesmus] Corda A. gracilis (Reinsch) Korchikoff |
| 3197 | GENUS: [Scytonema] Agardh S. stuposum (Kütz.) Bornet |
| 3198 | GENUS: [Anabaena] Bory A. sp. - |
| 3199 | GENUS: [Carteria] Diesing C. lunzensis Pascher & Jahoda |
| 3200 | GENUS: [Cladophora] Kützing C. sp. - |
| 3200-A | GENUS: [Cladophora] Kützing C. sp. - |
| 3201 | GENUS: [Chlorella] Beijerinck C. sp. - |
| 3202 | GENUS: [Chlorococcum] Meneghini C. sp. |
| 3203 | GENUS: [Sphaerellopsis] Korchikoff S. aulata (Pascher) Gerloff |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 3204 | GENUS: [Cosmarium] Corda C. sp. - |
| 3205 | GENUS: [Spirogyra] Link S. sp. - |
| 3206 | GENUS: [Spirogyra] Link S. sp. - |
| 3207 | GENUS: [Spirogyra] Link S. sp. - |
| 3208 | GENUS: [Staurastrum] Meyen S. tohopekaligense Wolle |
| 3209 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 3210 | GENUS: [Scenedesmus] Meyen S. ellipsoideus R. Chodat |
| 3211 | GENUS: [Scenedesmus] Meyen S. obliquus (Turp.) Kützing |
| 3212 | GENUS: [Scenedesmus] Meyen S. ellipsoideus R. Chodat |
| 3213 | GENUS: [Scenedesmus] Meyen S. serratus (Corda) Bohlin |
| 3214 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 3215 | GENUS: [Elakatothrix] Wille E. gelifacta (Chod.) Hindák |
| 3216 | GENUS: [Vaucheria] De Candolle V. sp. - |
| 3217 | GENUS: [Neochloris] Starr N. sp. |
| 3218 | GENUS: [Neochloris] Starr N. sp. |
| 3219 | GENUS: [Coelastrum] Nägeli C. pseudomicroporum Korchikoff |
| 3220 | GENUS: [Chlamydocapsa] Fott C. ampla (Kütz.) Fott |
| 3221 | GENUS: [Oocystis] Nägeli O. sp. - |
| 3222 | GENUS: [Scenedesmus] Meyen S. quadrispina Chodat |
| 3223 | GENUS: [Scenedesmus] Meyen S. naegelii Brébisson |
| 3224 | GENUS: [Scenedesmus] Meyen S. armatus var. brevicaudatus ? (Peterfi) Hegewald |
| 3224-A | GENUS: [Scenedesmus] Meyen S. armatus var. brevicaudatus ? (Peterfi) Hegewald |
| 3225 | GENUS: [Sphaerellocystis] Ettl S. stellata Ettl |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 3226 | GENUS: [Pandorina] Bory P. morum (Müller) Bory |
| 3227 | GENUS: [Euglena] Ehrenberg E. stellata Mainx |
| 3228 | GENUS: [Characiopsis] Borzi C. sp. |
| 3229 | GENUS: [Apatococcus] Brand A. sp. - |
| 3230 | GENUS: [Chlorokybus] Geitler C. sp. - |
| 3231 | GENUS: [Kirchneriella] Schmidle K. obesa (W. West) Schmidle |
| 3232 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 3233 | GENUS: [Scenedesmus] Meyen S. tibiscensis Uherkovich |
| 3234 | GENUS: [Ankistrodesmus] Corda A. densus Korchikoff |
| 3235 | GENUS: [Staurastrum] Meyen S. bibrachiatum - |
| 3236 | GENUS: [Oscillatoria] Vaucher O. splendida Greville |
| 3237 | GENUS: [Phacus] Dujardin P. acuminatus var. discifera (Pochmann) Huber-Pestalozzi |
| 3238 | GENUS: [Pediastrum] Meyen P. boryanum var. boryanum (Turp.) Meneghini |
| 3239 | GENUS: [Koliella] Hindák K. spiculiformis (Vischer) Kindák |
| 3240 | GENUS: [Chlamydomonas] Ehrenberg C. perpusilla Gerloff |
| 3241 | GENUS: [Chloromonas] Gobi C. insignis (Anachin) Gerloff & Ettl |
| 3242 | GENUS: [Phormidium] Kützing P. luridum (Kützing) Gomont |
| 3243 | GENUS: [Calothrix] Agardh C. sp. - |
| 3244 | GENUS: [Chlorolobion] Korchikoff C. braunii (Näg.) Komárek |
| 3245 | GENUS: [Scenedesmus] Meyen S. sp. - |
| 3246 | GENUS: [Cosmarium] Corda C. regnellii Wille |
| 3247 | GENUS: [Botryococcus] Kützing B. braunii Kützing |
| 3248 | GENUS: [Scenedesmus] Meyen S. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3249 | GENUS: [Pediastrum] Meyen P. boryanum var. longicorne Reinsch |
| 3250 | GENUS: [Characiochloris] Pascher C. sp. - |
| 3251 | GENUS: [Monoraphidium] Komárková-Legnerová M. contortum (Thuret) Komárková-Legnerová |
| 3252 | GENUS: [Trentepohlia] Martius T. lagenifera (Hildenbrand) Wille |
| 3253 | GENUS: [Trentepohlia] Martius T. annulata Brand |
| 3254 | GENUS: [Calothrix] Agardh C. gracilis (Rabenhorst) Wolle |
| 3255 | GENUS: [Scenedesmus] Meyen S. grahneisii (Heynig) Fott |
| 3256 | GENUS: [Neochloris] Starr N. pyrenoidosa Arce & Bold |
| 3257 | GENUS: [Tolypothrix] Kützing T. sp. - |
| 3258 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3259 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3260 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3261 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3262 | GENUS: [Anabaena] Bory A. laxa (Rabenh.) A. Braun |
| 3263 | GENUS: [Anabaena] Bory A. sp. - |
| 3264 | GENUS: [Scenedesmus] Meyen S. ellipsoideus? Meyen |
| 3265 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 3266 | GENUS: [Sphaerello cystis] Ettl Stigmatica ? ? |
| 3267 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3269 | GENUS: [Plectonema] Thuret P. dangeardii ? Frémy |
| 3269-A | GENUS: [Plectonema] Thuret P. dangeardii ? Frémy |
| 3270 | GENUS: [Scenedesmus] Meyen S. spinosus Chodat |
| 3273 | GENUS: [Teilingia] Bourrelly T. granulata (Roy et Bisset) Bourrelly |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 3274 | GENUS: [Xanthidium] Ehrenberg X. sp. |
| 3275 | GENUS: [Aphanochaete] A. Braun A. sp. |
| 3276 | GENUS: [Crucigenia] Morren C. tetrapedia (Kirchn.) W. et G.S.West |
| 3277 | GENUS: [Phacus] Dujardin P. orbicularis Hübner |
| 3278 | GENUS: [Monoraphidium] Komárková-Legnerová M. subclavatum ? Nygaard |
| 3279 | GENUS: [Tolypothrix] Kützing T. distorta (Fl. Dan.) Kützing |
| 3280 | GENUS: [Sphaerello cystis] Ettl S. stellata Ettl |
| 3281 | GENUS: [Pandorina] Bory P. smithii Chodat |
| 3282 | GENUS: [Cosmarium] Corda C. impressulum ? Corda |
| 3283 | GENUS: [Staurastrum] Meyen S. sp. - |
| 3284 | GENUS: [Pseudanabaena] Lauterborn P. sp. - |
| 3285 | GENUS: [Elakatothrix] Wille E. sp |
| 3286 | GENUS: [Scenedesmus] Meyen S. armatus Chodat |
| 3287 | GENUS: [Pleurocapsa] Thuret P. sp. |
| 3288 | GENUS: [Oocystis] Nägeli O. solitaria Wittrock |
| 3289 | GENUS: [Phaeothamnion] Lagerheim P. sp. |
| 3290 | GENUS: [Scenedesmus] Meyen S. maximus ? Meyen |
| 3291 | GENUS: [Scenedesmus] Meyen S. armatus var. brevicaudatus (Peterfi) Hegewald |
| 3292 | GENUS: [Closterium] Nitzsch C. sp. - |
| 3293 | GENUS: [Coelastrum] Nägeli C. microporum Nägeli |
| 3294 | GENUS: [Cosmarium] Corda C. sp. - |
| 3295 | GENUS: [Chlorolobion] Korchikoff C. guanense Comas |
| 3296 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |

| ACOI STRAIN | ACOI CULTURE |
|-------------|--|
| 3297 | GENUS: [Monoraphidium] Komárková-Legnerová M. circinale (Nyg.) Nygaard |
| 3298 | GENUS: [Monoraphidium] Komárková-Legnerová M. circinale ? Komárková-Legnerová |
| 3299 | GENUS: [Stichogloea] Chodat S. sp. |
| 3300 | GENUS: [Synura] Ehrenberg S. petersennii Korchikoff |
| 3301 | GENUS: [Synura] Ehrenberg S. petersennii Korchikoff |
| 3301-A | GENUS: [Synura] Ehrenberg S. petersennii Korchikoff |
| 3302 | GENUS: [Chrysonobula] Lund C. sp. |
| 3303 | GENUS: [Chrysonobula] Lund C. sp. |
| 3304 | GENUS: [Chrysonobula] Lund C. sp. |
| 3305 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. punctiforme (Kütz.) Hariot |
| 3306 | GENUS: [Chamaesiphon] A. Braun et Grunow C. starmachii ? Kann |
| 3307 | GENUS: [Chamaesiphon] A. Braun et Grunow C. amethystinus ? (Rostafinski) Lemmermann |
| 3307-A | GENUS: [Chamaesiphon] A. Braun et Grunow C. amethystinus ? (Rostafinski) Lemmermann |
| 3309 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 3310 | GENUS: [Gonatozygon] De Bary G. brebissonii De Bary |
| 3311 | GENUS: [Pediastrum] Meyen P. integrum ? Meyen |
| 3312 | GENUS: [Phormidium] Kützing P. autumnale ? (Agardh) Gomont |
| 3313 | GENUS: [Phormidium] Kützing P. autumnale ? (Agardh) Gomont |
| 3314 | GENUS: [Phormidium] Kützing P. autumnale ? (Agardh) Gomont |
| 3315 | GENUS: [Phormidium] Kützing P. coutinhoi J. Sampaio |
| 3316 | GENUS: [Tolypothrix] Kützing T. byssoidea var. byssoidea fa. polyclados Frémy |
| 3317 | GENUS: [Ulothrix] Kützing U. implexa ? Kützing |
| 3318 | GENUS: [Kentrosphaera] Borzi K. lemnae ? Borzi |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3319 | GENUS: [Kentrosphaera] Borzi K. sp. - |
| 3320 | GENUS: [Kentrosphaera] Borzi K. sp. - |
| 3321 | GENUS: [Kentrosphaera] Borzi K. lemnae M. Puncochárová |
| 3322 | GENUS: [Chlorhormidium] Fott C. flaccidum ? Fott |
| 3323 | GENUS: [Treubaria] Bernard T. schmidlei (Schröd.) Fott et Kovácik |
| 3324 | GENUS: [Enallax] Pascher E. acutiformis (Schröder) Hindák |
| 3325 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. elliposporum Rabenhorst |
| 3326 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 3327 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 3328 | GENUS: [Mougeotia] C. A. Agardh M. sp. - |
| 3329 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. sp. - |
| 3330 | GENUS: [Kentrosphaera] Borzi K. sp. - |
| 3331 | GENUS: [Chlorhormidium] Fott C. dissectum ? (F. Gay) Farooqui |
| 3331-A | GENUS: [Chlorhormidium] Fott C. dissectum ? (F. Gay) Farooqui |
| 3332 | GENUS: [Dactylosphaerium] Steinecke D. jurisii Hindák |
| 3333 | GENUS: [Nostoc] Vaucher ex Bornet et Flahault N. gelatinosum Schousboe |
| 3334 | GENUS: [Pediastrum] Meyen P. angulosum (Ehrenb.) Meneghini |
| 3335 | GENUS: [Pediastrum] Meyen P. angulosum (Ehrenb.) Meneghini |
| 3336 | GENUS: [Pediastrum] Meyen P. angulosum (Ehrenb.) Meneghini |
| 3337 | GENUS: [Pediastrum] Meyen P. biradiatum Meyen |
| 3338 | GENUS: [Chroococcus] Nägeli C. sp. - |
| 3339 | GENUS: [Ophiocytium] Nägeli O. capitatum Wolle |
| 3340 | GENUS: [Trentepohlia] Martius T. annulata ? Brand |

| ACOI STRAIN | ACOI CULTURE |
|-------------|---|
| 3341 | GENUS: [Trentepohlia] Martius T. abietina ? (Flotow) Hansgirg |
| 3342 | GENUS: [Trentepohlia] Martius T. sp. |
| 3343 | GENUS: [Aphanocapsa] Nägeli A. planctonica ? (G.M. Smith) Komárek & Anagnostidis |
| 3344 | GENUS: [Ophiocytium] Nägeli O. capitatum Wolle |